



2012

 **BURRIS**[®]

SEE THE LIGHT[™]

New for 2012


The Tradition Continues

At Burris, our promise to you has always been to provide the finest hunting and shooting optics featuring the latest technology at the greatest value for your hard earned dollar. That tradition continues in 2012 with a complete line of scopes and sights that are optically and mechanically better than any comparable scopes on the market today. Whether you're a big game hunter, tactical shooter or budding three-gun enthusiast, or just enjoy plinking at targets, we have the right optics for you.

New products featured in this year's catalog include:

MTAC riflescopes - Five new models designed for tactical shooters and 3-gun competitors, yet versatile enough for the field. A robust design with 30mm tubes, glove-friendly windage/elevation Mil-rad adjustment knobs and an improved G2B mil-dot reticle. Combined with high resolution, multi-coated lenses, these are "must have" optics for any shooter.


Fullfield II E¹ - The new 6.5-20x model with its E¹ MV reticle that's calibrated for lighter, faster loads. With the ability to determine holdover for distance and hold-off for wind, it's the perfect varmint hunting scope.



Ballistic Plex E¹ MV




See pages 26-27



See pages 10-11





AR-536 - 5x magnification for engaging long-range targets and larger 36mm objective for brighter, crisper images. A great game changer for mid-range shooting. Also provides three mounting rails for additional sights or accessories.

AR-132 - The AR-132 is a compact, lightweight 4 MOA red dot sight with 1x magnification that is ideal for CQB situations.

AR-Tripler - Adds versatility and extended range to our 1x XTS-135 and AR-132.

QD Pivot Ring - The new AR-Pivot Ring lets you flip the Tripler out of the way for close-quarters shooting.

FastFire III - The latest generation Red Dot Reflex sight. Versatile enough for handguns, shotguns or long guns. New features offer easier operation and greater versatility.



AR-536
See page 28



AR-132
See page 29



AR-Tripler
See page 31



QD Pivot Ring
See page 31



FASTFIRE III
See page 18

Eliminator™

The award winning Eliminator LaserScope is guaranteed to bring a smile to even the most experienced hunter. In a split second, the Eliminator determines the distance to your target, calculates your trajectory, even on steep uphill and downhill shots, then illuminates the perfect holdover. It's that simple.

Just Range, Aim, and Eliminate.





ELIMINATOR
LASER SCOPE™



In a Split Second...



Acquire target



Range...



Aim...



Eliminate

Eliminator™

Accuracy That Is Off the Chart

The Eliminator significantly extends the range and accuracy of centerfire and rimfire rifles, muzzleloaders and slug guns. Now, nothing is safe from the Eliminator. Big game, small game, varmints...even tin cans.

Three simple programming steps let you match the ballistics of your ammunition to the trajectory compensating capabilities within the Eliminator LaserScope.

This means you...

Eliminate the need for a hand-held laser rangefinder.

Eliminate the loss of crucial seconds fumbling with other optics and rangefinders.

Eliminate the need for guessing or estimating hold-over on longshots.

Eliminate the chances of missing the trophy of a lifetime due to lack of confidence.

Eliminate aiming errors with the 1/3 MOA illuminated aiming dot.

The Eliminator features a balanced design and integrated mounting system that mounts low on any firearm. Touch the remote activation switch and, within a split second, the range to the target and holdover is displayed on the scope's reticle. Then, place the red dot where you want to place your shot and pull out your tag.

Rimfire, Slug Gun, Muzzleloader or Centerfire. Take your pick because the Eliminator LaserScope includes ballistic charts for thousands of loads for centerfire rifles, muzzleloaders, slug guns and rimfire cartridges.



**Any Gun,
Any Load**



burrisoptics.com



REMOTE ACTIVATION

For maximum efficiency and fingertip control, a remote activation switch – included with the Eliminator – can be attached to the rifle's forearm or the scope's objective bell.



STRONG, LOW MOUNTING

The unique mounting system allows the lowest possible mounting of the LaserScope to the rifle.

LaserScope 4x-12x-42mm

Item # 200112

Laser Range* (yards reflective)	800
Laser Range* (yards deer)	550+
Laser Accuracy	+/- 1 yard
Battery	CR-2
Battery Life	1100 cycles
Operating Temperature	-15° to +122°
Field of View	25-9
(Low-High feet @ 100 yards)	
Exit Pupil (mm) Low - High	10.5 - 3.5
Click Value (Inch @ 100 yards)	.25
Max Adj. (Inch @ 100 yards)	50
Weight with mount & battery	26 oz
Optimum Eye Relief (Inch)	3 - 3.5
Objective End Dia (mm)	60
Clear Objective Dia (mm)	42
Ocular End Dia (mm)	39
Overall Length (Inch)	13
Mounting Rail Length (Inch)	5.7
Torque Spec. for Mounting Bolts	40-80 in.-lb.

*Environmental conditions may limit range

Deadly Accurate and Drop Dead Good Looks

If a day long hike up a mountain for a cross-canyon shot or blasting hundreds of rounds in a prairie dog field is your typical day afield, the Black Diamond riflescope was built with you in mind. Black Diamond scopes are truly extreme optics for extreme hunters.


Offering the ultimate in target resolution and precision aiming, Burris Black Diamond scopes provide the performance trophy hunters demand. Features include 50mm objectives for brighter viewing, premium glass and index-matched fully multi-coated lenses in a rugged 30mm tube. Fine-tune your accuracy with finger tip adjustable/resettable dials (6x-24x, 8x-32x only), side parallax adjustments (except 3x-12x) and reticles designed for long range accuracy.




Deadly accurate with drop dead good looks, these Black Diamonds are the perfect accessory for your favorite tack driver.



Ballistic Plex™



Ballistic Mil-Dot



Ballistic Plex E1™
Illuminated





4x-16x-50mm

Item #	Finish	Reticle
200926	Matte	Ballistic Plex



3x-12x-50mm

Item #	Finish	Reticle
200927	Matte	Ballistic Plex E1 Illuminated



6x-24x-50mm

Item #	Finish	Reticle
200934*	Matte	Ballistic Mil-Dot



8x-32x-50mm

Item #	Finish	Reticle
200943*	Matte	Ballistic Mil-Dot



burrisoptics.com

*Target Adjustment Knobs and Sunshade included

Fullfield E¹


Take Your Best Shot

Don't let a little distance and some wind stand in the way of a trophy of a lifetime. The Fullfield E¹ riflescopes take the guesswork out of determining both trajectory and wind compensation with the Ballistic Plex E¹ reticle — a simple, uncluttered method for determining hold off for wind and holdover out to 500 yards.


This year the line expands with the addition of a 6.5x-20x-50mm with the new Ballistic E¹ MV reticle. Essentially, it's an E¹ reticle calibrated to the 22.250 cartridge and it's the ultimate varmint gun scope. Other options include 30mm tubes on the 3x-9x-40mm and 4.5-14-42mm models, and an illuminated reticle on the 3x-9x-40mm for enhanced accuracy in low-light conditions.

Fullfield E¹ scopes feature a sleek profile, upgraded windage/elevation knobs and a separated power ring and eyepiece that will accept flip-up lens caps. Fullfield E¹ riflescopes boast precision ground lenses that are larger than comparable scopes for better light transmission; index-matched HiLume® lens multi-coatings; double internal springs and positive steel-on-steel adjustments for repeatable accuracy.


Enhance your accuracy and success with the Fullfield E¹.



Ballistic Plex E¹™



Ballistic Plex E¹™
Illuminated



Enlarged view

A series of cascading dots to the left and right of the reticle help compensate for crosswinds. The dots represent a 10 mph crosswind (+/- 1.5" at 400 yd.) for most hunting cartridges. For a 5 mph crosswind, halve the distance between dot and reticle. For 20 mph crosswind, simply double the distance.





2x-7x-35mm
Item # 200317 **Finish** Matte **Reticle** Ballistic Plex E¹



3x-9x-40mm
Item # 200322 **Finish** Matte **Reticle** Ballistic Plex E¹ Illuminated
NEW!



3x-9x-40mm
Item # 200320 **Finish** Matte **Reticle** Ballistic Plex E¹
Item # 200446 **Finish** Matte **Reticle** Ballistic Plex E¹
NEW! 30mm




3x-9x-50mm
Item # 200330 **Finish** Matte **Reticle** Ballistic Plex E¹




4.5x-14x-42mm*
Item # 200335 **Finish** Matte **Reticle** Ballistic Plex E¹
Item # 200462 **Finish** Matte **Reticle** Ballistic Plex E¹
NEW! 30mm

NEW!

6.5x-20x-50mm*
Item # 200340 **Finish** Matte **Reticle** Ballistic Plex E¹ MV



Ballistic Plex E¹ MV



Enlarged view




*Adjustable Parallax

Fullfield II™


Fullfield II Scopes – The Real Legends of the Fall

With some legends, it's hard to separate fact from fiction, but not with the Fullfield lines of riflescopes. It's a fact that, since its introduction three decades ago, Fullfield scopes have consistently offered more value and premium optics performance than any other scope. Year after year of improvements and refinements have offered exceptional performance and reliability at a price that's hard to beat.


Fullfield II scopes feature precision ground, multi-coated optics, a rugged one-piece outer tube, positive steel-on-steel adjustments, no-slip grips on the integrated eyepiece and focus adjustment and a wide choice of reticles. All have contributed to the Fullfield line's value and popularity.



Plex



Ballistic Plex



Ballistic Mil-Dot



4.5x-14x-42mm

Item #	Finish	Reticle
200183*	Matte	Ballistic Plex



burrisoptics.com



2x-7x-35 mm

Item #	Finish	Reticle
200123	Matte	Ballistic Plex
200125	Matte	3P#4



3x-9x-40mm

Item #	Finish	Reticle
200161	Matte	Plex
200162	Matte	Ballistic Plex
200169	Nickel	Ballistic Plex



3x-9x-50mm

Item #	Finish	Reticle
200154	Matte	Ballistic Plex



6.5x-20x-50mm

Item #	Finish	Reticle
200193*	Matte	Ballistic Mil-Dot

*Adjustable Parallax

Fullfield II™ Value Packages

The Fullfield line of riflescopes offers the best value and performance on the market today. With an optical design that consistently delivers the brightness images, the highest resolution, greatest versatility and reliability, no other mid-range riflescopes can match the value of a Fullfield II riflescope.

For even greater value, Burris offers six Value Packages that feature two of our best-selling Fullfield II scopes — 3x-9x-40mm and 4.5x-14x-42mm — paired with a selection of free optics and accessories. The Value Package prices are just about what you would pay for the scope alone.


For 2012, select your favorite Fullfield scope and get a stag-handle hunting knife, a 3x-9x rimfire scope, 10x32 Landmark binocular or 12x-24x spotting scope — at no extra cost.



**3x-9x-40mm
Ballistic Plex™**



**4.5x-14x-42mm
Ballistic Plex™**



Ballistic Plex

3x-9x-40mm Packages

NEW! 200162-Knife

Genuine Stag Horn Knife and Sheath-
\$100 Value

200162-RF

3X-9X-40mm Rimfire Scope-
\$99 Value

200162-BIN10

10X-32mm Landmark Binocular-
\$129 Value

4.5x-14x-42mm Packages

NEW! 200183-Knife

Genuine Stag Horn Knife and Sheath-
\$100 Value

200183-RF

3X-9X-40mm Rimfire Scope-
\$99 Value

200183-PKG

12X-24X-50mm Spotting Scope-
\$149 Value

Value Package Selection



Stag Horn Knife



Rimfire Scope



Spotting Scope



Landmark Bino

burrisoptics.com



Small Size, Big Performance, Big Value

Our Timberline riflescopes may be lightweights on the scale, but they are loaded with heavyweight features and performance. Specifically designed to mount low on short-action rifles, they won't affect the balance and feel. With their precision ground lenses and Hi-Lume coatings, you can hunt from dawn to dusk and not miss a shot.

Timberline scopes offer up to 5 inches of eye relief, so they are also a great optic for muzzleloaders and slug shotguns. These performance-packed riflescopes are the perfect size and weight to match up to many serious rifles and applications from .22s, HMRs, slug guns, muzzleloaders and mountain rifles.



4.5x-14x-32mm

Item #	Finish	Reticle
200344*	Matte	Ballistic Plex

*Adjustable Parallax 7 yards to infinity



Ballistic Plex



3x-9x-32mm

Item #	Finish	Reticle
200334	Matte	Ballistic Plex



Handgun

Handgun hunting is exciting and challenging and the right combination of handgun and scope will greatly increase your odds for success. No other scope manufacturer offers the selection and versatility to outfit any handgun, in any caliber, for any application. Burris handgun scopes withstand the recoil of the heaviest magnums. To combat the effects of recoil, we offer the only handgun scope with Posi-Lock for extra insurance that the point-of-aim stays put under any recoil condition or field abuse.

Handgunning With Ballistic Plex

Modern handguns and ammunition will perform at extreme ranges and the Ballistic Plex reticle will help you achieve dead-on accuracy at longer ranges by matching the Ballistic Plex reticle to your handgun and ammo. For more information, visit www.burrisoptics.com.



Plex



Ballistic Plex



2x-20mm

Item #	Finish	Reticle
200218	Matte	Ballistic Plex

* Parallax Adjustment




2x-7x-32mm

Item #	Finish	Reticle
200291	Matte	Plex
200279	Matte	Ballistic Plex
200299	Matte	Ballistic Plex Posi-Lock
200298	Nickle	Plex



Red Dot Sight



Heavy Plex

Scout rifles are growing in popularity once again and there is no better match than the Burris Scout scope. With its intermediate eye relief, low-mounting capabilities and light weight, it's the perfect match for your favorite carbine or lever gun. Bright, clear, fully multi-coated optics make target acquisition a snap.

2.75x

Item #	Finish	Reticle
200269	Matte	Heavy Plex

3x-12x-32mm

Item #	Finish	Reticle
200309*	Matte	Ballistic Plex



For fast target acquisition in the field or on the range, nothing beats the speed and versatility of the Burris SpeedDot 135 red dot sight. It's a favorite of competitive shooters, tactical operators and handgun hunters because of its wide field-of-view and adjustable 3 MOA red dot. Fully waterproof and fogproof, the SpeedDot comes complete with Weaver-style mounting rings.

1x-35mm

Item #	Finish	Reticle	Weight
300200	Matte	3MOA	5 oz.

One Year Warranty



The Power of Posi-Lock™

Burris' patented Posi-Lock system counters the effects of heavy recoil by replacing the springs of a conventional adjustment system with a retractable steel post. To sight in, simply loosen the Posi-Lock screw, make the adjustments, and then tighten the Posi-Lock screw. The point-of-aim will remain firmly locked in place.



burrisoptics.com

Waterproof Red Dot Reflex Sight

The FastFire Red Dot Reflex sight is the most versatile red dot sight on the market. Mount it on your favorite handgun, shotgun or hunting rifle for greater accuracy and faster target acquisition. You won't need to worry about sight alignment, eye dominance or finding your target. Just put the red dot on your target and pull the trigger.

Compact and lightweight, the FastFire won't affect the balance or handling, plus it offers unlimited eye relief, parallax-free 1x magnification and simple operation.

Choose from two models —the FastFire II with its 4 MOA dot, or the new FastFire III with 3 MOA or 8 MOA dots. The FastFire III offers upgraded features such as windage and elevation adjustments that don't require a special tool; a convenient power button with three levels of brightness and an automatic brightness setting and battery access on the top of the sight making it easier to change batteries. We've also added a low battery warning indicator and see-through protective cap.

Ideally suited for use on pistols and AR-15s where fast target acquisition is desired, the FastFire red dot sight will also match up well with carbines, lever guns and shotguns. Both the FastFire II and III are ruggedly designed, impervious to the elements and will hold up to years of punishing recoil. You'll find a wide selection of mounts for either model that will fit on most popular shooting platforms.

FastFire and Mounts

300232	FastFire II with Picatinny Mount – 4 MOA Dot	410326	Mount - Glock all
300233	FastFire II without Mount– 4 MOA Dot	410327	Mount - Sig Sauer P226
300234	FastFire III with Picatinny Mount – 3 MOA Dot	410328	Mount - Springfield XD
300235	FastFire III without Mount – 3 MOA Dot	410329	Mount - Ruger Mark I, II, III
300236	FastFire III with Picatinny Mount – 8 MOA Dot	410331	Mount - Sako rifles (Requires Picatinny Mount)
300237	FastFire III without Mount – 8 MOA Dot	410332	Mount - Ruger rifles, Super Redhawk, Super Blackhawk Hunter
410335	Mount - Picatinny / Weaver	410333	Mount - Marlin 336, 444, 1895 pre-drilled and tapped
410330	Mount - Picatinny Protector for FF or FFII	410334	Mount - Winchester M94 pre-drilled and tapped
410321	Mount - 1911 Standard	410348	AR-F ³ Mount
410322	Mount - 1911 Adjustable/Novak		
410323	Mount - Kimber Standard and Bomar		
410324	Mount - Beretta 92/96/90-TWO/COUGAR/Taurus PT99		
410325	Mount - Beretta PX4 Storm		

One Year Warranty



FastFire III

FastFire II

Missing Sucks!

Asks any waterfowl hunter. When the action is fast and furious, it's hard to keep your head down and follow through, but the SpeedBead can overcome bad shooting habits. Just put the red dot where you want your shot pattern to hit and pull the trigger. It's that simple.

The SpeedBead is small, lightweight and mounts easily between the receiver and rear stock. This aligns the red dot low and just above the bore. Both your target and the red dot remain in focus and since the center of the optic is directly in line with the rib, no head lifting or stock spacers are needed. Works great for either right or left-handed shooters. It's the ideal shotgun sight for hunting waterfowl, upland birds and turkeys. Or breaking clays at the range. This hunting season, reduce your frustration and limit out quicker with a SpeedBead.

Available as a complete SpeedBead System with mount and FastFire II optic, or the mount can be purchased separately. One Year Warranty.

SpeedBead Systems (Mount + FastFire II Optic)

- 300240 SpeedBead, Benelli Super Black Eagle II 12 Ga.
- 300241 SpeedBead, 12 Ga. Benelli M2, Montefeltro, Ultra Light
- 300253 SpeedBead Combo, Beretta A400 Xplore
- 300244 SpeedBead, Beretta Xtrema/2, 391, 391 Light, Urika/2 12 Ga.
- 300245 SpeedBead, Remington 870 12 Ga.
- 300248 SpeedBead, Remington 1100, 1187



burrisoptics.com



SpeedBead Mount

The new SpeedBead mount makes it easier to outfit all your favorite shotguns with a SpeedBead red dot sight, or move your FastFire I, II or III from your pistol or long gun for use during waterfowl season. The FastFire sight easily attaches to the mount with two screws. The mount is designed to fit between the receiver and rear stock on specific shotguns. Choose the mount from the list below:

- | | | |
|--|---|--|
| 410670 Benelli Super Black Eagle II 12 Ga. | 410675 Benelli SuperNova 12 Ga. | 410683 Stoeger 3500 12 Ga. |
| 410671 Benelli Super Black Eagle (original) 12 Ga. | 410676 Benelli R1, ARGO | 410684 Winchester XS3/Browning Gold 12 Ga. |
| 410672 12 Ga. Benelli M2, Montefeltro, Ultra Light | 410677 Combo, Beretta A400 Xplore | 410685 Browning Maxus 12 Ga. |
| 410673 12 Ga. Benelli M1 | 410678 Beretta Xtrema/2, 391, 391 Light, Urika/2 12 Ga. | 410355 Mount Riser - 1/8" |
| 410674 12 Ga. Benelli Legacy, Sport II, Super Sport, Cordoba | 410679 Franchi I-12 | 410356 Mount Riser - 1/4" |
| | 410680 Remington 870 12 Ga. | |
| | 410681 Remington 1100, 1187 | |
| | 410682 Stoeger 2000, P-350 | |

Spotting Scopes


XTS-2575™ Spotting Scope

The right spotting scope will save you lots of time and boot leather. With the XTS-2575, you'll have all the spotting scope you need and not have to leave it in your truck. The Cassegrain-style mirror system delivers extreme performance at a fraction of the size and weight. Reflection-free broad-band multi-coatings on every lens surface guarantee a bright, crystal-clear image from 25x to 75x magnification. Length is 10 inches and weight is 33 ounces so the XTS-2575 is easy to pack and store.

High Country™ Spotting Scopes

The High Country spotters are as rugged as their name implies. Long a favorite of hunters and outfitters, they offer performance and value. Available in 15X-45X-50mm and the 20X-60X-60mm models, the High Country spotters are feature rich with fully multi-coated lenses, durable armored exteriors and waterproof construction. Other features include a slide-out sunshade to eliminate glare and a protective integrated lens cap.

	Model #	Field of View (at 1000 yards)	Max. Eye Relief (inches)	Exit Pupil (mm)	Weight (oz.)	Length (inches)	Close Focus (feet)
XTS-2575 SPOTTING SCOPE							
25x-75x-70mm	300101	58/33	.9/.7	2.8/1	33	10	15
HIGH COUNTRY SPOTTING SCOPES							
15x-45x-60mm	300111	105/60	.7	3.3/1.1	33	14.2	13/4
20x-60x-60mm	300112	80/48	.7	3/1	35	14.2	33



XTS-2575
25x-75x-70mm
Spotting Scope
300101



High Country Spotting Scope
20x-60x-60mm 300112



High Country Spotting Scope
15x-45x-50mm 300111



Tripod & Large Window Mount

Tripod head/window mount quickly detaches from the light weight tripod for the ultimate in viewing versatility. Tripod extends from 14" to 43". Tripod shown with High Country Spotting Scope. **Item # 300151**



Tripod & Micro-Adjust Window Mount

Take your spotting scope from the field to the truck to the bench without missing a beat. The micro-adjustable window mount disengages from the sturdy, compact tripod in a heartbeat. Working height of the tripod is 8.5" to 18".

Item # 300141

Tripods & Window Mounts

Large Window Mount

Classic window mount with long handle for easy adjustments and great balance.

Item # 300158



Pack-Pod

This super-light mini-pod packs in a pocket but is sturdy enough for small spotting scopes and field photography.

Item # 300156



burrisoptics.com

Xtreme Tactical Riflescopes

From tactical teams to competition shooters, the XTR scopes have earned a strong reputation. From their crisp, clear optics and versatile Gen2 Ballistic reticles to their rugged, feature-rich construction, the Burris XTR riflescopes are in high demand.

The brightness and resolution are the result of extra-large, premium lenses with index-matched HiLume multi-coatings. Their ruggedness comes from tube walls that are 25% thicker for more strength. The double-force spring suspension system guarantees perfect tracking and repeatable accuracy. For long range precision, the XTR scopes are equipped with a side turret parallax adjustment system. Both the 1x-4x XTR and the 1.5x-6x XTR include illuminated reticle systems featuring the proprietary XTR Ballistic reticle that can handle anything from CQB to long distance target engagements.

XTRs are made in America and come with a Forever Warranty.



1x-4x-24mm

Item #	Finish	Reticle
201904	Matte	XTR Ballistic 5.56 GEN2



1.5x-6x-40mm

Item #	Finish	Reticle
201909	Matte	Illuminated XTR Ballistic 7.62






**1x-4x-24mm with Fastfire II
& P.E.P.R. Mount**

Item #	Finish	Reticle
201905	Matte	XTR Ballistic 5.56 GEN2


Ballistic 5.56 GEN2 @ 4x
Load Specs: .223 Cal
62 grain FMJ
3025 fps

Ballistic 7.62 @ 6x
Load Specs: .308 Cal
150 grain FMJ
2750 fps @ 2000 feet

o Corr. @ 100 yds.		Yards	Yards	o Corr. @ 100 yds.	
	MOA	100	100	MOA	
-1.2	-1.1	200	200	1.4	-1.5
-3.5	-3.3	300	300	3.9	-4.1
-6.4	-6.1	400	400	6.9	-7.2
-10.0	-9.5	500	500	10.3	-10.8
-14.2	-13.6	600	600	14.2	-14.8
-19.3	-18.4	700	700	18.6	-19.5
-25.4	-24.3	800	800	23.6	-24.7
-32.7	-31.3	900	900	29.4	-30.8
-41.4	-39.6	1000	1000	35.9	-37.6



Ballistic 5.56 GEN2



Ballistic 7.62




Xtreme Tactical Riflescopes


XTR 14x Ballistic Mil-Dot

(4x-16x, 6x-24x only)

The Burris Ballistic Mil-Dot Reticle is the first choice of both military and law enforcement shooters who rely on the ultra-long range 300 Winchester Magnum. At 14x magnification, it's designed to match up with the 190 gr. Sierra MatchKing zeroed at 200 yards. Varmint hunters have found that it also matches the 55 gr. / .22-250 round zeroed at 100 yards.



Illuminated Mil-Dot



XTR 14X Ballistic Mil-Dot

.22-250			.300 WIN. MAG		
DROP (inches)	CORR @100M	YARDS	YARDS	DROP (inches)	
-1.6	.80	200	250	-2.6	
-7.3	2.43	300	300	-6.9	
-18.3	4.58	400	400	-18.6	
-36.0	7.20	500	500	-37.9	
-62.6	10.43	600	600	-64.6	
-101.3	14.47	700	700	-100.3	



4x-16x-50mm

Item #	Finish	Reticle
201941*	Matte	Ballistic Mil-Dot
201940*	Matte	Illuminated Mil-Dot

*Side Parallax Adjustment



6x-24x-50mm

Item #	Finish	Reticle
201934*	Matte	Ballistic Mil-Dot (.25 MOA elevation .25 MOA windage)

* Side Parallax Adjustment





XTR 12x Ballistic Mil-Dot (3x-12x only)

Designed for the 7.62 NATO (.308 Winchester) 175 gr. HPBT MatchKing round @2600 FPS, the XTR 12x Ballistic Mil-Dot Reticle helps you dial in accuracy from 100 to 700 meters. With the center crosshair zeroed at 100 meters, each additional ballistic line below the center represents 100 meters in additional target distance. With various sight-in distances and magnification changes, this reticle can be easily adapted to many other cartridges such as the 5.56 NATO (.223 Remington) 77gr HPBT MatchKing @ 2750 FPS.



3x-12x-50mm

Item #	Finish	Reticle
201916*	Matte	Illuminated 12x Ballistic Mil-Dot

* Side Parallax Adjustment




burrisoptics.com



XT-1 Tactical Adjustment Knobs (3x-12x, 4x-16x, 6x-24x)

Feature for feature, the XT-1 adjustment knobs set the standard for accuracy, security and precision. With precise steel-on-steel construction, resettable zero references for windage and elevation and + (up) and - (down) revolution indicators, Burris XT-1 Knobs deliver the most accurate and repeatable MOA adjustments possible.

The XT-1 is the only knob that offers a true resettable zero reference. The Rotation Indicator is at zero half way through the adjustment range. Each scope is assembled with 360° Radial Dials where the numbers increment all the way around the dial. For tactical situations where less than 1/2 a turn of the dial is needed, a second pair of 180° Radial Dials is included. On these dials the numbers increment half way around the dial allowing the marksman to easily count adjustments each direction from zero.



Illuminated Ballistic Mil-Dot

XTR 12X Ballistic Mil-Dot

7.62 NATO (.308 WIN)			5.56 NATO (.223)		
HOOP	COOR	STOOH METERS	HOOP	COOR	STOOH METERS
-5.4	2.26	200	-5.0		
-10.2	6.38	300	-15.3		
-13.8	10.70	400	-17.3		
-18.3	15.64	500	-19.8		
-22.6	21.25	600	-23.4		
-26.4	27.65	700	-27.1		

Versatile Enough for the Range or the Field

Shooter! Are you ready? Nothing gets the adrenaline going like the start of a 3-Gun stage. Make sure you're ready with the new MTAC line of riflescopes. Whether you're a 3-Gun competitor, tactical shooter or hunter, this new line offers precision, performance and versatility.

The new MTAC 1x-4x-24 with its wide field of view and Ballistic CQ 5.56/7.62 reticle is the perfect match for AR platforms. You can quickly engage close targets or take precise aim out to 600 yards. For even greater versatility, the 1x-4x is available as a package with the popular FastFire red dot reflex sight. The MTAC 1.5x-6x-40 is the choice when longer range shots are more common. Both have illuminated reticles for instant target acquisition in any lighting condition.

For long-range tactical shooting, choose from the MTAC 3.5-10x-42mm, 4.5x-14x-42mm and 6.5x-20x-50mm all with adjustable parallax. The three scopes come with the feature-rich G2B Mil-Dot reticle for precise aiming, distance measurement, holdover and hold off. They are equipped with the new MTAC Mil-Rad knobs with finger-adjustable/resettable dials for windage and elevation.

Any of the new MTAC scopes are also ideal for precision big game hunting. Each delivers optical performance that is virtually identical to ultra-premium scopes. All lenses are precision ground optical glass that is index matched, multi-coated with HiLume™ for clear, sharp high resolution images.



G2B Mil-Dot

- Up to 4 inches of Eye Relief
- Rugged 30mm Tubes
- Rubber-Coated Eyepiece
- Deep Relief, Ergonomic Power Ring
- HiLume™ Lens Finish
- Forever Warranty



NEW!





3.5x-10x-42mm
Item # **Finish** **Reticle**
 200454* Matte G2B Mil-Dot



Ballistic CQ 5.56/7.62



burrisoptics.com



1x-4x-24mm
Item # **Finish** **Reticle**
 200437 Matte CQ 5.56/7.62 Illuminated
 200437-FF Matte CQ 5.56/7.62 Illuminated



1.5x-6x-40mm
Item # **Finish** **Reticle**
 200429 Matte CQ 5.56/7.62 Illuminated



4.5x-14x-42mm
Item # **Finish** **Reticle**
 200463* Matte G2B Mil-Dot



6.5x-20x-50mm
Item # **Finish** **Reticle**
 200471* Matte G2B Mil-Dot

*Adjustable Parallax

Fullfield TAC30™

AR-536™

1x-4x-24mm

For optimal situational awareness, the 1x magnification provides a super wide field-of-view and the natural ability to best use both eyes. Set the scope at 4x power and engage targets out to 600 yards.

Fullfield TAC30 scopes are incredibly bright and rugged enough to handle the rigors of tactical work and mid-range precision. Precision, accuracy and reliability at a value any operator or LE department can afford. For even greater versatility, the 1x-4x is available as a package with the popular FastFire red dot reflex sight.

Item# 200433



1x-4x-24mm

Item #	Finish	Reticle
200433	Matte	Ballistic CQ 5.56
200433-FF	Matte	Ballistic CQ 5.56



Ballistic CQ 5.56

Anti-Reflection Device (ARD)

Two new ARDs are available for the AR-536 and AR-332 tactical prism sights. These threaded ARDs reduce lens glare and provide greater concealment to prevent detection.


Item #	Finish	Size
626004	Matte	Fits AR-332
626005	Matte	Fits AR-536



“Bigger and badder” is the best way to describe the AR-536 which sets a new standard for tactical prism sight performance. Its 5x magnification makes it easier to find and engage targets out to 600 yards, while the larger 36mm objective delivers brighter, crisper images. Burris’ proven Ballistic/CQ™ lighted reticle is ideal for tactical operations or friendly competition. Shooters can choose the high contrast black reticle, or select red or green depending upon the situation. Five different illumination settings make it easy to match any light condition.

This ruggedly built optic will stand up to recoil, abuse and weather. Key features include multi-coated lenses, adjustable diopter, integrated lens covers and three Picatinny rail mounting points. Remove the bottom rail mount and it can be readily mounted to an AR carry handle. It is ready for the range right out of the box. One-Year Warranty.

Item# 300208



Ballistic/CQ™ reticle - red, green or black
Subtensions & measurements shown on pg. 45

AR-332™

AR-132™



Close quarters work requires split second target acquisition and targeting. The AR-332 delivers on both fronts with its unique Ballistic/CQ™ lighted reticle which can be adjusted to match any lighting condition day or night. For daylight operation, choose the high contrast black reticle for precision aiming out to 600 yards, or switch to red or green for better contrast and faster targeting.

Like all Burris optics, the AR-332 is waterproof and built to last. Multi-coated lenses reduce glare and ensure brighter images. Lightweight and compact, it comes with integrated lens covers and a Picatinny rail mounting bracket. It also easily mounts on an AR carry handle. One-Year Warranty.

Item# 300208



Ballistic/CQ™ reticle - red, green or black
Subtensions & measurements shown on pg. 45



4 MOA Red Dot

For situational awareness, nothing beats a true 1x tactical sight. The AR-132 is a compact, lightweight 4 MOA red dot sight that is ideal for CQB situations. Choose from 10 levels of brightness to match the shooting condition. The AR-132 has a very low mounting height that matches up well with most AR platforms.

Multi-coated lenses and the 32mm objective produce bright, crisp images. Add in the integrated lens covers, three Picatinny rail mounting brackets and tethered windage and elevation caps, and you have one complete package. One-Year Warranty.

Item# 300209

AR-QD Mount

The AR-QD Quick Detachable Mount adds a new twist to mounting the Burris AR-536, AR-332 and AR-132 Red Dot sights. To attach, simply turn the two levers to lock the sight firmly into place and achieve return-to-zero accuracy. Fits any Picatinny-style base.



Item# 410349

Red-Dot Reflex Sight

When all the chips are on the table, stack the odds in your favor with the FastFire Red Dot Reflex sight. For adrenalin pumping, close-quarters action, there is no substitute for the versatility and accuracy of this Red-Dot sight. Its unlimited eye relief and parallax-free 1x magnification provide the advantage of aiming and shooting with both eyes open. Mounted on a pistol, shotgun or patrol rifle, it is the perfect CQB sight.

The new FastFire III is the latest generation of this popular sight and it is even better suited for tactical applications. Upgrades include: a choice of 3 MOA or 8 MOA Dots for greater versatility; top mounted battery making it easier to change batteries; upgraded windage and elevation adjustments, and a convenient power button provides three manual brightness and an automatic brightness setting. A low-battery warning indicator has also been added. It comes with a protective cap with lenses.

The popular FastFire II is still available with a 4 MOA Dot. Both models are fully waterproof and lightweight (the FastFire III - 1 ounce / FastFire II - 1.6 ounces). Both are ruggedly designed, impervious to the elements and will hold up to years of punishing recoil. Each fits all Weaver and Picatinny-style bases and is covered by a One-Year Warranty.

Fastfire and Mounts

- 300232 FastFire II with Picatinny Mount – 4 MOA Dot
- 300233 FastFire II without Mount – 4 MOA Dot
- 300234 FastFire III with Picatinny Mount – 3 MOA Dot
- 300235 FastFire III without Mount – 3 MOA Dot
- 300236 FastFire III with Picatinny Mount – 8 MOA Dot
- 300237 FastFire III without Mount – 8 MOA Dot

- 410335 Mount - Picatinny / Weaver for FastFire II or III
- 410330 Mount - Picatinny Protector
- 410321 Mount - 1911 Standard
- 410322 Mount - 1911 Adjustable/Novak
- 410323 Mount - Kimber Standard/Target/Bomar
- 410324 Mount - Beretta 92/96 /90-TWO/ COUGAR/ Taurus PT99
- 410325 Mount - Beretta PX4 Storm
- 410326 Mount - Glock all
- 410327 Mount - Sig Sauer P226
- 410328 Mount - Springfield XD
- 410329 Mount - Ruger Mark I, II, III
- 410331 Mount - Sako rifles (Requires Picatinny Mount)
- 410332 Mount - Ruger rifles, Super Redhawk
- 410348 Mount - AR-F³ Mount



FastFire III



FastFire II



AR-F³ Mount

The AR-F³ (Flattop FastFire Mount) is the simplest and most effective way to mount the FastFire I, II or III on an AR flattop stand alone or as a co-witness for your iron sights. The FastFire sits inside the mount for extra protection, and it also features a compartment for carrying a spare battery, open end wrench and Torx® wrench. Fits any Weaver or Picatinny-style base.

Item# 410348



Picatinny Protector Mount

Use the Picatinny Protector mount for severe duty applications. The FastFire II sits low in the mount and a pair of metal wings on each side of the lenses protects the sight from impact or unintentional abuse. Perfect for pistols, rifles or shotguns with Weaver and Picatinny-style bases.

Item# 410330

XTS-135™

AR-Tripler™



Xtreme Tactical SpeedDot

The XTS is one sight you won't have to pamper. Waterproof, fogproof and shockproof and will handle any abuse you throw its way. Featuring a high definition 5 MOA red dot, it has 11 brightness settings to adapt to the full range of light. It is a versatile sight that can be mounted ultra-low for fast CQB action or ultra-high to co-witness almost any iron sights. It can also be paired with the AR-Tripler for extended down range capabilities. For best results, Burris recommends the XTR 30mm rings.

Item# 300205



burrisoptics.com

The AR-Tripler adds versatility and extended range to the XTS-135 by adding 3X magnification when you need it. Mounted behind the sight, it easily flips to the side with a push of the button for 1x close quarters shooting. The AR-Tripler is covered by the Burris Forever Warranty.

Item# 300213



NEW!

AR-Pivot Ring 30mm

The AR-Pivot Ring quickly and easily mounts the Burris AR-Tripler in line behind the XTS-135 SpeedDot. For close quarters shooting, just flip to the side with a push of the button. To engage targets at longer distances, flip the AR-Tripler to its upright position and it automatically locks into place. A Quick Detach (QD) mount make installation a snap. Burris Forever Warranty.

Item# 410168



XTR™ Rings & Bases

XTR Xtreme Tactical Rings

The XTR Xtreme Tactical rings were created specifically for the tactical shooter who puts a premium on less weight and plenty of holding power. From smaller carbines to the most powerful magnums, XTR rings will stand up to years of use and recoil. They are also great for hunting rifles, slug guns or muzzleloaders.

Available in both 1" and 30mm sizes and a choice of four ring heights, Burris now offers Quick Detach (QD) models in 1" and 30mm in Medium and X-High. Xtreme Tactical Rings will work with any Weaver or Picatinny-style bases. The extra-high 1" version is ideal for AR15/M16 flattop receivers where scope height is critical.

	X-High	High	Medium	Low	Quick Detach	
					X-High	Medium
1" Rings (Pair)	420183	420182	420181	420180	420187	420185
30mm Rings (Pair)	420166	420164	420162	420160	420159	420157
30mm Single Ring	420167	420165	420163	420161		

Height dimension drawing on page 42

Torque Spec. for Ring Top / Mounting Bolts:

Tactical Ring Tops – 20 in.-lb.

Tactical Ring Cross Bolt – 65 to 100 in.-lb.



Low 1/4"



Medium 1/2"



High 3/4"



X-High 1"



Medium 1/2"
Quick Detach



X-High 1"
Quick Detach

Picatinny Top for XTR Rings

Picatinny slots atop an XTR Ring allow the mounting of accessories on top of an XTR ring.

1" Item #420189

30MM Item #420169



1/2" Picatinny Riser

Need a little extra height for better sight alignment? The 1/2" Picatinny riser is the perfect solution for AR and M16 receivers and many sporting rifles, too.

Height: 1/2"

Length: 1 1/2"

Item # 410340



NEW!



AR-P.E.P.R.™ Mount

The P.E.P.R. or “Proper Eye Position Ready” mount is the ideal height for an AR, and uniquely designed to provide up to 2 inches of forward scope positioning for optimum eye relief and full field-of-view. It comes complete with smooth and Picatinny ring tops that will accommodate additional accessories.

1" Item #410343

30MM Item #410341



AR-P.E.P.R. QD Mount

The new AR-P.E.P.R. QD Mount makes it easy to gear up for different applications or shooting disciplines. Two Quick Detach levers make it easy to change optics or switch to iron sights and still maintain return-to-zero reliability. See dimension drawing on page 45.

1" Item #410344

30MM Item #410342

AR-T.E.R. Extension Ring

The AR-Tactical Extension Ring helps overcome the difficulties caused by the short stock of many AR configurations. It is also ideal when mounting a red dot sight ahead of the Burris AR-Tripler™. Milled from one piece of aluminum alloy for increased strength and accurate alignment of the scope in the mount. Quick Detach lever for easy attachment.

Item #420188



NEW!



XTB Weaver-Style Solid Steel Bases

Machined from solid steel for unsurpassed strength and durability, the Xtreme Tactical bases feature a low mounting height and minimal weight. Mil-spec cross slots ensure solid attachment with Weaver-style, Picatinny-style and mil-spec rings. The front base can be reversed to accommodate a wider variety of scope mounting lengths.

- 410600 Remington 700
- 410605 Winchester 70 & Express
- 410606 Winchester 70 Super Short
- 410620 Savage with Flat Rear
- 410615 Savage with Round Rear
- 410625 Browning A-Bolt
- 410626 Browning A-Bolt Super Short
- 410630 Tikka
- 410331 Sako Dovetail (alum)

burrisoptics.com

Signature Rings™

Burris Signature Rings set the standard by which all other scope rings are measured. They are the choice of most gunsmiths and serious shooters who want the utmost in accuracy and precision. These solid steel rings not only provide tremendous gripping power and durability, they guarantee proper alignment and maximum scope-to-ring contact through the use of Burris' patented Pos-Align Inserts system.

Only Signature rings will accept the Pos-Align Inserts, a synthetic self-aligning insert that provides 100% scope-to-ring contact, compensates for any misalignment in the receiver or bases and also eliminates the need for canted bases or shimming. Pos-Align Offset Inserts can virtually sight-in your gun without moving the scope adjustments. Long range shooters rely on the inserts to provide more elevation or windage adjustment. The offset inserts also correct for any misalignment caused by receiver holes drilled off center, or the bases or rings being slightly off perfect center. They keep the internal optics centered to provide all the clarity, sharpness, and brightness that the optics designer intended for you to see.

Signature Rings are available in 1" and 30mm sizes and can be used with standard, dovetail, double-dovetail and Weaver-style bases.

Signature Rings

(Dovetail Front, Windage Adjustable Rear)

	Black	Matte	Nickel
Medium 1"	420500	420501	420502
High 1"	420510	420511	420512
Medium 30mm*	420578		
High 30mm*	420581		
Extra High 30mm*	420582		

Signature Zee Rings

(Weaver®-Style)

	Black	Matte	Nickel
Medium 1"	420520	420521	420522
High 1"	420530	420531	420532
Medium 30mm*	420588		
High 30mm*	420587		
Extra High 30mm*	420585		

Ruger® to Weaver® Base Adapter

(Use with Zee Rings)

	Black
M77®, Super Redhawk®	410990
R1,77/22®, 77ML®, 77/44®, M-14®	410991
M77, LaserScope	410992

Signature Rimfire & AirGun Rings

	Black	Matte
Medium 1"	420554	420554
High 1"	420555	420556

(Rimfire/Airgun)

Signature Double Dovetail™ Rings

	Black	Matte	Nickel
Medium 1"	420560	420561	420562
High 1"	420570	420571	
Medium 30mm*	420583		
High 30mm*	420584		
Extra High 30mm*	420586		

Signature Pos-Align® Offset Insert Kit 1"

Installation Kit 626019

1 each of +/- .005, +/- .010, +/- .020

Gunsmith Kit 626024

10 each of +/- .005, +/- .010, +/- .020

Individual Inserts

1 ea. +/- .005 Eccentric Offset 626016

1 ea. +/- .010 Eccentric Offset 626017

1 ea. +/- .020 Eccentric Offset 626018

* 30mm comes with "zero"

inserts and +/- .010 inserts


for both front and rear rings



Universal



Double Dovetail™



Zee Rings
Weaver®-style



30mm Zee Rings



Solid Steel Rings



Standard Pair



**Zee Rings
(Weaver-style)**



1" Deluxe Steel .22 Rings



1" .22 Rings



Quick Detach .22 Rings



**Zee Quick Detach Rings
for Weaver-style**



1" CZ Rings

Burriss solid steel rings not only ensure accuracy, they provide an extra measure of confidence and peace of mind. Machined from a solid block of steel to exacting tolerance, each top and bottom are matched for strength and fit. Designed to handle any rifle and any recoil from rimfires to magnum calibers. Burriss offers a wide selection in 1" and 30mm.

Standard Rings

(Dovetail Front, Windage Adjustable Rear)

	Black	Matte	Nickel
Low 1"	420012	420012	
Medium 1"	420051	420052	420053
High 1"	420200		
Low 30mm		420319	
Medium 30mm		420321	
High 30mm		420331	

Zee Rings (Weaver-style for 1" & 30mm)

	Black	Matte	Nickel
Low 1"	420080	420083	420079
Medium 1"	420081	420084	420085
High 1"	420082	420087	420086
Medium 30mm		420044	
High 30mm		420077	

1" Zee Quick Detach Rings

	Matte
Low	420031
Medium	420034
High	420037

1" Deluxe Steel .22 Rings

	Black	Matte
Medium	420072	420069
High	420073	420076

1" Deluxe Steel Quick Detach .22 Rings

	Matte
Medium	420068

1" .22 Rings (Aluminum)


	Black
Standard	420071

1" Rings for CZ® Rifles

	Black
Model 550 Long Action	420130
Model 527 Short Action	420140

RING HEIGHTS

	Low	Med	High	Extra High
Std. 1" & Sig 1"	.150	.270	.390	
Std. 30mm & Sig 30mm	.180	.300	.420	
Zee 1" & Quick Detach 1"	.130	.255	.450	
Zee Sig 1"		.270	.420	
Zee 30mm incl. Sig		.205	.330	.582
CZ (all)		.480		
.22 Signature Deluxe		.400	.793	
1" .22 rings (all)		.295	.450	



To securely mount rings and bases, tighten to the following specification:
 Ring tops - 18-24 in.-lb.
 Bases - 28-32 in.-lb.
 Rear windage base screws - 40-45 in.-lb.

Dimensions listed are from the bottom of the scope tube to the bottom of the ring

Solid Steel Bases

Ask most shooters what contributes to their accuracy over any distance and they'll brag about their scopes, barrels, triggers or even skill. At Burris we know the true building blocks of an accurate shooting system are the rings and bases. To consistently put your rounds on target time and time again, your scope needs to be properly aligned and anchored to your gun.

That's why every ring and base we offer is computer designed and engineered to specifications that would make NASA proud. They guarantee precise optical alignment and shot placement. They come in an impressive selection of sizes and configurations, will withstand years of use and punishing recoil and look good with any scope on any gun.

Go ahead. Give all the credit to your gun, scope or shooting skills. Just remember that without Burris rings and bases, you wouldn't have that accuracy to brag about.



Trumount Universal Bases

Machined from solid steel to be strong and lightweight, these popular two-piece bases will complement any rifle.



Trumount Universal Reversible Bases

By allowing the front ring to be set .850" farther forward or rearward, this mount allows the installation of long scopes with large bells without special rings.



Tikka Bases

Allows any height or color of universal style Standard or Signature Rings to be mounted on Tikka bolt action rifles.

TU -Tikka Matte 410266
TU -Tikka Nickel 410267
DD -Tikka Matte 410586

Ruger-To-Weaver Base Adapter

Use these adapters to mount Burris Zee Rings on your Ruger rifle or handgun.

M77, Super Redhawk	410990
R1, 77/22, 77ML, 77/44, M-14 Redhawk	410991
M77, Laserscope	410992



Accessories



Lens Pen

Use the retractable soft brush to get rid of dust and other debris on lenses. The chamois pad on the opposite end is impregnated with self-replenishing cleaning compound to purge lenses of oils, finger prints and moisture.

Item # 626050



Burris Sunshades

Reduce or eliminate glare on the brightest days with a high-quality Burris sunshade.

Timberline & Compact PA-Matte, 2.25"	626034
Fullfield II 6.5x-20x-Matte, 3"	626032
Fullfield II 4.5x-14x-42mm-Matte 3"	626035
Signature 44mm-Matte, 3"	626013
XTR & Black Diamond Side PA 50mm-Matte, Stackable 3"	626033



Burris Scope Cover

Effectively protects against dust and dings between trips to the range or hunting grounds. Made from super-soft fabric, they are waterproof and breathable to prevent corrosion & fogging.

SMALL

8.5" to 10.5"
Objective bells to
39mm

Item # 626061

MEDIUM

10.5" to 13"
Objective bells to
48mm

Item # 626062

LARGE

13" to 17"
Objective bells to
61mm

Item #626063




Burris Targets

Designed for shooters by shooters, Burris targets sport nine primary aiming spots in various sizes and shapes for different yardages and scope magnifications. The non-glare red/orange graphics pop out against the off-white, non-reflective background so you can easily detect bullet holes. Ten targets per package. 13" x 13"


Item # 626001

Burriss Excellence



Zero-Tolerance Technology

Special mechanical designs ensure zero-tolerance clearances inside the scope. This guarantees point-of-impact integrity, precise focus and parallax-free performance throughout the zoom range.



Improved Scratch/Corrosion Resistance

Hard-coat anodizing protects the scope and provides maximum scratch resistance. The Burriss coatings are three times thicker than competitive brands.




Super Solid Mono Tubes

For maximum strength and integrity, our outer tubes are machined in one piece from solid, aircraft-grade aluminum. Critical areas have been thickened to provide an extremely strong foundation for every scope.




100% Premium Metallic Components

The use of premium metal components provides the highest quality and outstanding durability in our scopes. Burriss uses 360 Brass for erector cells instead of aluminum resulting in better accuracy, utility and consistent performance. The clicker and adjustment rings are constructed of case-hardened high performance steel for a lifetime of performance.



Stronger Cam Tubes Mean Consistent Accuracy

The internal cam tubes are made from high tensile strength aluminum alloy to assure repeatable accuracy, sharp focus and parallax-free performance.



Double Internal Springs

Double internal spring force is applied to the internal zoom system to maintain your scope's zero under severe recoil, use or abuse. Our competitors use only one spring.




Highest Light Transmission with Advanced Coating Technology

Burriss lenses are broad-band multi-coated to provide maximum light transmission. Burriss applies several coatings to each lens surface with each coating being only 1 nanometer thick. This advanced coating technology reduces reflections, increases the light transmission and produces true colors and optimum contrast.



100% Fogproof Performance

Every scope is filled with nitrogen which is then vacuumed out of the scope. This is repeated 24 times so there is absolutely no moisture in the scope. A final filling of laboratory-grade nitrogen is injected. Moisture can reduce the optical performance (fogging) and harm the lenses and mechanical components.



Quad seal with four sealing points instead of two sealing points used for other scopes.

Twice the Sealing Performance

With twice as many internal seals, Burriss' unique Quad Seals insure against internal fogging.



Rigorous Durability Testing

Burriss scopes are tested to withstand the recoil of the heaviest magnum calibers.



Optical Excellence

The optical quality of each scope is rigorously tested.

Burriss Reticles

Simple Design, Simple to Use Yet Technologically Advanced

Knowing that holdover at longer ranges was the biggest challenge to accurate shot placement, Burriss developed the first trajectory compensating reticle. While there have been many imitations, Burriss is still the leader and innovator in offering simple, uncluttered and effective reticle designs.

Today, Burriss offers several trajectory compensating scope reticles to help hunters and shooters quickly, simply and dramatically increase their long range accuracy.

Simply Stated

Standard Trajectories	Magnum Trajectories	Example Cartridges that calibrate for 100 to 500 yards	Example Cartridges that calibrate for 200 to 600 yards
100	100/200	.223 55grain	.22-250 55grain
200	300	.243 100grain	.243WSSM 100grain
300	400	.270 150grain	.25-06 100grain
400	500	7mm-08 140grain	.270 130grain
500	600	7mm Mags 175grain	.270 WSM 150grain
		30-06 150grain	7mm Mags 140grain
		30-06 165grain	7mm Shrt Mg 160grain
		.308 Win. 150grain	300 Mag 150grain
		338 Mag 225grain	300 Ultra 180grain

17 Hornady Magnum Rimfire	.22 Long Rifle CCI Mini Mag 36gr	.50 Muzzleloader 250gr Sabot @ 2100 fps	12 ga. 2-3/4" Rifled Slug 385 grain
100	50	125	100
150	75	150	125
200	100	200	175
250	125	250	225
300	150	300	275


Ballistic Plex™

Ballistic Plex is the most simple, effective and elegant trajectory compensating reticle available to hunters. Others have tried to imitate it, complicate it or make it similar, but none have succeeded in making it better.


The Ballistic Plex provides pin-point long range accuracy in a simple uncluttered design that is quick and easy to use. It can be matched with any caliber or bullet weight. Every scope equipped with a Ballistic Plex reticle comes with a sheet of ballistic labels. Select the one that best matches your cartridge and stick it on your rifle. You will always have quick, simple, easy access to long range confidence.

Ballistic Plex E1™/E1 MV

The Ballistic Plex E1 reticle is an enhanced design that also lets the shooter compensate for wind drift. Small dots placed to the left and right of the reticle represent the effect of a 10 mph crosswind for most big game hunting cartridges. For 5 mph, simply hold into the wind half the distance to the dot. If the crosswind is 20 mph, simply hold into the wind twice the distance from the center post to the dot. The E1 MV reticle is available only in the E1 6.5x-20x. At the 20x power setting it is calibrated specifically for the 22.250 cartridge. Several Mil measuring tools are also integrated into the reticle.




Ballistic Plex



Ballistic Plex E1™

Dots represent an approximate 10 MPH crosswind (+/- 1.5" at 400 yards) for most big game hunting cartridges. Dot size is equal to .25 MOA.



Ballistic Plex E1™ MV

At 20x magnification the reticle lines and hash marks can be used for milling distances. For complete reticle subtension information visit burrisoptics.com

Technically Stated

Riflescopes				Handgun Scopes*			
Standard Calibers		Magnum Calibers		2X-7X with .44Mag		3X-12X with .308	
Bullet Path @ 100 yds	Correction @ 100 yds	Bullet Path @ 100 yds	Correction @ 100 yds	Bullet Path @ 100 yds	Correction @ 100 yds	Bullet Path @ 100 yds	Correction @ 100 yds
100 yards 0		+11.0 100,200 yards		50 yards 0		0 100 yards	
200 yards -3.1" 1.5"		300 yards 1.5" -4.7"		75 yards -1.3" 2.1"		200 yards 1.4" -4.5"	
300 yards -13.5" 4.5"		400 yards 4.5" -18.0"		100 yards -4.1" 6.2"		250 yards 4.1" -9.3"	
400 yards -30.1" 7.5"		500 yards 7.5" -37.6"		150 yards -15.0" 10.4"		350 yards 6.8" -24.6"	
500 yards -55.3" 11.0"		600 yards 11.0" -66.4"		200 yards -33.7" 15.5"		450 yards 10.1" -48.6"	

E1 Wind Drift Values


Yardage	Correction
@ 200	-3.2"
@ 300	-7.6"
@ 400	-14.1"
@ 500	-23.2"

E1 MV Wind Drift Values

Yardage	Correction
@ 200	-3.5"
@ 300	-8.3"
@ 400	-15.6"
@ 500	-26.0"
@ 600	-40.0"
@ 700	-59.0"

Ballistic Mil-Dot™


This reticle is ideal for very flat shooting cartridges. It is the choice of long range target shooters, varmint hunters and tactical marksmen. The traditional Mil-Dots can be used for estimating range, target size and compensating for wind drift. The power ring has a calibration mark set at roughly 14x power which provides the trajectory compensation shown in the tables below.



Ballistic Mil-Dot

Ballistic 5.56™ / 7.62 GEN2 Reticles

The Ballistic 5.56 / 7.62 GEN2 reticles were developed for competitive shooters, law enforcement, and military applications. Available in the Xtreme Tactical scopes, the circular “donut” in the center provides ultra-fast engagement at close distances. The center dots and lower legs of the reticle provide trajectory compensation out to 1,000 yards for the 5.56 62grain FMJ cartridge and 7.62 150 grain FMJ. It is very accurate with a number of other cartridges out to 600 or 700 yards. The left, right, and upper reticle posts feature precise mil-bars for estimating target sizes and distances. Both reticles are illuminated.



Ballistic 5.56/7.62

G2B Mil-Dot Reticle

The G2B Mil-Dot is a mil-based reticle with hash marks in between the mil dots for more precise aiming, distance measurement, holdover and hold-off for wind. It is a versatile, combat proven reticle that is ideal for mid-to long-range tactical shooting. This reticle is available in the new MTAC line of riflescopes.




G2B Mil-Dot


Illuminated Reticles

Illuminated reticles are best suited for low-light hunting conditions. Burris offers a selection of illuminated reticles in variety of scopes. Depending upon the scope design, the illumination intensity can be adjusted with a digital dimmer switch or control dial on the left side of the adjustment turret.


Simply Stated		Technically Stated	
Magnum Trajectories			
Example Cartridges that calibrate for 200 to 600 yards.			
.22-250	55 gr.	200 yards	200 yards
.243 WSSM	100 gr.	300 yards	300 yards
.25-06	100 gr.	400 yards	400 yards
.270	130 gr.	500 yards	500 yards
.270 WSM	150gr.	600 yards	600 yards
7mm Mags	140 gr.	600 yards	600 yards
7mm Shrt Mg	160 gr.	700 yards	700 yards
300 Mag	150 gr.	700 yards	700 yards
300 Ultra	180 gr.	700 yards	700 yards
			1 Mil 3.6" @ 100 yards
			Bullet Path
			Correction @ 100 yds
			-1.6" .8"
			-7.3" 2.4"
			-18.3" 4.6"
			-36.0" 7.2"
			-62.6" 10.4"
			-101.3" 14.5"




Ballistic Plex E¹



Mil-Dot



Ballistic Mil-Dot



Ballistic CQ

Reticle are enlarged for illustration purposes. Actual size may be different than shown.

For more complete technical specifications and for a calibration chart for your favorite caliber, visit www.burrisoptics.com.

Model	Xtreme Tactical (30mm)					Black Diamond (30mm)			
	1-4-24	1-5-6-40	3-12-50	4-16-50	6-24-50	3-12-50	4-16-50	6-24-50	8-32-50
Field of View ** Low-High	100-32	60-20	34-10	27-7.5	19-5.3	34-10	27-7.5	19-5.3	14-4
Exit Pupil (mm) Low - High	24-6	26-7	16-4.2	12-3.1	8.3-2.1	16-4.2	12-3.1	8.3-2.1	6.2-1.6
Click Value (Inch @ 100 yards)	.5 MOA	.5 MOA	.25 MOA	.25 MOA	.25 MOA	.25	.25	.125	.125
Max Adj. (Inch @ 100 yards) ¹	130	110	90	74	79E, 29W	50	74	52	39
Weight (Ounces)	17	19	26	25	26	21	20	21	21
A-Optimum Eye Relief (Inch) ∅	3.5-4.0	3.5-4.0	3.5-4.0	3.3-3.8	3.2-3.7	3.5-4.0	3.3-3.8	3.2-3.7	3.0-3.5
B-Objective End Dia (mm)	30	48	58	58	58	58	58	58	58
C-Clear Objective Dia (mm)	24	40	50	50	50	50	50	50	50
D- Ocular End Dia (mm)	42	42	42	42	42	42	42	42	42
E-Overall Length (Inch)	11.3	12.2	15.6	15.7	16.5	13.7	15.7	16.2	16.9
F-Scope Dimension (Inch)	0	2.7	3.8	4.3	4.5	3.8	4.2	4.7	5.1
G-Scope Dimension (Inch)	3.5	1.7	1.8	2.5	2.7	2.2	2.9	3.0	3.2
H-Scope Dimension (Inch)	2.3	2.7	3.5	3.3	3.2	2.7	3.4	3.4	3.5
I-Scope Dimension (Inch)	3.9	3.6	4.1	3.9	3.7	3.6	3.8	3.8	3.8
J-Scope Dimension (Inch)	7.1	5.7	6.2	7.6	7.8	6.2	7.7	7.7	8.0


Reticle Subtensions (all dimensions represent inches @ 100 yards)

Reticle Subtension	Ballistic Plex Dim. A High Mag	Ballistic Plex Dim. A Low Mag	Ballistic Plex Dim. B High Mag	Ballistic Plex Dim. B Low Mag	Ballistic Plex Dim. W High Mag	Ballistic Plex Dim. W Low Mag	Ballistic Mil-Dot Dim. A @14x	Ballistic Mil-Dot Dim. B @14x
see diagram at right for reticle measurements	-	-	-	.22	.17	-	-	-
	-	-	-	.79	.62	-	-	-
	-	-	-	.59	.46	-	-	-
	-	-	-	2.1	1.7	-	-	-
	-	-	-	6.5	-	-	-	-
	-	-	-	23.5	-	-	-	-
	.2@12X	.18@14X	.18@14X	-	-	.18	.18	
	3.2@12X	2.8@14X	2.8@14X	-	-	2.8	2.8	

**Field of View in Feet @ 100 Yards ¹ Total Adjustment Capability. Example 50 inches would be roughly 25 inches in any direction from center.


∅ Eye relief is actual distance from pupil to ocular lens.

Reticle Subtensions and XTR Ring Heights



* @ 100 yards


Ballistic XTR 5.56 & 7.62



Ring Heights

This chart shows the dimensions of XTR rings and mounts from the bottom of the scope to the top of the mount base ("C")

	Low	Med	High	Extra High
30mm	.25"	.5"	.75"	1"
1"	.25"	.5"	.75"	1"



"C" dimension

AR-PE.P.R. 30mm	1"
AR-PE.P.R. 1"	1"

Model	Fullfield TAC30 (30mm)		Fullfield E ¹ (1"), Fullfield II (1")			
	1-4-24	2-7-35	3-9-40	3-9-50	4.5-14-42	6.5-20-50
Field of View ** Low-High	100-32	45-13	33-13	30-11	22-7.5	18-6
Exit Pupil (mm) Low-High	24-6	17-5	13-5	17-5.6	9-3	7.6-2.5
Click Value (Inch @ 100 yards)	.5 MOA	.5	.25	.25	.25	.25
Max Adj. (Inch @ 100 yards) ¹	130	60	50	50	40	30
Weight (Ounces)*	17	12	13	17	18	19
A-Optimum Eye Relief (Inch) ◇	3.5-4.0	3.1-4.1	3.1-3.8	3.1-3.8	3.1-3.8	3.1-3.6
B-Objective End Dia (mm)	30	41	48	57	56	63
C-Clear Objective Dia (mm)	24	35	40	50	42	50
D-Ocular End Dia (mm)	42	39	39	39	39	39
E-Overall Length (Inch)	11.3	11.4	12.2	13.1	13	14.5
F-Scope Dimension (Inch)	0	2	3.1	4.7	3.8	5.8
G-Scope Dimension (Inch)	3.5	2.1	2.5	1.7	2.2	1.8
H-Scope Dimension (Inch)	2.3	2.5	2.5	2.5	2.4	2.5
I-Scope Dimension (Inch)	3.9	3.2	3.2	3.2	3.2	3.2
J-Scope Dimension (Inch)	7.1	5.3	5.9	5.4	5.9	5.5

Reticle Subtensions (all dimensions represent inches @ 100 yards)




	see CQ diagram on page 45 for reticle measurements					
Plex, Ballistic Plex Dim. A High Mag		.39	.31	.29	.19	-
Plex, Ballistic Plex Dim. A Low Mag		1.1	.86	.82	.58	-
Plex, Ballistic Plex Dim. B High Mag		1.06	.83	.79	.52	-
Plex, Ballistic Plex Dim. B Low Mag		3.0	2.3	2.2	1.6	-
Plex Dim. W High Mag		-	9.4	9.0	5.9	4.2
Plex Dim. W Low Mag		-	26	25	18	13
Ballistic Plex Dim. W High Mag		9.1	7.1	6.8	6.2	-
Ballistic Plex Dim. W Low Mag		9	20	19	19	-
Ballistic Mil-Dot Dim. A @14x		-	-	-	-	.18
Ballistic Mil-Dot Dim. B @14x	-	-	-	-	2.4	

¹ Total Adjustment Capability. Example 50 inches would be roughly 25 inches in any direction from center.

**Field of View in Feet @ 100 Yards

* LRS add one ounce

◇ Eye relief is actual distance from pupil to ocular lens.




◇ Eye relief is actual distance from pupil to ocular lens.

Scope Specifications and Reticle Subtensions


Model	MTAC (30mm)					Timberline (1")		Scout (1")
	1-4-24	1.5-6-40	3.5-10-50	4.5-14-42	6.5-20-50	3-9-32	4.5-14-32	2.75
Field of View (Feet @ 100 yds) Low - High	100-32	33-13	8-11	22-7.5	18-6	25-9	17-6.3	15
Exit Pupil (mm) Low - High	24-6	13-5	14.5	9-3	7.6-2.5	11-3.6	7.1-2.3	7.3
Click Adj. Value (Inches @ 100 yards)	.5	.25	.5	.25	.25	.25	.125	.5
Max Adj. (Inches @ 100 yards) ¹	130	80	80	64	50	50	30	140
Weight (Ounces)	17	14.1	16.6	17.6	18.2	13	15	7
A-Optimum Eye Relief Low Mag (Inches) ◇	3.5-4.0	3.1-3.8	3.1-3.8	3.1-3.8	3.1-3.6	3.75-5	3.75-5	8.5-14
B-Objective End Diameter (mm)	30	46	57	56	60.6	39	45	27
C-Clear Objective Diameter (mm)	24	40	50	42	50	32	32	20
D-Ocular End Diameter (mm)	42	39	39	39	39	35	39	35
E-Overall Length (Inches)	11.3	12.2	13.1	13	14.5	10.3	11.3	9.2
F-Scope Dimension (Inches)	0	3.1	4.1	3.8	5.8	2.4	3.0	.79
G-Scope Dimension (Inches)	3.5	2.5	2.1	2.2	1.8	1.3	1.4	2.7
H-Scope Dimension (Inches)	2.3	2.5	2.5	2.4	2.5	2.1	2.3	2.2
I-Scope Dimension (Inches)	3.9	3.2	3.2	3.2	3.2	3.6	3.6	2.3
J-Scope Dimension (Inches)	7.1	5.9	5.8	5.9	5.5	4.6	5.0	6.0

Reticle Subtensions (all dimensions represent inches @ 100 yards)

Ballistic Plex Dim. A (High Power)	see CQ diagram on page 45 for reticle measurements	.31	.28	-	-	.26	.18	.70	
Ballistic Plex Dim. A (Low Power)		.86	.78	-	-	.7	.48	-	
Ballistic Plex Dim. B (High Power)		.83	.75	-	-	.7	.49	3.4	
Ballistic Plex Dim. B (Low Power)		2.3	2.1	-	-	1.9	1.3	-	
Ballistic Plex Dim. W (High Power)		7.1	6.4	-	-	6.5	4.2	-	
Ballistic Plex Dim. W (Low Power)		20	18	-	-	18	11	-	
G2B Mil-Dot		-	see diagram below for reticle measurements						
Ballistic Mil-Dot Dim. A @14x		.18	.18	-	-	-	-	-	
Ballistic Mil-Dot Dim. B @14x		2.8	2.8	-	-	-	-	-	



Ballistic Plex



G2B Mil-Dot

in/100 yd.
A - .22
B - 1.8


Model	Handgun (1")		
	2X-20	2-7-32	3-12-32
Field of View (Feet @ 100 yds) Low - High	21	21-7	14-4
Exit Pupil (mm) Low - High	10	16-4.6	11-2.7
Click Adj. Value (Inches @ 100 yards)	.5	.25	.125
Max Adj. (Inches @ 100 yards) ¹	80	64	28
Weight (Ounces)	7	13	16
A-Optimum Eye Relief (Inches) ◇ low power	10-24	11-21	10-19
high power		10-14	10-12.5
B-Objective End Diameter (mm)	27	39	44
C-Clear Objective Diameter (mm)	20	32	32
D-Ocular End Diameter (mm)	35	38	38
E-Overall Length (Inches)	8.9	9.7	10.8
F-Scope Dimension (Inches)	.79	2.3	2.8
G-Scope Dimension (Inches)	2.4	1.4	2.0
H-Scope Dimension (Inches)	1.5	1.7	1.6
I-Scope Dimension (Inches)	3.0	3.0	3.0
J-Scope Dimension (Inches)	5.1	4.3	4.9

Reticle Subtensions (all dimensions represent inches @ 100 yards)

Plex, BPLex Dim. A (High Power)	.81	.27	.18
Plex, BPLex Dim. A (Low Power)	-	.9	.6
Plex, BPLex Dim. B (High Power)	2.2	.72	.47
Plex, BPLex Dim. B (Low Power)	-	2.5	1.6
Plex Dim. W (High Power)	25	8.2	5.4
Plex Dim. W (Low Power)	-	28	18
Ballistic Plex Dim. W (High Power)	-	6.1	4.1
Ballistic Plex Dim. W (Low Power)	-	21.3	13.5


¹ Total Adjustment Capability. Example 50 inches would be roughly 25 inches in any direction from center.

◇ Eye relief is actual distance from pupil to ocular lens.




◇ Eye relief is actual distance from pupil to ocular lens.

Ballistic CQ™ Reticle



P.E.P.R. Mount*



* **Note:** Dimensions do not change on the new Quick Detach AR-P.E.P.R. scope mount

The following are trademarks of Burris Company, Inc.: AR-P.E.P.R., AR-132, AR-332, AR-F3, AR-Tripler, AR-QD, Ballistic 5.56, Ballistic 7.62, Ballistic CQ, Ballistic Plex E1, Ballistic Plex, Ballistic Mil-Dot, Black Diamond, Burris Titanium, Double Dovetail, Electro-Dot, Eliminator, FastFire, Forever Warranty, Fullfield, Fullfield II, Fullfield E1, Fullfield 30, Fullfield TAC30, FourX, G2B Mil-Dot, High Country, HiLume, Landmark, LaserScope, LaserScope HD, Light Collector, LRS, MTAC, Pos-Align, Posi-Lock, Short Mag, Signature Series, Signature Select, Signature Safari, Six X, See the Light, SpeedBead, StormCoat, Signature Binoculars, Signature Rings, SpeedDot, Timberline, XT, XTR, XTS, XTB, Xtreme Tactical and America's #1 Sports Optics. Ruger, Blackhawk, Redhawk, 10/22, 77/22, 77/17, 77/44, 77/ML, Mini-14, and M77 are registered trademarks of Sturm, Ruger & Co., Inc. Shotcam® is a registered trademark of Legend Technologies, Inc. Leupold is a registered trademark of Leupold & Stevens, Inc. Kimber is a registered trademark of Kimber Mfg., Inc. Tikka is a registered trademark of Sako Ltd., Corp. Burris products are protected by one or more of the following U.S. Patents: 5,363,554 and 7,805,877. All prices and specifications are subject to change without notice.

© Copyright 2011 Burris Company. Printed in the USA.

Burris Custom(er) Shop

Not all options are possible on every Burris scope. Please call for a quote. Average delivery is 3 to 4 weeks. Prices include return postage.

Note: Illuminated reticle changes are not possible.

Special Order Reticles:

Plex	\$60
Ballistic Plex	\$60
Fine Plex	\$60
German 3P#4	\$60
Heavy Plex	\$60
Mil-Dot	\$120
Ballistic Mil-Dot	\$120

Adjustment Knobs: All prices are for either custom work on your scope, or on a custom built new scope order. Prices are for either one or two knob conversions.

Convert from Hunter Knob/s to Target Knob/s – \$80

Convert from Target knob/s to Hunter Knob/s – \$40

XT-1 and XT-1000 tactical knobs fit only XTR scopes and are not interchangeable.

Customer's Shoes

BURRIS

Quality Policy

Burris will place themselves in the customer's shoes when making decisions about product quality, attitude, and continuous improvement.

Our customer service policy isn't complicated. We try to put ourselves in our customer's shoes.

Remembering our customers are hunters and shooters just like us keeps our focus where it needs to be and our attitude positive. It inspires us to constantly search for ways to improve the products and service we offer.

Our approach to warranties is equally simple. All conventional riflescopes and handgun scopes, and most of our binoculars, spotting scopes, rings and bases include our Forever Warranty.™ That's a lifetime commitment to fix or replace them if a problem with materials or workmanship ever arises.

It's the kind of commitment we would want if we were in our customer's shoes, so that's exactly what we deliver.

A few of our products have a limited time warranty, so check our website – burrisoptics.com – for complete warranty details.

BURRIS

Mount Fit Information

XTR	Blk. Dia.	MTAC	Fullfield E1, II Fullfield TAC30	Scout	Timberline
1x4x, 1.5x6x	3x12x, 4x16x, 6x24x	3x12x, 4x16x, 6x24x, 8x32x	1.5x6x-40mm 3.5x10x-42mm 4.5x14x-42mm 6.5x20x-50mm	1x4x-24mm 2x7x-35mm 3x9x-40mm 3x9x-50, 3.5x10x-50 4.5x14x-42mm 6.5x20x-50mm	2.75x 3x9x-32mm 4.5x14x-32mm

XTR	Blk. Dia.	MTAC	Fullfield E1, II Fullfield TAC30	Scout	Timberline	Handgun
1x4x, 1.5x6x	3x12x, 4x16x, 6x24x	3x12x, 4x16x, 6x24x, 8x32x	1.5x6x-40mm 3.5x10x-42mm 4.5x14x-42mm 6.5x20x-50mm	1x4x-24mm 2x7x-35mm 3x9x-40mm 3x9x-50, 3.5x10x-50 4.5x14x-42mm 6.5x20x-50mm	2.75x 3x9x-32mm 4.5x14x-32mm	2x 2x-7x LER 3x-12x LER

Base or Ring Model	Gloss	Matte	Nickel	Ring Height Selection															
BROWNING A-Bolt (long action)																			
TU-A (two piece)		410291	410290	M	H	H	M	M	M	H	M	M	M	M	M	H	L		
TU-A Reversible (two piece)		410231		M	H	M	M	M	M	M	M	M	M	M	M	H	L		M
XTB-A-bolt Reversible (two piece steel tactical)		410625		M	M	M	M	M	M	M	M	L	L	M	M	H	L		L
BROWNING A-Bolt, Micro Medallion (short action)																			
TU-A (two piece)		410291	410290	M	H	M	M	M	M	H	M	M	M	M	M	H	L		
TU-A Reversible (two piece)		410231		M	H	M	M	M	M	M	M	M	M	M	M	H	L		
XTB-Abolt Reversible (two piece steel tactical)		410625		M	M	M	M	M	M	M	M	L	L	M	M	H	L		L
BROWNING A-Bolt, WSS Super Short Action (including Ruger .204 and newer .223)																			
XTB-A-WSS Reversible (two piece steel tactical)		410626		M	M	M	M	M	M	M	M	L	L	M	M	H	L	L	L
BROWNING X-Bolt																			
TU-X Bolt		410236		M	H	H	M	M	H	H	M	M	M	M	M	H	L		
BROWNING LEVER BLR Lightning (also fits Sig Arms SHR 970 and STR)																			
TU-BLR (two piece)		410213		M	H	H	M	H	H	H	M	L	M	H	H	H			
CHARLES DALY (See Mauser FN except for mini mauser)																			
CZ Bolt Action Centerfire Rifles																			
CZ 550 (Long Action) 1" Medium		420130																	
CZ 527 (Short Action) 1" Medium		420140																	
HOWA 1500, INTERARMS 1500, MOSSBERG 1500, S&W 1500, 1550, 1600, 1700 (see Remington 700 except short action one piece base not applicable)																			
PARKER HALE Super 1200, 1100, 1000 (see Mauser FN)																			
REMINGTON 700, 721, 725, 40X (long action) (also fits Ruger Round Receiver and many others)																			
TU-700 LASA (two piece)		410280	410293	410297	M	H	H	M	H	H	H	M	M	M	H	H	H	L	
TU-700 LASA Reversible (two piece)		410253			M	H	M	M	M	M	M	M	M	M	M	H	L	M	L
XTB-700/7 Reversible (two piece steel tactical)		410600			M	M	M	M	M	M	M	L	L	M	M	H	L	M	M
REMINGTON 700, 722, 725, 40X, and 700ML muzzleloader (short action)																			
TU-700 LASA (two piece)		410280	410293	410297	M	H	H	M	H	H		M	M	M	M	H	H	L	M
TU-700 LASA Reversible (two piece)		410253			M	H	M	M	M	M	M	M	M	M	M	H	L		
TB-700/7 Reversible (two piece steel tactical)		410600			M	M	M	M	M	M	M	M	L	L	M	M	H	L	L
REMINGTON Model 7, 673, XR-100, XP-100 Repeater																			
TU-700 LASA (two piece)		410280	410293	410297	M	H		M	H	H	H	M	M	M	M	H	H	L	M
TU-700 LASA Reversible (two piece)		410253			M	H	M	M	M	M	M	M	H	M	M	M	H	L	
XTB-700/7 Reversible (two piece steel tactical)		410600			M	M	M	M	M	M	M	L	M	L	M	M	H	L	L

Base or Ring Model	Gloss	Matte	Nickel	Ring Height Selection															
RIMFIRES - most .22's with 3/8 grooved receiver except Anschütz .22, Browning T-Bolt, Kimber 82, Weatherby XXII, and Sako 78																			
.22 Signature Deluxe Rings - 1" high		420555	420556																
.22 Signature Deluxe Rings - 1" med		420554																	
.22 Rings Aluminum - 1" standard height 420071																			
.22 Deluxe Steel Rings - 1" medium		420072	420069																
.22 Deluxe Steel Rings - 1" high		420073	420076																
RUGER® Number 1, 77/22®, 77/17®, 77/44®, 77/ML®, 10/22® Mag, Mini-14® Ranch, Mini 30®																			
RGR RINGS R1 - 1" Med		420107	420113	420127															
RGR RINGS R1 - 1" High		420109																	
Ruger to Weaver Adapter Base (Use Zee Rings)		410991			M	H	H	M	H			M	L	M	H	H	L	L	M
RUGER® M77® Integral Base on receiver (short & long actions)																			
RGR RINGS M77 - 1" Low		420102																	
RGR RINGS M77 - 1" Medium		420104	420108																
Ruger to Weaver Adapter Base (Use Zee Rings)		410990			M	H	H	M	H	H	H	M	L	M	H	H	L	L	M
RUGER® Super Redhawk®																			
Ruger to Weaver Adapter Base (Use Zee Rings)		410990																	L
RUGER®, Super Backhawk® with integral ring cuts above barrel																			
RGR RINGS R1- 1" Low		420103																	M
Ruger to Weaver Adapter Base (Use Zee Rings)		410991																	L
SAKO with dovetail receiver (long actions)																			
TU-SD (two piece)		410287	410268	M	H	H	M	H	H	H	M	L	L	H	H	H	L	M	M
SAKO with dovetail receiver (short actions)																			
TU-SD (two piece)		410287	410268	M	H		M	H	H		M	L	L	H	H	H	M	M	M
SAKO A-7 short and long action (see BROWNING A-Bolt)																			
TU-A (two piece)		410291	410290	M	H	H	M	H	H	H	M	M	M	M	M	H	L		
SAVAGE 110, 111, 112, 114, 116 long action, standard barrel, flat rear receiver bridge																			
TU-110 (two piece)		410288			H	H	H	H	H	H	H								L
TU-110 Reversible (two piece)		410248			H	H	H	H	H	H	H	L	L	H	M	H	M		
XTB-SavF Reversible (two piece steel tactical)		410620			M	M	H	M	M	H	H	M	L	M	M	H	L		

BURRIS

Mount Fit Information

XTR	Blk. Dia.	MTAC	Fullfield E1, II Fullfield TAC30	Scout	Timberline	Handgun
1x4x, 1.5x6x	3x12x, 4x16x, 6x24x	3x12x, 4x16x, 6x24x, 8x32x	1.5x6x-40mm 3.5x10x-42mm 4.5x14x-42mm 6.5x20x-50mm	1x4x-24mm 2x7x-35mm 3x9x-40mm 3x9x-50, 3.5x10x-50 4.5x14x-42mm 6.5x20x-50mm	2.75x 3x9x-32mm 4.5x14x-32mm	2x 2x7x LER 3x12x LER

Base or Ring Model	Gloss	Matte	Nickel	Ring Height Selection															
SAVAGE 110FP, 112, long action, round rear receiver bridge, new adjustable trigger system (also Stevens 200)																			
TU-110R (two piece)	410245	410246	410247	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H
TU-110R Reversible (two piece)	410249			H	H	H	H	H	H	H	H	H	L	H	M	H	M		
XTB-SavR Reversible (two piece steel tactical)	410615			M	M	M	M	M	H	M	M	L	L	M	M	H			
SAVAGE 10, 11, 12, 14, 16 short action, STRIKER, standard barrel, flat rear receiver bridge																			
TU-110 (two piece)	410288			H	H	H	H	H	H	H	H						L		
TU-110 Reversible (two piece)	410248			H	H	H	H	H	H	H	H	L	L	H	M	H	L		
XTB-SavF Reversible (two piece steel tactical)	410620			M	M	H	M	M	H	M	M	L	L	M	M	H	L		
SAVAGE 10FP, 12 short action, rounded rear receiver bridge, new adjustable trigger system (also Stevens 200)																			
TU-110R (two piece)	410245	410246	410247	H	H	H	H	H	H	H	H	M	M	H	H	H	L		H
TU-110R Reversible (two piece)	410249			H	H	H	H	H	H	H	L	L	L	M	M	H	L	M	H
XTB-SavR Reversible (two piece steel tactical)	410615			M	M	M	M	M	H	M	H	L	L	M	M	H	L	M	M
SMITH & WESSON 1500 Rifle (see HOWA)																			
TIKKA																			
MTU-Tikka Reversible(two piece)	410266	410267			H	H		H	H	H		L	L	H	H	H	L	L	L
XTB-Tikka Reversible (two piece steel tactical)	410630			M	H	H	M	H	H	H	M	L	L	H	M	H	L	L	L
WINCHESTER 70, 70A, 670, 770 non express models (long action, serial number higher than 66,350) .860 rear mount hole spacing. Also fits Marlin M7 & Browning Bolt BBR																			
TU-70A (two piece)	410284	410294		M	H	H	M	M	H	H	M	L	L	M	M	H	L		
XTB-70/Exp Reversible (two piece steel tactical w/ Zee Rings)	410605			M	M	M	M	M	M	M	M	L	L	M	M	M	L	M	L
WINCHESTER 70, 70A, 670, 770 non express models (short action, serial number higher than 66,350) .860 rear mount hole spacing																			
TU-70A (two piece)	410284	410294		M			M	M	H	H	M	L	L	M	M	M	L		
XTB-70/Exp Reversible (two piece steel tactical)	410605			M	M	M	M	M	M	M	M	L	L	M	M	M	L	L	L
WINCHESTER 70, Super Short Action (including Ruger .204 and newer .223)																			
XTB-70/WSS Reversible (two piece steel tactical)	410606			M	H	H	M	M	H	H	M	L	L	H	H	L	M	M	
WINCHESTER 70 Express Post 1964 (.330 rear mount hole spacing for H&H, STW, and Ultra-Mag magnum length action)																			
TU-70A (two piece)	410284	410294		M	H	H	M	M	H	H	M	L	L	M	M	M	L		
XTB-70/Exp Reversible (two piece steel tactical)	410605			M	M	M	M	M	M	M	M	L	L	M	M	M	L	M	M
WEATHERBY Vanguard (see HOWA)																			

- Requires low rear ring and medium front ring.

Notes: Some rifles with heavy/varmint barrels may require one size higher rings. Fits will vary depending on gun modifications and shooting posture. XTR Rings are much higher than all other ring heights as designated on this page.

Ring Codes

L = Low Ring M = Medium Ring H = High Ring
 F = Front Ring R = Rear Ring XH = Extra High Ring
 * = Low rings can be used on non-posi-lock model

XTR Low 1/4" = standard ring Medium
 XTR Med 1/2" = standard ring X-High
 XTR High 3/4" = standard ring XXX-High
 XTR X-High 1" = standard ring XXXXX-High (good for AR-15 Flat Top applications)

Base Codes

TU = Trumount Universal Base (dovetail front, windage adjustable rear)
 LA = Long action
 SA = Short action
 LU = Long Eye Relief Base (dovetail front, windage adjustable rear)
 LH = Left hand
 REV = Reversible Front Base (.850" longer or shorter ring span than standard on TU- and DD- bases)



Burris Company, 331 E. 8th Street, Greeley, CO 80631

Telephone: 970-356-1670 Fax: 970-356-8702

burrisoptics.com

Certified to ISO 9001:2000

© 2011 Burris Company



900008



Scan to go to
www.burrisoptics.com