



# TAXO

ОФІЦІЙНИЙ ЕКСКЛЮЗИВНИЙ ПРЕДСТАВНИК  
ПОРОХІВ NOBEL SPORT В УКРАЇНІ

4 Червня 2019

## РЕКОМЕНДАЦІЇ

### ПОРОХ

Tubal 3000

Tubal 5000

Tubal 7000

Tubal 8000



### КАЛІБРИ

223 Remington

243 Winchester

260 Remington

6,5 x 68

270 Winchester

308 Winchester

30-06 Springfield

300 WSM

300 Win Magnum

8 x 68

338 Win Magnum

# TAXO РЕКОМЕНДАЦІЇ

КУЛЯ			Капсюль	ПОРОХ	Початкове дозування			Максимальне дозування		
ВАГА		Тип			Вага		Швидкість	Вага		Швидкість
[g]	[grs]				[g]	[grs]	[m/s]	[g]	[grs]	[m/s]
.223 REMINGTON (5,56 US або 5,56 x 45)					Стандарт СІР		Довжина (mm) Тиск (bar)		44,70 4300	
2,59	40	SSP	SRM	Tu3000	1,50	23,1	954	1,75	27,0	1 030
				Tu5000	1,55	23,9	933	1,80	27,8	1 005
2,92	45	SPT	SRM	Tu3000	1,40	21,6	944	1,65	25,5	1 025
				Tu5000	1,55	23,9	965	1,80	27,8	1 040
3,37	52	HPBTMK	SR	Tu3000	1,45	22,4	900	1,70	26,2	975
3,56	55	FMJBT	SR	Tu3000	1,45	22,4	905	1,70	26,2	980
3,89	60	PART	SRM	Tu3000	1,25	19,3	836	1,65	25,5	960
				Tu5000	1,30	20,1	839	1,70	26,2	960
4,41	68	HPBT	SR	Tu5000	1,30	20,1	771	1,60	24,7	855
.243 WINCHESTER (6,1 x 52)					Стандарт СІР		Довжина (mm) Тиск (bar)		51,94 4150	
5,50	85	BT	LR	Tu7000	2,45	37,8	946	2,85	44,0	1 020
5,83	90	FMJBT	LR	Tu5000	2,05	31,6	869	2,45	37,8	950
				Tu7000	2,50	38,6	910	2,90	44,8	980
6,48	100	SPBT	LR	Tu5000	1,85	28,5	789	2,25	34,7	870
				Tu7000	2,20	34,0	809	2,60	40,1	880
				Tu8000	2,35	36,3	767	2,75	42,4	830
.260 REMINGTON					Стандарт СІР		Довжина (mm) Тиск (bar)		51,18 4150	
6,48	100	PART	LRM	Tu5000	2,15	33,2	863	2,55	39,4	940
7,78	120	SPT	LRM	Tu5000	2,25	34,7	815	2,65	40,9	885
				Tu7000	2,35	36,3	795	2,75	42,4	860
9,20	142	HPBTMK	LRM	Tu7000	2,45	37,8	779	2,85	44,0	840
6,5 x 68					Стандарт СІР		Довжина (mm) Тиск (bar)		67,50 4400	
6,00	93	SSP	LRM	Tu7000	4,20	64,8	1 070	4,60	71,0	1 120
				Tu8000	4,30	66,4	1 052	4,70	72,5	1 100
6,48	100	HP	LRM	Tu7000	3,60	55,6	1 010	4,00	61,7	1 065
7,78	120	BT	LRM	Tu8000	4,00	61,7	963	4,40	67,9	1 010
7,78	120	HPBTMK	LRM	Tu7000	3,55	54,8	953	3,95	61,0	1 005
				Tu8000	3,85	59,4	952	4,25	65,6	1 000
9,07	140	HPBTMK	LRM	Tu8000	3,85	59,4	895	4,25	65,6	940
.270 WINCHESTER (6,9 x 62)					Стандарт СІР		Довжина (mm) Тиск (bar)		64,52 4300	
6,48	100	SP	LR	Tu5000	2,90	44,8	961	3,30	50,9	1 025
				Tu7000	3,55	54,8	967	3,95	61,0	1 020
8,75	135	HPBTMK	LR	Tu7000	3,15	48,6	890	3,55	54,8	945
9,27	143	GPA Sologne	LR	Tu5000	2,90	44,8	850	2,90	44,8	850
9,72	150	SBT	LR	Tu5000	2,50	38,6	771	2,90	44,8	830
9,72	150	SBT	LR	Tu7000	3,00	46,3	836	3,40	52,5	890
9,72	150	GS	LR	Tu7000	2,95	45,5	779	3,35	51,7	830
				Tu8000	3,35	51,7	841	3,75	57,9	890
10,37	160	PART	LR	Tu7000	2,90	44,8	787	3,30	50,9	840
				Tu8000	3,30	50,9	784	3,70	57,1	830

# TAXO РЕКОМЕНДАЦІЇ

КУЛЯ			Капсюль	ПОРОХ	Початкове дозування			Максимальне дозування		
ВАГА		Тип			Вага		Швидкість	Вага		Швидкість
[g]	[grs]				[g]	[grs]		[m/s]	[g]	
.308 WINCHESTER (7,62 x 51)					Стандарт СІР		Довжина (mm) Тиск (bar)		51,18 4150	
7,13	110	SP	LR	Tu3000	2,70	41,7	891	3,10	47,8	955
8,42	130	SP	LR	Tu3000	2,55	39,4	874	2,95	45,5	940
				Tu5000	2,65	40,9	844	3,05	47,1	905
9,70	150	RWS KS	LR	Tu3000	2,35	36,3	777	2,75	42,4	840
				Tu5000	2,60	40,1	791	3,00	46,3	850
9,72	150	GS	LR	Tu5000	2,50	38,6	785	2,90	44,8	845
10,89	168	HPBTMK	LRM	Tu5000	2,35	36,3	740	2,75	42,4	800
11,66	180	GS	LR	Tu5000	2,30	35,5	683	2,70	41,7	740
12,96	200	HPBTMK	LRM	Tu5000	2,20	34,0	672	2,60	40,1	730
12,96	200	GS	LR	Tu5000	2,20	34,0	662	2,60	40,1	720
.30-06 SPRINGFIELD					Стандарт СІР		Довжина (mm) Тиск (bar)		63,35 4050	
7,13	110	SP	LR	Tu3000	3,00	46,3	935	3,40	52,5	995
				Tu5000	3,10	47,8	885	3,50	54,0	940
9,72	150	GS	LR	Tu5000	2,80	43,2	776	3,20	49,4	830
10,89	168	HPBTMK	LR	Tu5000	2,70	41,7	742	3,10	47,8	795
11,66	180	SPBT	LR	Tu5000	2,65	40,9	750	3,05	47,1	805
				Tu7000	3,25	50,2	802	3,65	56,3	850
12,31	190	HPBTMK	LR	Tu5000	2,60	40,1	726	3,00	46,3	780
				Tu7000	2,95	45,5	737	3,35	51,7	785
.300 WSM					Стандарт СІР		Довжина (mm) Тиск (bar)		53,24 4400	
9,72	150	BT	LRM	Tu5000	3,70	57,1	940	4,10	63,3	990
				Tu7000	4,10	63,3	964	4,50	69,4	1 010
10,69	165	GS	LRM	Tu7000	4,00	61,7	901	4,40	67,9	945
10,69	165	FB	LRM	Tu7000	3,90	60,2	876	4,30	66,4	920
				Tu8000	4,35	67,1	890	4,75	73,3	930
12,96	300	GS	LRM	Tu7000	3,60	55,6	830	4,00	61,7	875
.300 WINCHESTER MAGNUM (7,62 x 66)					Стандарт СІР		Довжина (mm) Тиск (bar)		66,55 4450	
9,72	150	GS	LRM	Tu7000	4,35	67,1	904	4,75	73,3	945
				Tu8000	4,85	74,8	961	5,25	81,0	1 000
10,69	165	SSP	LRM	Tu7000	4,40	67,9	895	4,80	74,1	935
				Tu8000	5,00	77,2	962	5,40	83,3	1 000
10,69	165	RWS KS	LRM	Tu8000	4,65	71,8	940	5,05	77,9	980
11,66	180	MT	LRM	Tu7000	4,30	66,4	870	4,70	72,5	910
				Tu8000	4,70	72,5	874	5,10	78,7	910
12,96	200	GS	LRM	Tu7000	4,05	62,5	825	4,45	68,7	865
				Tu8000	4,45	68,7	833	4,85	74,8	870
8 x 68					Стандарт СІР		Довжина (mm) Тиск (bar)		67,50 4400	
11,34	175	SP	LRM	Tu7000	4,60	71,0	935	5,00	77,2	975
12,96	200	PART	LRM	Tu8000	4,30	66,4	784	4,70	72,5	820
.338 WINCHESTER MAGNUM					Стандарт СІР		Довжина (mm) Тиск (bar)		63,50 4300	
14,58	225	PART	LRM	Tu7000	4,25	65,6	841	4,65	71,8	880
16,20	250	RNSP	LRM	Tu7000	4,25	65,6	808	4,65	71,8	845
				Tu8000	4,40	67,9	737	4,80	74,1	770

# TAXO РЕКОМЕНДАЦІЇ

СКОРОЧЕННЯ ДЛЯ ТИПІВ КУЛЬ					
<b>AB</b>	Accu Bond	<b>JSP</b>	Jacketed Soft Point	<b>SPBT</b>	Soft Point Boat Tail
<b>AF</b>	A Frame	<b>JSWC</b>	Jacketed Semi-	<b>SPH</b>	Soft Point Hornet
<b>A-Max</b>	Hornady Match	<b>KSPB</b>	Keith Style Pistol	<b>SPHJ</b>	Soft Point Heavy
<b>BB</b>	Broad Base	<b>LBBWC</b>	Lead Conical Nose	<b>SPSX</b>	Spire Point Super
<b>BK</b>	Blitz King	<b>(L)</b>	Lead	<b>SS</b>	Semi-Spitzer
<b>BND</b>	Bonded	<b>LCN</b>	Lead Flat Nose	<b>SSP</b>	Single Shot Pistol
<b>BND-S</b>	Banded Solid	<b>LFNGC</b>	Long Flat Gas	<b>SPT</b>	Spitzer
<b>BR</b>	Bench Rest	<b>LFNPB</b>	Long Flat Nose	<b>SPT-V</b>	Spitzer Varmint
<b>BS</b>	Ballistic Silver Tip	<b>FFN</b>	Lead Flat Nose	<b>SST</b>	Super Shock Tip
<b>BT</b>	Ballistic Tip	<b>LFNPB</b>	Lead Flat Point	<b>ST</b>	Silvertip
<b>BTT</b>	Boat Tail Spire	<b>LFP</b>	Lead Flat Point	<b>SX</b>	Super Explosive
<b>DBB</b>	Double Bevel Base	<b>LHBWC</b>	Lead Hollow Base	<b>SWC</b>	Semi-Wadcutter
<b>CT</b>	Combined	<b>LRN</b>	Lead Round Nose	<b>TAC-XP</b>	Tactical Bullet
<b>DEWC</b>	Double End	<b>LTB</b>	Length Tolerant	<b>TC</b>	Truncated Cone
<b>FBHP-</b>	Flat Base	<b>LSWC</b>	Lead semi-	<b>TMJ</b>	Totally Metall
<b>FBHP-</b>	Flat Base Hollow	<b>(M)</b>	Moly Coated	<b>TNT</b>	Varmint Bullet
<b>FMC</b>	Full Metall Case	<b>Match-</b>	Match Varmint	<b>TSX</b>	Triple Shock X
<b>FMJ</b>	Full Metall Jacket	<b>MC</b>	Metall Case	<b>T-TSX</b>	Tipped TSX
<b>FMJBT</b>	Full Metall Jacket	<b>MK</b>	Match King	<b>VAR</b>	Varminator
<b>FN</b>	Flat Nose	<b>MRX</b>	Maximum Range X	<b>VG</b>	Varmint Grenade
<b>FP</b>	Flat Point	<b>MT-SP</b>	Mag Tip Soft Point	<b>VLD</b>	Very Low Drag
<b>FPJ</b>	Full Plated Jacket	<b>NTP</b>	Narrow Taper	<b>V-MAX</b>	Varmint Express
<b>FS</b>	Fail Safe	<b>PART</b>	Partition	<b>VNE</b>	Varmint
<b>GC</b>	Gas Check	<b>PLF</b>	Plated Lead Free	<b>WC</b>	Wadcutter
<b>GD</b>	Gold Dot Soft Point	<b>PRO-H</b>	Pro-Hunter	<b>WFN</b>	Wide Flat Nose
<b>GK</b>	Game King	<b>PSPCL</b>	Pointed Soft Point	<b>WLCPP</b>	Weldcore
<b>GS</b>	Grand Slam	<b>RHFP</b>	Reduced Hazard	<b>WLN</b>	Wide Long Nose
<b>HB</b>	Hollow Base	<b>RN</b>	Round Nose	<b>WNGC</b>	Wide Nose Gas
<b>HC</b>	Hollow Cavity	<b>RNDS</b>	Round Nose	<b>WTP</b>	Wide taper Point
<b>HP</b>	Hollow Point	<b>RS</b>	Radiused Shoulder	<b>W/GC</b>	With Gas Check
<b>HPBT</b>	Hollow Point Boat	<b>SB</b>	Solid Base	<b>X</b>	X Bullet
<b>HSP</b>	Hollow Soft Point	<b>SBT</b>	Spitzer Boat Tail	<b>XBT</b>	X Boat Tail
<b>IB</b>	Inter Bond	<b>SCIR</b>	Scirocco	<b>XBTC</b>	X Boat Tail Coated
<b>INTK</b>	Interlock	<b>SGG</b>	Single Grease	<b>XFB</b>	X Flat Base
<b>JFP</b>	Jacketed Flat Point	<b>SJ</b>	Short Jacket	<b>XPB</b>	X Pistol Bullet
<b>JHC</b>	Jacketed Hollow	<b>SLD</b>	Solid	<b>XTP</b>	Extreme Terminal
<b>JHP</b>	Jacketed Hollow	<b>SMP</b>	Semi-Point		
<b>JRN</b>	Jacketed Round	<b>SP</b>	Soft Point, Spitzer,		

**ТАБЛИЦІ СТВОРЕНІ НА ОСНОВІ**

**ОФІЦІЙНИХ РЕКОМЕНДАЦІЙ ВИРОБНИКА**

За додатковою інформацією просимо звертатись на сайт [vectan.fr](http://vectan.fr)  
або емейл офіційного представника в Україні [info@takho.ua](mailto:info@takho.ua)