



RELOADING TOOLS & ACCESSORIES



TABLE OF CONTENTS

| | |
|---|-------|
| Customer Service | 3 |
| New Product | 4-5 |
| Presses | 6-11 |
| .50 BMG | 12-13 |
| Case Prep | 14-21 |
| Case Trim | 22-23 |
| Priming | 24-25 |
| Mechanical Scales | 26 |
| Electronic Scales | 27 |
| Powder Handling | 28-32 |
| Shell Holders | 33 |
| Reference Chart | 34 |
| Reloading Dies | 35-42 |
| Special Order | 43 |
| Shotshell | 44-45 |
| Bullet Casting | 46-51 |
| Reloading Extras | 52 |
| RCBS.Load/Manuals | 53 |
| Chronograph/Apparel/Trigger Pulls | 54 |
| R.A.S.S. Bench | 55 |

The prices shown in this catalog are U.S. suggested retail only and are not necessarily the prevailing prices in your area. Export orders are subject to applicable import duties and/or sales tax, which are not reflected in the suggested retail price. Prices and specifications are subject to change without notice. Effective January 1, 2011.



Allan Jernigan in New Zealand



Allan Jernigan in Botswana

A Message From RCBS' General Manager

We are pleased you chose to review our new 2011 RCBS product catalog. If you have been one of our many customers over the years, I thank you for your continued trust and support. If you are a potential new customer we encourage you to try us out! I am certain you will discover what millions of faithful RCBS customers have over the past 67 years. That is, RCBS makes the highest quality products and provides the best customer service our industry has to offer. That is our commitment to you, our valued customer. This commitment to the highest level of quality and service is what has made us the number one reloading company in the industry and is at the core of RCBS' legacy.

As always, I want to remind all shooting and hunting enthusiasts that it is our collective responsibility to help preserve our heritage and way of life for our children and grandchildren. The best way to do this is to encourage and mentor the youth of our nation to become involved in any type of shooting and hunting activity. Next time you head to the shooting range or go hunting, be sure to take your son, daughter or perhaps the child of a non-hunting friend, and introduce them to an entirely new and intriguing adventure. Doing so will help preserve the shooting sports for many generations to come.

Again, I want to thank all of our loyal customers for your continued support. We are grateful for your business and it is my personal guarantee that RCBS will remain 100% committed to earning your continued trust.

Allan Jernigan

General Manager, RCBS Operation

CUSTOMER SERVICE

Do you have any questions about how to use or operate an RCBS® product? Looking for information about reloading? Need a replacement part for an RCBS product?

Don't hesitate to get in touch with the RCBS Technical Service Department. We are dedicated to giving the best service in the reloading industry.

Our catalog is located on the web. Please contact us.

Phone: 1-800-533-5000
Fax: 530-533-1647
Email: rcbs.tech@atk.com
www.rcbs.com

RCBS
605 Oro Dam Blvd. East
Oroville, CA 95965

When requesting replacement parts, please provide the name of the product the replacement part is for, the part number (if known) and name of the replacement part. Replacement parts are shipped within 3-5 business days, depending on product availability, via first class mail (large items by UPS Ground Service).

Please be sure to provide your name, address and phone number.

RCBS® eCommerce

RCBS® offers you the option of purchasing directly from us online through www.RCBS.com. Visit us anytime to view or shop our more than 3000 RCBS product offerings. Prices are Suggested Retail and may not reflect the prevailing prices in your area.

NOTE: Website does not reflect current stocking level.



A



B



C



D



E

90250 - Trimmer Carbide Cutter Head

Prototypes pictured.
Actual units will vary.

F



90384 - TM Carbide Chamfer Tool

90251 - 3-Way Carbide Cutter Head

A AR Series Dies

The new RCBS® AR Series is a must for the progressive reloader. It features a Small Base sizing die and a new Taper Crimp seating die. This combination makes reloading easier for AR-style or semi-auto shooters. The Small Base sizer guarantees that the cartridge will rechamber. The Taper Crimp Seater is more forgiving when various case lengths are loaded at the same time. Case neck crimp bulges and buckled shoulders are virtually eliminated when Taper crimping is used with cannelured bullets.

| | |
|--|---------|
| 10307 SB T/C Die Set .204 Ruger | \$52.95 |
| 10362 T/C Seater .204 Ruger | \$42.95 |
| 11107 SB T/C Die Set .223 Rem./5.56mmx45 | \$52.95 |
| 11162 T/C Seater .223 Rem./5.56mmx45 | \$42.95 |
| 28907 SB T/C Die Set 6mmx45 | \$52.95 |
| 28962 T/C Seater 6mmx45 | \$42.95 |
| 11407 SB T/C Die Set .243 Win. | \$52.95 |
| 11462 T/C Seater .243 Win. | \$42.95 |
| 16407 SB T/C Die Set .264 LBC-AR | \$52.95 |
| 16462 T/C Seater .264 LBC-AR | \$42.95 |
| 32907 SB T/C Die Set 6.5 Creedmoor | \$52.95 |
| 32962 T/C Seater 6.5 Creedmoor | \$42.95 |
| 12807 SB T/C Die Set .260 Rem. | \$52.95 |
| 12862 T/C Seater .260 Rem. | \$42.95 |
| 13307 SB T/C Die Set 6.8mmx43 REM SPC | \$52.95 |
| 13362 T/C Seater 6.8mmx43 REM SPC | \$42.95 |
| 35007 SB T/C Die Set 7.62mmx39 | \$52.95 |
| 35062 T/C Seater 7.62mmx39 | \$42.95 |
| 15507 SB T/C Die Set .308 Win. | \$52.95 |
| 15562 T/C Seater .308 Win. | \$42.95 |
| 25307 SB T/C Die Set .30 Rem. AR | \$52.95 |
| 25362 T/C Seater .30 Rem. AR | \$42.95 |
| 14807 S B T/C Die Set .30-06 Spring. | \$52.95 |
| 14862 T/C Seater .30-06 Spring. | \$42.95 |
| 17307 S B T/C Die Set .338 Federal | \$52.95 |
| 17362 T/C Seater .338 Federal | \$42.95 |

B Bullet Feed Die—Pistol

Crank out ammo again in no time. The new Pistol Bullet Feed Die allows the progressive pistol loader to leave the feed die set up on the removable die plate for quick caliber changeovers. The popular RCBS® Bullet Feeder shortens reloading sessions while increasing load rates by approximately 50%. Rather than reinstalling on die plates and adjusting Bullet Fingers and Guides, simply install another Bullet Feed Die to save more time during caliber changeovers. Includes Feed Die body, one set of Bullet Fingers and a retaining clip.

| | |
|------------------------------|---------|
| 82351 Bullet Feed Die—Pistol | \$30.95 |
|------------------------------|---------|

C Powder Trickler—2

Today's trend is to use electronic scales to measure powder charges. Many of these scales have scale pans that are positioned out of reach of existing powder tricklers. The Powder Trickler—2 solves this problem by adding a height adjustable, non-skid base and powder tube extension.

The Powder Trickler—2 Upgrade Kit is designed to convert your existing 09094 Powder Trickler to have all of the added functions above.

| | |
|-------------------------------------|---------|
| 09089 Powder Trickler—2 | \$22.95 |
| 09093 Powder Trickler—2 Upgrade Kit | \$6.95 |

.50R Pilot/50-caliber Cutter (not pictured)

Pilots and cutter for use on Rotary or Trim Pro case trimmers. These accessories are a must if you are trimming cases like the .500 S&W or .50-90 Government.

| | |
|---------------------------------|---------|
| 09400 .50R Pilot | \$4.95 |
| 09364 50-caliber Trimmer Cutter | \$19.95 |

D Pistol Powder Expanders—Pro 2000®

Progressive pistol cartridge reloaders are starting to run out of stations on their press. If you recently added the Pistol Bullet Feeder to your process, you either gave up your Powder Check or Lock Out station or combined bullet seating and crimping into one operation. Using the new Expanders in your Case Activated Uniflow Powder Measure allows you to move Expansion and Powder drops to station two on your press.

| | |
|---|---------|
| 88885 Pistol Powder Expanders—Pro 2000 .38 | \$12.95 |
| 88886 Pistol Powder Expanders—Pro 2000 9mm | \$12.95 |
| 88887 Pistol Powder Expanders—Pro 2000 .40 | \$12.95 |
| 88888 Pistol Powder Expanders—Pro 2000 .44 | \$12.95 |
| 88889 Pistol Powder Expanders—Pro 2000 .45 ACP | \$12.95 |
| 88890 Pistol Powder Expanders—Pro 2000 .45 Colt | \$12.95 |
| 88891 Pistol Powder Expanders—Pro 2000 .475 | \$12.95 |
| 88892 Pistol Powder Expanders—Pro 2000 .500 | \$12.95 |

E Accessory Handle—2

Larger ergonomical handle for use with many RCBS accessories.

| | |
|--------------------------|--------|
| 09332 Accessory Handle—2 | \$7.95 |
|--------------------------|--------|

F Carbide Replacement Tools

Replacement carbide tipped cutters for your Case Trimmer, 3-Way Cutter and Trim Mate Chamfer or Debur tool. These carbide tipped tools cut clean and stay sharp for a lifetime of use.

| | |
|-----------------------------------|---------|
| 90250 Trimmer Carbide Cutter Head | \$44.95 |
| 90251 3-way Carbide Cutter Head | \$44.95 |
| 90384 TM Carbide Chamfer Tool | \$44.95 |
| 90385 TM Carbide Debur Tool | \$44.95 |

Military Crimp Removers

Redesigned to speed up case processing and reduce the amount of primer pocket being cut away.

| | |
|---------------------------------------|---------|
| 90386 TM Military Crimp Remover—Small | \$20.95 |
| 90387 TM Military Crimp Remover—Large | \$20.95 |

Primer Pocket Swager Tool—2 (not pictured)

The Primer Pocket Swager has been redesigned to fit a larger group of cases. The swaging rods are made from stronger high tensile steel, more than doubling the strength versus the original design.

NOTE: Not for use on progressive presses

| | |
|-----------------------------------|---------|
| 09481 Primer Pocket Swager Tool—2 | \$39.95 |
|-----------------------------------|---------|



A Pro 2000® Auto Index Press & Upgrade Kit

Take your reloading to the next level with the RCBS® Pro 2000® Auto Index Press. Five station automatic indexing for maximum production in shorter sessions with a load rate of approximately 600 rounds per hour. APS® priming for the safest, most convenient priming system on the market. Case activated powder measure stops accidental spillage while the case retention system provides quick access to cases. Quick change die plate for fast caliber change over. Ability to change primer sizes in less than a minute. Uniflow™ Powder Measure, APS Strip Loading Tool, 32 empty APS Strips, bullet tray, empty brass bin and loaded ammo bin included.

The Upgrade Kit allows you to convert your manual indexing Pro 2000 to automatic indexing operation.

Accessory Base Plate not included.

See page 33 for list of Shell Plates.

| | |
|------------------------------|----------|
| 88882 Auto Index Press | \$753.95 |
| 88883 Auto Index Upgrade Kit | \$136.95 |

C Pro 2000® Deluxe Reloading Kit

Contents: Pro 2000® Progressive Press with APS® Priming System, Case Activated Powder Dispensing System with Uniflow™ Powder Measure. Trim Pro® Manual Case Trimmer Kit includes Trim Pro Shell Holders 2, 3, 4, 10 and Trim Pro Pilots 22, 24, 25, 27, 28, 30, 35, 44, 45. Speer® Reloading Manual, Case Lube Pad, 2-ounce bottle of Case Lube—2, Accessory Handle with Small and Medium Case Neck Brushes. Deburring Tool for .17 to 45-calibers, Fold-up Hex Key Wrench set, Stainless Steel Dial Caliper, RangeMaster™ 750 Electronic Scale, APS Strip Loader and 32 empty APS strips.

Accessory Base Plate not included.

| | |
|-------------------------------------|-----------|
| 88880 Pro 2000 Deluxe Reloading Kit | \$1212.95 |
|-------------------------------------|-----------|

B Pro 2000® Progressive Press

The Pro 2000® is an easy to use five station manual indexing progressive press. Simply insert a cartridge case and bullet, cycle the handle and index the shell plate. The five station design allows for the use of a Powder Checker or Lock-Out die or you can seat bullets and crimp cases in separate operations. The APS® priming system means that you never have to touch your primers. Switching from large to small primer seating takes seconds. The quick change die plate allows you to leave dies set for quick caliber changeover and will accept any standard 7/8"–14 threaded dies. The Uniflow™ Powder Measure coupled with our Case Activated linkage system means powder charges will be dispensed accurately and only if a cartridge case is present! No more accidental powder spillage mishaps! The large working window and Universal Case Retention system allows easy removal and insertion of cases at any station. Compound leverage makes resizing rifle and pistol cases effortless. The rugged cast iron frame will provide a lifetime of service and the RCBS warranty guarantees it!

Accessory Base Plate not included.

See page 33 for list of Shell Plates.

| | |
|--|----------|
| 88875 Pro 2000 Progressive Press | \$673.95 |
| 88878 Pro 2000 Star Wheel | \$8.95 |
| 88877 Pro 2000/Piggyback —3 & —4 Die Plate | \$22.95 |
| 88876 Tube Priming Conversion Kit | \$137.95 |
| 88879 Low Primer Detector | \$41.95 |
| 86767 Dust Cover | \$19.95 |
| 09627 Pow'r Punch Decap Rod | \$7.95 |



D Piggyback™ —3 & —4

If you own a RCBS® Rock Chucker®, Reloader Special™ —3, or Reloader Special—5, (each sold separately), you know they're some of the finest single-stage presses ever built. The Piggyback™ —3 moves you from single-stage reloading to five-station manual indexing, progressive reloading in one step, and moves your output from 50 rounds per hour to more than 400.

If you own the Rock Chucker Supreme, the Piggyback—4 is the unit to convert the press to progressive operation.

Optional extra Star Wheel can remain permanently attached to the Shell Plate for quicker caliber changeover. Piggyback —3 & —4 includes Strip Loading Tool with 32 empty strips.

Accessory Base Plate not included.

| | |
|---|----------|
| 87810 Piggyback —3 | \$508.95 |
| 87811 Piggyback —4 | \$508.95 |
| 88878 Pro2000/Piggyback —3, —4 Star Wheel | \$8.95 |
| 86767 Dust Cover | \$19.95 |
| 09627 Pow'r Punch Decap Rod | \$7.95 |

The Piggyback™ —3 & —4 is an accessory item for your existing press. Requires Uniflow™ Powder Measure (not included).

See page 33 for list of Shell Plates.

E Powder Checker

A simple, effective way to visually check powder charges when you use a progressive press. The Powder Checker sits between the powder charging and bullet seating stations. Using a probe rod, it lets you visually confirm that the case is properly charged with powder before bullet seating. In addition to spotting a "no-charge" condition, the Powder Checker shows low and high charges too. Black oxide finish provides contrast for better visibility. For use with rifle and pistol cases.

| | |
|----------------------|---------|
| 87590 Powder Checker | \$36.95 |
|----------------------|---------|

F Lock-Out Die

The Lock-Out Die detects a "no powder" or a "double charge" condition in the progressive reloading process. It locks up, halting the travel of the ram, alerting the reloader to the problem so the cause can be corrected. Will not let you continue without removing the improperly charged cartridge. For use with straight-wall pistol calibers, 9mm and larger, and only on progressive reloading presses.

| | |
|--------------------|---------|
| 87540 Lock-Out Die | \$58.95 |
|--------------------|---------|

G Die Lock-Ring Wrench

No more bashed knuckles or fumbling with adjustable wrenches. The RCBS® Die Lock-Ring Wrench simply slips onto the die lock ring for quick and easy adjustment. A pivoting handle allows leverage from any angle and the heat-treated steel stands up to all the brute force you can muster.

| | |
|--------------------------------------|--------|
| 09634 Die Lock-Ring Wrench (1-3/16") | \$7.95 |
|--------------------------------------|--------|

H Pro 2000®/Piggyback™ —3 & —4 Die Plate


Make caliber changes quickly and easily. Leave the reloading dies set up. Eliminates the need to install and adjust dies for each reloading session.

| | |
|--|---------|
| 88877 Pro 2000/Piggyback —3 & —4 Die Plate | \$22.95 |
|--|---------|

I Pow'r Punch Decap Rod

For use with pistol calibers in Progressive Presses. The decap rod has a spring loaded decapping pin to ensure the spent primer is always fully ejected from the primer pocket. Eliminates indexing problems with progressive presses caused by the spent primer jamming the shell plate. Works in all RCBS® pistol sizer dies. RCBS pistol sizing dies equipped with the Pow'r Punch Decap Rod Assembly will work in any brand progressive press that uses standard 7/8"-14 threaded dies.

| | |
|-----------------------------|--------|
| 09627 Pow'r Punch Decap Rod | \$7.95 |
|-----------------------------|--------|



A Turret Press

Simple operation—no complex or automated processes. You have complete control over every reloading step. May be operated in progressive or single-stage mode.

In the progressive mode, output can be increased from 50 to 200 rounds per hour. Or, if preferred, the press can be used as a single-stage press and load cases in the batch mode.

Rugged, cast iron frame, toggle block and turret head. Heavy-duty construction to minimize springing. Detent on Turret Head for positive alignment. Standard 7/8"-14 threads for most popular reloading dies and accessories. Six-Station Turret Head allows many combinations in the mounting sequence of dies and powder measure permits two or more calibers to be set up at the same time. Turret Head held in place by one bolt for quick, easy change-overs. Turret Pin Assembly (provided for turret head removal and installation) and Ball Handle Assembly may be positioned for right or left-hand use. Standard Shell Holders slip into press ram and are securely held in place by a clip spring.

Primer Plugs and Sleeves are supplied for seating large and small primers. Primers are seated away from stacked primers. Safety tube included.

The Primer Catcher eliminates spent primers on floor—snaps off for easy emptying. Baked epoxy finish for quick, easy cleaning, chip and fade resistant.

NOTE: We highly recommend the optional Uniflow™ Powder Measure with Case Activated Linkage Kit for use on the Turret Press (sold separately). See page 31.

88901 Turret Press \$284.95

D Turret Head

Makes changing calibers quick and simple. Leave the dies set up in the Turret Head and change the Head—one bolt does the trick! Six stations with standard 7/8"-14 threads.

88902 Turret Head \$57.95



C Turret Deluxe Reloading Kit

With this kit you'll only need to add a Reloading Die Set and Shell Holder for the caliber(s) you intend to reload. Information on each individual kit component is described elsewhere in this catalog—see the index. Buy the kit and save about 10% of the price of each item separately.

88906 Turret Deluxe Reloading Kit \$559.95

Contents:

Turret Press
Uniflow™ Powder Measure
Model 5-0-2 Reloading Scale
Speer® Reloading Manual
Case Lube Kit

Deburring Tool
Case Loading Block
Fold-up Hex Key Wrench Set
Primer Tray—2
Powder Funnel



D AmmoMaster® .50 BMG Pack

The AmmoMaster® .50 BMG Pack makes reloading for the .50 Browning Machine Gun cartridge a simple task. Manufactured to accept RCBS® 1-1/2" .50 BMG dies, along with the massive 1" solid steel ram, provides more than enough strength to handle the .50 and will provide a lifetime of service. This kit includes the press, Full-Length Sizer, Seater Die, Shell Holder, Ram Priming Unit and Trim Die in one convenient box. The only extras required are cartridge components and the rifle to fire them!

88700 AmmoMaster .50 BMG Pack \$765.95
88715 Standard Shell Holder Adaptor \$27.95

D AmmoMaster®—2 Single Stage Press

The AmmoMaster—2 single stage press has been improved with the installation of the longer support columns and larger toggle block found on our AmmoMaster .50 BMG press. While still set up to use standard 7/8"-14 thread dies and standard shell holders to load most any pistol or rifle caliber, the addition of the .50 BMG 1-1/2" Die Kit (88705) will allow you to load from .25 ACP to .50 BMG.

For original AmmoMaster owners wishing to load .50 BMG, two kits are necessary. The .50 BMG 1-1/2" Press Conversion Kit and the .50 BMG 1-1/2" Die Kit. The Press Conversion kits contains the larger toggle block and support columns and the Die Kit contains a Full Length Size Die, Roll Crimp Seat Die, Trim Die, .50 BMG Shell Holder and .50 BMG Ram Priming Unit.

88703 AmmoMaster—2 Single Stage Press \$351.95
88705 .50 BMG 1-1/2" Die Kit \$469.95
88709 .50 BMG 1-1/2" Press Conversion Kit \$165.95
(for 88701 AmmoMaster)
88772 .50 BMG Ram Priming Unit \$52.95
88746 .50 BMG Shell Holder \$25.95
30065 .50 BMG Trim Die \$172.95
86767 Dust Cover \$19.95

D AmmoMaster®/Piggyback™ II Die Plate

Reduce the time and effort to remove, replace and adjust dies when making caliber changes on your AmmoMaster® Auto or Piggyback™ II conversion unit. This replacement top plate allows you to have additional calibers set up and ready. It is complete with five station top plate, clutch bearing with bushing, cam wire clip with lock nut and setscrew.

88799 AmmoMaster/Piggyback II Die Plate \$44.95

D Reloading Accessory Kit

This package makes reloading even easier with some nice tools. The Reloading Accessory Kit includes: Powder Measure/Piggyback™ Stand, Powder Trickler, Primer Pocket Brush Combo, Case Loading Block, Stainless Steel Dial Caliper, small and medium size Case Neck Brushes.

98925 Reloading Accessory Kit \$149.95





A Partner™ Press Reloading Kit

Our Partner™ Press anchors this excellent starter kit. Big on performance, small on price, the Partner is the ideal entry-level press. Here it's coupled with some of the finest "basic" reloading tools you'll find anywhere. The RCBS® Partner Press Reloading Kit includes: Partner Press, RC-130® Scale, Case Loading Block, Case Lube Pad, Case Lube—2, Case Neck Brushes, Primer Tray—2, Deburring Tool, Powder Funnel and Speer Reloading Manual.

Accessory Base Plate not included.

87466 Partner Press Reloading Kit \$236.95

B Partner™ Press

Just starting out? The Partner™ Press is easy to use and incredibly durable. Our least expensive press offers big performance in a compact package. It's also perfect as a second press for different operations or a portable press for use at the range.

Accessory Base Plate not included.

87460 Partner Press \$93.95
86881 Dust Cover \$11.95

C Rock Chucker® Supreme Master Reloading Kit

We've taken the new benchmark of single stage presses and surrounded it with the equipment you need (except dies and shell holders) to start loading like a pro. A simple solution for the beginner and pro alike, it is easily upgraded to progressive operation with the optional Piggyback™—4. The Rock Chucker® Supreme Master Reloading Kit includes: Rock Chucker Supreme Press, 5-0-5 Scale, Uniflow™ Powder Measure, Speer® Reloading Manual, Hand Priming Tool, Hex Key Set, Case Loading Block, Case Lube Kit, Powder Funnel and Deburring Tool.

09357 Rock Chucker Supreme Master Kit \$458.95



D Rock Chucker® Supreme Press

The Rock Chucker® Supreme press has been lengthened to allow easy loading of today's longer cartridge designs and renamed the Rock Chucker Supreme. With the same easy operation, ambidextrous handle, outstanding strength and versatility, the Rock Chucker Supreme is ideal for the beginner and pro alike. It can also be upgraded to a progressive loader with the addition of a Piggyback™—4.

09356 Rock Chucker Supreme Press \$196.95
09552 Primer Plug, Sleeve & Spring (large) \$4.95
09553 Primer Plug, Sleeve & Spring (small) \$4.95
86881 Dust Cover \$11.95

E Rock Chucker® Supreme Auto Prime

The RCBS® Rock Chucker® Supreme Auto priming unit will convert your one-at-a-time priming to a tube fed priming system and also eliminate the handling of primers. The RC Supreme Auto Prime body attaches to the same place as the standard priming arm.

Attach the proper primer cup and seat plug to the priming arm slide, insert the correct primer tube and safety shield, fill the primer tube and you are ready to prime. The straight push-pull primer arm slide reduces the chances of primers falling out of the primer seat plug.

Features & Benefits

- Tube fed priming system
- Safety shield
- Speeds up single stage reloading process
- Eliminates handling of primers
- 100 primer capacity
- Push bar operation
- Large and small primer pick up, feed tubes and primer seat plugs included
- RCBS® Limited Lifetime Warranty

09358 Rock Chucker Supreme Auto Prime \$50.95



F Reloading Starter Kit

This is one of the truly remarkable values in reloading. It has everything you need to get started reloading rifle and pistol cartridges (except dies and shell holders), and is easily upgraded to progressive operation with the optional Piggyback™—3. For "upscale" reloading at an affordable price, this kit can't be beat. The RCBS® Reloading Starter Kit includes: Reloader Special—5 Press, 5-0-5 Scale, Case Loading Block, Case Lube Kit, Primer Tray—2, Powder Funnel, Deburring Tool and Speer® Reloading Manual.

Accessory Base Plate not included.

09045 Reloading Starter Kit \$364.95

G Reloader Special™—5 Press

The latest in our popular line of Reloader Special™ presses. Featuring a more comfortable ball handle and a primer arm that lets you prime cases at the same time you resize.

09285 Reloader Special—5 Press \$160.95
86881 Dust Cover \$11.95

I Bullet Feeder—Pistol Kit (Progressive Press)


Designed to fit on most 7/8"-14 threaded progressive presses the RCBS® Pistol Bullet Feeder Kit features a four country universal 110-240 VAC operated collator unit that orients the bullets to drop into the feed mechanism. The hopper holds approximately 200 bullets. The kit contains adapters to load 9mm/.38 Special/.357 Mag., 10mm/.40 and .45 ACP jacketed/FMJ pistol bullets. Load rate increased by 50%. Patent pending.

NOTE: Not for use with lead bullets. Use jacketed or FMJ bullets only.

Features & Benefits

- Hopper holds approximately 200 bullets
- Bullets are oriented to drop directly into feed mechanism
- Adaptors allow loading of 9mm/.38 Special/.357 Mag., 10mm/.40 & .45 ACP jacketed/FMJ pistol bullets
- RCBS Two year warranty

82350 Bullet Feeder—Pistol Kit \$526.95



H Bullet Feeder—Rifle Kit (Progressive Press)

Based on the popularity of the Pistol Bullet Feeder Kit, RCBS introduces two rifle versions—one for 22-caliber and one for 30-caliber. Designed to fit on most 7/8"-14 threaded progressive presses (adapters may be required for other brands), these new Rifle Bullet Feeders each feature a four country universal 110-240 VAC operated collator unit that orients the bullets to drop into the feed mechanism/seat die. The hopper holds approximately 250 22-caliber bullets and 100-125 30-caliber 180-grain bullets. Each kit increases load rates by 50%.

NOTE: Not for use with lead bullets. Use jacketed or FMJ bullets only.

Features & Benefits

- Available for either .22 or .30 caliber
- Increases load rate by 50%
- Large hopper for non-stop reloading and max output/efficiency
- Bullets are oriented to drop directly into feed mechanism/seat die
- Plug adapters for U.S., U.K., AUS and E.U. included with CE approved power supply
- Adjustable collator height
- RCBS Two year warranty

82352 Bullet Feeder—22-caliber Rifle Kit \$613.95
82354 Bullet Feeder—30-caliber Rifle Kit \$613.95



A AmmoMaster® .50 BMG Pack

The AmmoMaster® .50 BMG Pack makes reloading for the .50 Browning Machine Gun cartridge a simple task. Manufactured to accept RCBS® 1-1/2" .50 BMG dies, along with the massive 1" solid steel ram, provides more than enough strength to handle the .50 and will provide a lifetime of service. This kit includes the press, Full-Length Sizer, Seater Die, Shell Holder, Ram Priming Unit and Trim Die in one convenient box. The only extras required are cartridge components and the rifle to fire them!

| | |
|-------------------------------------|----------|
| 88700 AmmoMaster .50 BMG Pack | \$765.95 |
| 88715 Standard Shell Holder Adaptor | \$27.95 |

B High Capacity Case Trimmer Kit

Trim all of your big bore cases in no time with the new RCBS® High Capacity Case Trimmer. Designed to handle the most beefy cases such as the .50 BMG and .416 Barrett—plus many other favorites—RCBS answers the call of the big bore shooter. Includes .408, .416 and .50R caliber pilots.

| | |
|----------------------------------|----------|
| 90352 High Capacity Case Trimmer | \$153.95 |
| 90353 Collet #1 | \$21.95 |
| 90354 Collet #2 | \$21.95 |



| COLLET FIT CHART | | |
|--------------------------|------------------------------|-------------------------------|
| .50 BMG/.416 Barrett | HC #1 | HC #2 |
| .40-60 Winchester | .50-70 Gov't | .338 Lapua |
| .408 CheyTac | .50-90-21/2" Sharps Straight | .40-65 Shiloh Sharps |
| .416 Barrett | .56-50 Spencer | .45-70 Gov't |
| .45-60 Winchester | .470 NE 31/4" | .45-90-2.4" Sharps Straight |
| 450x400x3" (400 Jeffery) | .500 Jeffery | .45-100-2.6" Sharps Straight |
| .50-95 Winchester | .500 NE 3" | .45-110-27/8" Sharps Straight |
| .505 Gibbs | | .45-120-31/4" Sharps Straight |
| .50 BMG | | .404 Jeffery |
| | | .450 Rigby Rimless |



C 1-1/2"—12 Bullet Puller

The 1-1/2"—12 Bullet Puller is designed for use on the AmmoMaster®—2 or AmmoMaster .50 BMG pack press. Using the .416 or .50 BMG bullet puller collets (sold separately) allows the quick removal of bullets from loaded ammunition so that you can salvage your components.

| | |
|------------------------------|----------|
| 9446 1-1/2"—12 Bullet Puller | \$160.95 |
| 9447 .416 Barrett Collet | \$63.95 |
| 9448 .50 BMG Collet | \$63.95 |



D .50 BMG Military Crimp Remover

Designed to be used with the RCBS® Accessory Handle or on the RCBS Trim Mate Case Prep Center, the .50 BMG Military Crimp Remover cuts away the primer pocket crimp found on military .50 BMG brass, allowing the handloader to easily reprime their cases.

| | |
|-------------------------------------|---------|
| 9562 .50 BMG Military Crimp Remover | \$31.95 |
|-------------------------------------|---------|

E .50 BMG Carbide Primer Pocket Uniformer

Designed to be used with the RCBS® Accessory Handle or on the RCBS Trim Mate Case Prep Center, the .50 BMG Carbide Primer Pocket Uniformer utilizes a carbide cutter to square the bottom of the primer pocket and uniform the primer pocket depth. This allows the handloader to easily seat primers to a consistent depth for reliable ignition.

| | |
|--|---------|
| 9561 .50 BMG Carbide Primer Pocket Uniformer | \$54.95 |
|--|---------|

F .50 BMG Priming System

The RCBS® .50 BMG Priming system provides a dedicated bench mounted system that allows handloaders to easily reprime their cases. The primer tube holds (20) .50 BMG primers and features a Safety Shield Tube. Primer pick-up tube, flat and oval primer seat plugs included.

| | |
|-----------------------------|----------|
| 9560 .50 BMG Priming System | \$138.95 |
|-----------------------------|----------|






Dial indicator accurately displays various measurements to .001" for the discriminating handloader who demands a higher level of ammunition performance

Has the ability to measure case neck thickness

Fully-adjustable V Blocks to securely position the case for accurate measure

Compact base for convenience yet steady enough to support the tasks required



A Dial Caliper/Case Length Gauge

Fiberglass reinforced super polyimide construction. Range of 0-6"/0-150mm. Direct .001" readings. Graduations .001" increments with 0.100" per single revolution of dial; 1.0mm bar scale. Dial adjustable to zero. Four-way measurements: outside, inside, depth and step.

Comfortable friction thumb roller opens and closes caliper. Large, easy to read black numbers and markings on white background. Fitted clear plastic storage case. Imported.

87301 Dial Caliper/Case Length Gauge \$59.95

B Stainless Steel Dial Caliper

Hardened stainless steel construction. Matte, non-glare finish. Range 0-6". 0.100" direct reading per revolution. 0.001" graduations. Accurate to +/- 0.001". Four-way measurement capability: inside, outside, depth and step. Shockproof movement for accurate measurements. Clear glass lens protects dial from dust and scratches. Slide may be locked in any position with thumb lock. Dial easily zeroed. Lock screw holds dial in position for precise measurements. Thumb wheel makes for easy opening and closing of the caliper. Fitted hard plastic storage case. Imported.

87305 Stainless Steel Dial Caliper \$53.95

C Electronic Digital Caliper

Instant reading. Very easy to use. Hardened stainless steel body for prolonged tool life. Switches from inches to millimeters with the touch of a button. Range of 0-6"/0-150mm. Accuracy +/- 0.001"/0.02mm. Resolution: 0.0005"/0.01mm. Large, easy to read numbers, reduces error—no guessing. Adjusts to zero at any position. Measures internal, external, depth and step dimensions. Jaw depth measures 1-1/2" outside, 5/8" inside. Lock holds slide in position for measuring constants. Battery included. Low battery indicator. Fitted plastic storage case. Imported.

87323 Electronic Digital Caliper \$82.95

D Case Master® Gauging Tool

A quick, convenient way to determine several important case and cartridge dimensions. The Case Master® gauging tool measures case neck concentricity, uniformity and thickness, as well as case length and bullet run-out. All are important to accuracy and safety. Detects case head separation before symptoms are apparent on the outside of case. Much quicker than a dial caliper and makes a tedious job simple and less tiring.

87310 Case Master Gauging Tool \$134.95



E Precision Mic™

A few twists of the Precision Mic™ and you'll know your chamber headspace and bullet seating depth to 0.001 of an inch. The Precision Mic measures from the datum point on the case shoulder to the base, giving you spot-on SAAMI tolerance readings. An indispensable tool for safe, accurate loads that extend the life of your rifle brass.

| Precision Mics: | | | \$64.95 |
|-----------------|--------------|-------|---------------|
| 88299 | .204 Ruger | 88323 | 7mm x57 Mau |
| 88303 | .222 Rem | 88319 | 7mm Rem Mag |
| 88304 | .223 Rem | 88321 | 7mm RSAUM |
| 88302 | .22-250 Rem | 88318 | 7mm WSM |
| 88301 | .220 Swift | 88340 | 7mm RUM |
| 88300 | .223 WSSM | 88329 | .308 Win |
| 88305 | .243 Win | 88324 | .30-06 Spring |
| 88309 | .243 WSSM | 88327 | .300 Win Mag |
| 88306 | 6mm Rem | 88325 | .300 WSM |
| 88307 | .25-06 | 88326 | .300 RSAUM |
| 88308 | .257 Roberts | 88328 | .300 RUM |
| 88310 | .25 WSSM | 88330 | .325 WSM |
| 88314 | 6.5mm x 55 | 88331 | .338 Win Mag |
| 88316 | .270 Win | 88333 | .338 RUM |
| 88315 | .270 WSM | 88337 | .375 H&H Mag |
| 88317 | .280 Rem | 88339 | .375 RUM |
| 88322 | 7mm-08 Rem | | |

F Electronic Digital Micrometer

Instant reading. Top of the line. Enameled metal body with matte finished, non-glare thimble. Outside micrometer has 0-1"/0-25mm range. Counter reads to .00005". Resolution .00005"/0.001mm. Accuracy .0001"/.0025mm. Large, easy to read numbers for error reduction with instant inch/millimeter conversion. Zero adjust at any position. Thimble lock for measuring like objects. Battery included. Auto off after five minutes for longer battery life. Fitted storage case. Imported.

87320 Electronic Digital Micrometer \$156.95



G Vernier Ball Micrometer

Economical Vernier Ball Micrometer for measuring case neck thicknesses. All metal body and thimble with matte finish. Range: 0-1", Accuracy within .0001". Ratchet stop on thimble assures uniform application of pressure. Thimble lock keeps thimble from turning when measuring a constant. Adjustment wrench included. Fitted plastic storage case. Imported.

87324 Vernier Ball Micrometer \$65.95

H Mechanical Digital Micrometer

Quick, easy to read. Metal body with satin chrome thimble. White numbers on black background. Outside micrometer has 0-1" range. Mechanical counter reads to .001". Resolution: .0001". Accuracy within .0001". Ratchet stop on thimble assures even pressure for measuring. Thimble lock stops thimble from turning when measuring like objects. Adjustment wrench included. Fitted wooden storage case. Imported.

87322 Mechanical Digital Micrometer \$66.95

I Vernier Micrometer

Economical version without the bells and whistles. All metal body and thimble with silver matte finish. Crisp black numbers and markings for easy reading. Range: 0-1". Reads to .0001 of an inch. Accuracy within .0001". Ratchet stop on thimble assures uniform application of pressure when measuring. Thimble lock keeps thimble from turning when measuring a constant. Adjustment wrench included. Fitted plastic storage case. Imported.

87321 Vernier Micrometer \$39.95

**A Case Lube Kit**

Properly clean and lube cases for resizing the simple way with this complete kit. Includes Case Lube Pad, 2-ounce bottle of Case Lube—2, and Accessory Handle with two interchangeable Case Neck Brushes for .22 through .30 calibers.

09335 Case Lube Kit

\$24.95

Case Lube—2 (Pictured above with Case Lube Kit)

An excellent lubricant that's water soluble and convenient to wipe off easily with no sticky residue. Non-toxic. Use Case Lube—2 with RCBS® Lube Dies or Case Lube Pad.

09311 Case Lube—2 (2 oz. bottle)

\$4.95

09313 Case Lube—2 (gallon/bulk)

\$155.95

Case Lube Pad (Pictured above with Case Lube Kit)

The best way to lubricate cases for resizing or forming. Coat the pad with Case Lube—2, then roll the case lightly across it. Exactly the right amount of lubricant is transferred to the case. Pad is removable from sealable storage case for easy cleaning.

09307 Case Lube Pad

\$11.95

Case Neck Brushes (Pictured above with Case Lube Kit)

Clean dirt and powder residue from inside necks and simultaneously lubricate for expansion with our case neck brushes. The no-roll handle design accepts all three nylon bristle brushes: small brush for .22 to .25 caliber, medium brush for .270 to .30 caliber, large brush for .35 to .45 caliber.

09327 Case Neck Brush-Small

\$3.95

09328 Case Neck Brush-Medium

\$3.95

09329 Case Neck Brush-Large

\$3.95

B Case Loading Block

A solid, steady platform that holds 40 cases at a time to streamline powder charging and inspection. Stepped holes minimize case tipping to reduce powder spillage. For most rifle and pistol cases. Approximately 4-7/8" x 7-1/4".

09453 Case Loading Block

\$7.95

C Universal Case Loading Block

The RCBS® Universal Case Loading Block has been designed to fit most any standard rifle or pistol case including the WSM, WSSM and Ultra Mag family of cartridges. The two-sided design offers three different case fits per side and will hold 50 cases. Short pistol cases fit in the raised upper portion of the block for easy access. The stepped holes accommodate large pistol and rifle cases.

09452 Universal Case Loading Block

\$10.95


D Case Slick® Spray Lube

Case Slick is an exclusive formulation that provides exceptional lubricity for resizing or forming of metallic rifle and pistol cases. Testing reveals, Case Slick reduces the force needed to resize .308 Winchester cases by 35 to 70 percent when compared to other lubes. Reducing the resizing force makes the process easier on you and your brass. Case Slick is formulated to flow evenly over the surface of the brass. Uniform coverage makes resizing a breeze and eliminates the possibility of denting the shoulder of the case.

09315 Case Slick Spray Lube†

\$10.95

† Shipped UPS Ground only. No International sales.

**E Die or Press Maintenance Kits**

Keep your reloading gear in pristine condition with our Die or Press Maintenance Kits. Outfitted with the necessary chemicals and brushes to clean reloading dies and presses, these kits are perfect for removing dirt, oil and other debris from every nook and cranny. They also come equipped with special chemicals and oils designed for safe, long-term storage of your reloading equipment.

99970 Die Maintenance Kit

\$29.95

99971 Press Maintenance Kit

\$23.95

F Military/Berdan Decapping Tool

For efficient removal of Berdan primers, nothing beats our Berdan Decapping Tool. Decap 8mm Rimless, 6.5mm Mannlicher-Schoenauer, 11.7mm Rimmed and more. All functional parts are made of top-grade, heat-treated steel alloy for toughness. Comes with case holder and hex wrench.

09525 Berdan Decapping Tool

\$69.95

09528 Berdan Decapping Pin

\$5.95

G Decap Die

Use our Decapping dies to quickly remove primers from cases prior to cleaning. The Decap Die .22-.25 will handle most cases. The H.D. die is designed for use on Military primer crimped cases larger than 27-caliber.

87580 Decap Die .22-25-caliber

\$20.95

87585 H.D. Decap Die .27-45-caliber

\$21.95

87575 Decap Unit .22-25-caliber

\$8.95

87586 H.D. Decap Unit

\$9.95

H Lube Dies

Decap and lube cases in one step with our exclusive Lube Die. Designed for progressive presses like the Pro 2000®, Piggyback™—3 & —4, Piggyback™ II, AmmoMaster®, and Auto 4x4, but works just fine in single-stage presses. Four sizes cover 45 popular calibers. It's faster and cleaner than a lube pad; easy to refill with lubricant (RCBS® Case Lube—2); standard 7/8"-14 thread. See Reference Chart on page 34.

87551 Lube Die # 1

\$42.95

87552 Lube Die # 2

\$42.95

87553 Lube Die # 3

\$42.95

87554 Lube Die # 4

\$42.95

87575 Decap Unit

\$8.95





A Primer Pocket Brush Combo

A build-up of residue in primer pockets can cause misfires. A couple of twists with our Primer Pocket Brush and residue is easily cleaned out. Brushes have stainless bristles and interchangeable mounts for large and small primer pockets. Comes with a no-roll accessory handle.

| | | |
|-------|---------------------------|---------|
| 09574 | Primer Pocket Brush Combo | \$18.95 |
| 09578 | Small Brush only | \$8.95 |
| 09577 | Large Brush only | \$8.95 |
| 09330 | Accessory Handle | \$5.95 |

B Primer Pocket Swager Combo

The perfect tool for quick removal of primer-pocket crimps from military cases. Unlike reaming, the pocket swager forms a perfectly round pocket correct in dimension for American Boxer-type primers. Comes with swaging heads for large and small pockets; fits nearly all 7/8"-14 threaded presses with RCBS-type removable shell holders.

NOTE: Not for use on progressive presses.

| | | |
|-------|----------------------------|---------|
| 09495 | Primer Pocket Swager Combo | \$37.95 |
|-------|----------------------------|---------|

C Pow'r Pull® Bullet Puller

This indestructible tool is the easy way to fix mistakes. An improved three-jaw chuck firmly grips the case rim; just rap it on a solid surface like a hammer. Powder and bullet drop into the main chamber for re-use. A soft cushion prevents any damage to bullet. A solid one-piece body adds extra strength and a generous handle adds user comfort. Works with most centerfire cartridges from .22 to .45. Guaranteed for life.

NOTE: Not for use with rimfire cartridges.

| | | |
|-------|---|---------|
| 09415 | Pow'r Pull Bullet Puller | \$19.95 |
| 09418 | Replacement Chuck Assembly | \$6.95 |
| 09416 | Magnum Chuck Assembly (for WSM & Belted Mags) | \$6.95 |

D Pow'r Pull® Kit

Get yourself out a jam with the new RCBS® Pow'r Pull® Kit. This kinetic style bullet puller's rugged one-piece body and user-friendly ergonomic handle resolves mistakes quickly and easily. The three case holding chucks will accommodate cases from 5.7x28mm and .22 Hornet up through the WSM and RUM family of cartridges.

NOTE: Not for use with rimfire cartridges.

| | | |
|------|----------------|---------|
| 9412 | Pow'r Pull Kit | \$23.95 |
|------|----------------|---------|

E Standard Bullet Puller

Not sure about the powder charge? Need to change bullets? The RCBS® Standard Bullet Puller is designed to easily pull and not damage jacketed bullets. It utilizes the standard 7/8"-14 thread and may be used in any single stage reloading press having this thread.

NOTE: Not for use with rimfire cartridges.

| | | |
|-------|-----------------------------------|---------|
| 09440 | Standard Bullet Puller w/o Collet | \$23.95 |
|-------|-----------------------------------|---------|

| | | |
|---------------------------------|--|---------|
| Standard Bullet Puller Collets: | | \$13.95 |
|---------------------------------|--|---------|

| | | | |
|-------|------------|-------|---------------|
| 09419 | .17 | 09429 | .348 |
| 09438 | .20 | 09430 | .35/.38 Spec. |
| 09420 | .22 | 09437 | 9.3mm |
| 09421 | 6mm | 09431 | .375 |
| 09422 | .25 | 09432 | .40 |
| 09423 | 6.5mm | 09433 | .41 |
| 09424 | .270 | 09434 | .416 |
| 09425 | 7mm | 09435 | .44/11mm |
| 09426 | .30/7.35mm | 09436 | .45 |
| 09427 | .338 | 09439 | .475 |
| 09428 | .32/8mm | 09445 | .500 |

F Flash Hole Deburring Tool

Burrs left on the inside of the flash hole during manufacturing can cause erratic ignition. This handy tool automatically locates the hole and quickly removes the burr. A self-centering pilot collar with an adjustable stop allows quick alignment and prevents the removal of too much brass.

| | | | | |
|---|----------|-------|----------|---------|
| Flash Hole Deburring Tool with Case Pilot Stop: | | | | \$14.95 |
| 88102 | .22 Cal. | 88107 | 7mm Cal. | |
| 88103 | 6mm Cal. | 88108 | .30 Cal. | |

| | | | | | |
|---|------------|-------|----------|--------|-----------|
| Flash Hole Deburring Tool Case Pilot Stop only: | | | | \$5.95 | |
| 88122 | .22 Cal. | 88128 | .30 Cal. | 88135 | .375 Cal. |
| 88123 | 6mm Cal. | 88129 | .32 Cal. | 88136 | 40/10mm |
| 88124 | .25 Cal. | 88130 | 8mm Cal. | 88137 | .41 Cal. |
| 88125 | 6.5mm Cal. | 88131 | .34 Cal. | 88138 | .44 Cal. |
| 88126 | .270 Cal. | 88133 | .35 Cal. | 88139 | .45 Cal. |
| 88127 | 7mm Cal. | 88134 | .36 Cal. | | |

| | | |
|-------|---------------------------|---------|
| 88144 | Replacement Rod & Cutter: | \$10.95 |
|-------|---------------------------|---------|

G VLD Deburring Tool

The increasing popularity of VLD style bullets has led RCBS® to offer a 22 degree VLD Debur tool. The 22 degree angle allows the bullet to be seated into the case without damaging the boat-tail and ruining accuracy. The VLD debur tool can be used as is, attached to a RCBS Accessory Handle or mounted on the Trim Mate Case Prep Center.

| | | |
|-------|------------------------------|---------|
| 09350 | VLD Deburring Tool w/ Handle | \$16.95 |
| 09351 | VLD Deburring Tool | \$13.95 |

H Deburring Tool

Prep case fast, insert the pointed end to remove burrs and bevel inside the case. Fit the open end over the case mouth to remove exterior burrs. Hardened cutting flutes stay sharp for years. Knurled for hand or lathe use. Cases from 17 to 45.

| | | |
|-------|----------------|---------|
| 09349 | Deburring Tool | \$22.95 |
|-------|----------------|---------|

I Deburring Tool .17-.60

The larger Deburring Tool allows the inside and outside chamfering and deburring of cases from 17-caliber up to 60-caliber. Larger than our standard deburring tool, this tool is perfect for handloading cases over 45-caliber. But if you want one deburring tool to do it all, this is it. Made of hardened steel to last a lifetime.

| | | |
|-------|------------------------|---------|
| 09348 | Deburring Tool .17-.60 | \$25.95 |
|-------|------------------------|---------|



A Hand Case Neck Turner

The RCBS® Hand Case Neck Turner is designed to “peel” the brass from the outside of your case necks to a consistent thickness. Most commercially available brass has variances in the case neck thickness. This leads to case neck concentricity and bullet run-out issues. Truing up the case neck produces more consistent and accurate hand loaded ammunition. The cutter portion uses caliber specific pilot/mandrels (sold separately) to guide the case neck. The cutter design features the ability to “zero” the cutter to the pilot/mandrel and then use the micrometer adjustment to dial the desired case neck thickness in .0005” increments. The cutter can also be set for right or left handed use.

The Quick Change Case Holder has many advantages over the competition. Most other units use a “tap wrench” design to hold cartridge cases. Though this is great for threading holes with a self feeding tap, it does nothing to feed your case neck to the cutter. The RCBS Quick Change Case Holder features an ergonomic design that allows you to rotate the case and put forward pressure to feed the case neck to the cutter. The quick case change feature helps to speed up the process without having to use small obtrusive thumbscrews.

| | | |
|----------|---|---------|
| 90401 | Hand Case Neck Turner w/ Quick Change Case Holder | \$76.95 |
| 90402 | Quick Change Case Holder | \$38.95 |
| 90405-27 | Hand CNT Pilot.17-.500 | \$11.95 |

| | | |
|-------------------------------|----------------|-----------------|
| Hand Case Neck Turner Pilots: | | \$11.95 |
| 90405 .17 Cal. | 90413 .30 Cal. | 90420 .37 Cal. |
| 90406 .20 Cal. | 90414 .31 Cal. | 90421 .40 Cal. |
| 90407 .22 Cal. | 90415 .32 Cal. | 90422 .41 Cal. |
| 90408 .24 Cal. | 90416 .33 Cal. | 90423 .416 Cal. |
| 90409 .25 Cal. | 90417 .34 Cal. | 90424 .44 Cal. |
| 90410 .26 Cal. | 90418 .35 Cal. | 90425 .45 Cal. |
| 90411 .27 Cal. | 90419 .36 Cal. | 90426 .475 Cal. |
| 90412 .30 Cal. | | 90427 .500 Cal. |

B Case Neck Turning Accessories

Two tools for fast, easy removal of excessive neck thickness or variation in case thickness. They guide the cutter over the sized cartridge case neck and are supported by the special pilot/reamer. The inside and outside of the neck are turned simultaneously. The Auto Feed Attachment (for Case Trimmer—2 and Trim Pro® Manual Case Trimmer) advances the cutting tool evenly over the case neck with each turn of the trimmer handle.

NOTE: Not to be used with Trim Pro Power Case Trimmer.

| | | |
|-------|-------------------------------|---------|
| 98860 | Case Neck Turner w/ Auto Feed | \$87.95 |
| 98861 | Case Neck Turner | \$42.95 |

| | | |
|-------------------------------|-----------------|---------|
| Hand Case Neck Turner Pilots: | | \$10.95 |
| 98877 .17 Cal. | 98883 7mm Cal. | |
| 98876 .20 Cal. | 98884 .30 Cal. | |
| 98878 .223 Cal. | 98886 8mm Cal. | |
| 98879 .6mm/243 Cal. | 98887 .338 Cal. | |
| 98880 .25 Cal. | 98889 .35 Cal. | |
| 98881 6.5mm Cal. | 98891 .375 Cal. | |
| 98882 .270 Cal. | | |



Hand Case Neck Turner Pilot



Pilot/Neck Reamer

C Case Cleaning Media

Our Liquid Cleaner (Sidewinder™ only) gets the dirtiest cases spot-less in minutes. It's concentrated too. An 8 oz. bottle makes about 4 gallons. Our dry media can be used in both Sidewinder and Vibratory Case Cleaners. Formula 1 Walnut Shell is ground to a 12/12 sieve size. Formula 2 is Corn Cob. Polish comes individually packed so you can choose various amounts of media to mix.

| | | |
|-------|---------------------------------------|---------|
| 87067 | Formula 1 Walnut Shell Dry Media | \$18.95 |
| 87068 | Formula 2 Corn Cob Dry Media | \$20.95 |
| 87069 | Polishing Compound (5-pack) | \$6.95 |
| 87015 | Liquid Case Cleaner (Sidewinder only) | \$7.95 |



D Vibratory Case Cleaner

Fast, dry-media case cleaning. Holds up to 400 .38 Special or 180 .30-06 cases. Removable lid lets you check cases during cleaning. The optional Media Sifter separates clean cases from dry media in seconds. Quiet, powerful motor is thermally protected and durable ¼” thick bowl. Two year limited warranty.

| | | |
|-------|------------------------------------|----------|
| 87088 | Vibratory Case Cleaner 120 VAC | \$104.95 |
| 87090 | Vibratory Case Cleaner 240 VAC-EUR | \$104.95 |

E Sidewinder™ Case Tumbler

Sidewinder™ Case Tumbler gives brass cases a thorough cleaning, inside and out. It comfortably can clean up to 300 .38 Special cases or 150 .30-06 cases at a time with either wet or dry media. Its quiet motor is connected to a timer switch for automatic cut-off. Drums come with an extra perforated lid that quickly separates liquid or dry cleaning media from cleaned cases. An eight-ounce bottle of concentrated Liquid Case Cleaner is included. Extra drums are also available and are great for Moly coat application of bullets. Two year limited warranty

| | | |
|-------|---------------------------------------|----------|
| 87000 | Sidewinder Case Tumbler 120 VAC | \$546.95 |
| 87005 | Sidewinder Case Tumbler 240 VAC-EUR | \$546.95 |
| 87050 | Sidewinder Case Tumbler Drum Assembly | \$103.95 |



F Case Media Sifter

Quickly and easily separate the cleaning media from the cleaned cases. First dump the cleaned cases and media into a bucket. Next attach the Media Sifter to the Vibratory Case Cleaner and turn on the cleaner. Slowly pour the cases and media into the media sifter. Allow the Case Cleaner to run until all the media is emptied back into the bowl—ready for the next time cases need cleaning.

| | | |
|-------|-------------------|---------|
| 87075 | Case Media Sifter | \$14.95 |
|-------|-------------------|---------|

G Rotary Case/Media Separator

In short order, separate the cleaned cases from the cleaning media. Merely empty the cases and media from the case cleaner into the separator basket. With several turns of the basket handle the media falls to the bottom of the separator, leaving the cases clean and ready to use. The fine dust from the media is trapped inside the separator. Heavy-duty plastic construction for years of trouble-free service. Capacity: approximately 180 .30-06 cases or 400 .38 Special cases with media.

| | | |
|-------|-----------------------------|---------|
| 87076 | Rotary Case/Media Separator | \$43.95 |
|-------|-----------------------------|---------|



**A Trim Pro® Manual Case Trimmer Kit**

With its spring-loaded lever the Shell Holder keeps cases securely locked in place and aligned with the cutter. It is designed for .001" accuracy even with a spent primer in the case. Works with standard pilots and features a micrometer fine-adjustment bushing calibrated for setting exact trim length. Includes: Shell Holders 2, 3, 4 and 10. Pilot calibers: .22, .24, .25, .27, .28, .30, .35, .44 and .45.

| | | |
|-----------|--|----------|
| 90355 | Trim Pro Manual Case Trimmer Kit | \$129.95 |
| 90357 | Trim Pro Manual Case Trimmer (w/out Shell Holders or Pilots) | \$105.95 |
| 86883 | Dust Cover | \$11.95 |
| 98930 | Power Drill Converter | \$8.95 |
| NEW 90250 | Replacement Carbide Trimmer Cutter Head | \$44.95 |
| NEW 09364 | Replacement .50 Cal Trimmer Cutter | \$19.95 |

B Trim Pro® Power Case Trimmer Kit

You'll actually look forward to case trimming. A low RPM motor delivers plenty of torque. The spring-fed cutter is easy and accurate. No pushing or feeding pressure is needed, leaving your hands free for deburring or other tasks. A positive locking handle and integral power switch makes it simple and safe. Includes: Shell holders 2, 3, 4 and 10. Pilot calibers: .22, .24, .25, .27, .28, .30, .35, .44 & .45. Two year limited warranty.

| | | |
|-------|---|----------|
| 90350 | Trim Pro Power Case Trimmer Kit 120 VAC | \$358.95 |
| 90351 | Trim Pro Power Case Trimmer Kit 240 VAC-EUR | \$385.95 |
| 90359 | Power Unit Only 120 VAC | \$272.95 |
| 90364 | Power Unit only 240 VAC-EUR | \$308.95 |
| 86882 | Dust Cover | \$14.95 |
| 09406 | Case Trimmer Cutter | \$18.95 |

C Case Trimmer Collets

Works like a draw collet on a lathe. Secures cases for trimming to length. Refer to the reference chart on page 34 to determine the correct collet for a specific caliber.

NOTE: For use with Rotary Case Trimmer and Rotary Case Trimmer—2 only.

| Case Trimmer Collets | | | | | \$11.95 |
|----------------------|------------|------------|------------|--|---------|
| #1 – 09371 | #2 – 09372 | #3 – 09373 | #4 – 09374 | | |

D Trim Pro® Case Trimmer Stand

Raise your manual case trimmer to new heights with the Trim Pro® Stand. Provides more working room and hand clearance. Also provides convenient storage space for Trim Pro Shell Holders and Pilots. Stand mounts easily on accessory base plate or directly on a bench. Dimensions: 4-7/8" x 8-5/8" x 1". Manual trimmers only.

NOTE: Pilots and shell holders not included.

| | | |
|-------|-----------------------------|---------|
| 90360 | Trim Pro Case Trimmer Stand | \$25.95 |
|-------|-----------------------------|---------|

E Trim Mate™ Case Prep Center & Accessories

Case preparation is five times easier and faster with the Trim Mate™ Case Prep Center. Five gear-driven rotating heads turn the tedious task of chamfering, deburring, primer pocket cleaning, military crimp removal and flash hole deburring into child's play. Works great with the Trim Pro® Power Case Trimmer so you can do case neck brushes, and a cupped area holds dry case neck lube. The Prep Center includes large and small primer pocket brushes, inside chamfering and outside deburring tools, medium and small case neck brushes and a packet of dry case neck lube. Two year limited warranty.

Accessories such as Primer Pocket uniformers are manufactured with high speed tool steel cutters and true the primer pocket wall and bottom. Military Crimp Removers are made with hardened steel cutters and ream out the crimp ring found in military cases.

| | | |
|-----------|---|----------|
| 90375 | Trim Mate Center 120 VAC | \$157.95 |
| 90376 | Trim Mate Center 240 VAC-EUR | \$183.95 |
| 90377 | Dry Case Neck Lube | \$3.95 |
| 90378 | Primer Pocket Uniformer, large rifle | \$28.95 |
| 90383 | Primer Pocket Uniformer, large pistol | \$28.95 |
| 90379 | Primer Pocket Uniformer, small | \$28.95 |
| 90380 | Military Crimp Remover, large | \$20.95 |
| 90381 | Military Crimp Remover, small | \$20.95 |
| 90382 | Dust Cover | \$13.95 |
| 09351 | VLD Deburring Tool | \$13.95 |
| 09561 | .50 BMG Carbide Primer Pocket Uniformer | \$54.95 |
| 09562 | .50 BMG Military Crimp Remover | \$31.95 |
| NEW 90384 | TM Carbide Chamfer Tool | \$44.95 |
| NEW 90385 | TM Carbide Debur Tool | \$44.95 |
| NEW 90386 | TM Military Crimp Remover—Small | \$20.95 |
| NEW 90387 | TM Military Crimp Remover—Large | \$20.95 |

NOTE: Flash Hole Debur Tool found on page 19.

**P Trim Pro® Case Holder Accessory**

Upgrade your Rotary Case Trimmer—2 simply by adding this lever-handle shell holder system. Makes case trimming faster and easier than using the old draw collet system. It's also more accurate because the case is perfectly aligned. Uses Trim Pro® Shell Holders. Not for use with Rotary Case Trimmer.

| | | |
|-------|--------------------------------|---------|
| 90358 | Trim Pro Case Holder Accessory | \$53.95 |
|-------|--------------------------------|---------|

I Case Trimmer Pilots

Designed with a taper to guide pilot into the case mouth. Prevents case from wobbling when trimming case to length. Refer to the reference chart on page 30 to determine the correct pilot for a specific caliber. For use with RCBS® Trim Pro® Case Trimmers, Rotary Case Trimmer—2 and Rotary Case Trimmer.

For use with RCBS Case Trimmers only (See chart at right)

See the Reference Chart on page 34 to determine the Trim Pro Shell Holder number required.

| TRIM PRO PISTOL PACK | |
|----------------------|---------|
| 90361 | \$24.95 |
| CT Pilot, 40 Caliber | |
| CT Shell Holder #6 | |
| CT Shell Holder #16 | |
| CT Shell Holder #18 | |
| CT Shell Holder #27 | |
| TRIM PRO RIFLE PACK | |
| 90362 | \$23.95 |
| CT Shell Holder #2 | |
| CT Shell Holder #3 | |
| CT Shell Holder #4 | |
| CT Shell Holder #10 | |

| CASE TRIMMER PILOTS \$4.95 | | | |
|----------------------------|----------|-----------|------------|
| 09377 | .17 Cal. | 09388 | .34 Cal. |
| 09376 | .20 Cal. | 09389 | .35 Cal. |
| 09378 | .22 Cal. | 09390 | .36 Cal. |
| 09379 | .24 Cal. | 09391 | .37 Cal. |
| 09380 | .25 Cal. | 09392 | .40 Cal. |
| 09381 | .26 Cal. | 09393 | .41 Cal. |
| 09382 | .27 Cal. | 09397 | .416 Cal. |
| 09383 | .28 Cal. | 09394 | .44 Cal. |
| 09384 | .30 Cal. | 09395 | .45 Cal. |
| 09385 | .31 Cal. | 09396 | .45-R Cal. |
| 09386 | .32 Cal. | 09398 | .475 Cal. |
| 09387 | .33 Cal. | 09399 | .500 Cal. |
| NEW 09400 | | .50-R Cal | |

| TRIM PRO PILOT & SHELL HOLDER | |
|-------------------------------|---------|
| 90363 | \$49.95 |
| CT Pilot 22 Cal. | |
| CT Pilot 24 Cal. | |
| CT Pilot 25 Cal. | |
| CT Pilot 27 Cal. | |
| CT Pilot 28 Cal. | |
| CT Pilot 30 Cal. | |
| CT Pilot 35 Cal. | |
| CT Pilot 44 Cal. | |
| CT Pilot 45 Cal. | |
| CT Shell Holder #2 | |
| CT Shell Holder #3 | |
| CT Shell Holder #4 | |
| CT Shell Holder #10 | |

Q Trim Pro® 3-Way Cutter

This is automated case preparation at its finest. Our 3-Way Cutter is one of those accessories you can't live without. Its unique three-blade head configuration trims cases like our standard cutting tool, but in addition to trimming to length, inside blades chamfer the case while an outside blade deburrs it. The 3-Way cutter attaches easily to both Case Trimmers and Trim Pros.


| | | |
|-----------|---------------------------------------|---------|
| NEW 90251 | Replacement 3-Way Carbide Cutter Head | \$44.95 |
|-----------|---------------------------------------|---------|

| Trim Pro 3-Way Cutters: (includes cutter & pilot) | | \$62.95 | Trim Pro 3-Way Pilot/Chamfer | | \$10.95 |
|--|------------|---------|---------------------------------|-------|------------|
| 90276 | .17 Cal. | 90282 | .270 Cal. | 90256 | .17 Cal. |
| 90277 | .20 Cal. | 90283 | 7mm Cal. | 90257 | .20 Cal. |
| 90278 | .22 Cal. | 90284 | .30 Cal. | 90258 | .22 Cal. |
| 90279 | 6mm Cal. | 90285 | .32 Cal. | 90259 | 6mm Cal. |
| 90280 | .25 Cal. | 90287 | .338 Cal. | 90260 | .25 Cal. |
| 90281 | 6.5mm Cal. | 90291 | .375 Cal. | 90261 | 6.5mm Cal. |
| | | | | 90262 | .270 Cal. |
| | | | | 90263 | 7mm Cal. |
| | | | | 90264 | .30 Cal. |
| | | | | 90265 | .32 Cal. |
| | | | | 90267 | .338 Cal. |
| | | | | 90271 | .375 Cal. |

R Trim Pro® Shell Holders

The RCBS® Trim Pro® Case Trimmers feature unique shaped shell holders to firmly hold your rifle and pistol cases in perfect alignment with the cutter. This system allows for accurate and repeatable case trimming lengths and leaves the case mouths square to the body. The Trim Pro Shell Holders are numbered the same as our standard shell holders to make identification and use simpler. Available individually, or in pre-packs, for most popular rifle and pistol cartridges.

| TRIM PRO SHELL HOLDERS | | | | | | \$6.95 | |
|------------------------|-----|-------|-----|-------|-----|--------|-----|
| 90301 | #1 | 90312 | #12 | 90324 | #24 | 90337 | #37 |
| 90302 | #2 | 90313 | #13 | 90325 | #25 | 90338 | #38 |
| 90303 | #3 | 90314 | #14 | 90326 | #26 | 90339 | #39 |
| 90304 | #4 | 90315 | #15 | 90327 | #27 | 90340 | #40 |
| 90305 | #5 | 90316 | #16 | 90328 | #28 | 90341 | #41 |
| 90306 | #6 | 90317 | #17 | 90330 | #30 | 90342 | #42 |
| 90307 | #7 | 90318 | #18 | 90332 | #32 | 90343 | #43 |
| 90308 | #8 | 90319 | #19 | 90333 | #33 | 90344 | #44 |
| 90309 | #9 | 90320 | #20 | 90334 | #34 | 90348 | #48 |
| 90310 | #10 | 90321 | #21 | 90335 | #35 | | |
| 90311 | #11 | 90323 | #23 | 90336 | #36 | | |



Primer tray is easily removed for loading and can accommodate 100 primers

Strips automatically feed and can be interlocked for uninterrupted priming

Uses standard RCBS Shell Holders and incorporates a fully adjustable seating depth

Machined from high-quality aluminum and comes with large and small primer rods

Adjustable handle provides excellent leverage and sensitive feel

A Universal Hand Priming Tool

The Universal Hand Priming tool combines features found on our other two hand priming tools into one convenient package. We took the universal shell holder from the APS® tool and combined it with the primer tray from the standard tool to offer unmatched performance. The universal shell holder will accept cases from .32 ACP to .45-70 Government. The patented safety gate isolates the primer seating operation from the primer supply virtually eliminating the possibility of tray detonation. The removable primer tray orients your primers for use and will fit any manufacturers' primer packaging. Includes accessories to seat large and small rifle or pistol primers.

90201 Universal Hand Priming Tool \$74.95

B Hand Priming Tool

Our Hand Priming Tool not only seats primers quickly, it's also the safest. A patented safety mechanism separates the seating operation from the primer supply, virtually eliminating the possibility of tray detonation. Fits in your hand for portable primer seating. Primer tray installation requires no contact with the primers. Uses the same RCBS® shell holders (post-1980) as RCBS presses. Made of durable cast metal. Includes large and small primer plugs.

90200 Hand Priming Tool \$49.95
90202 UHPT Tray & Lid Assembly \$8.95
(Universal HPT square tray & lid compatible with 90200 HPT)

C APS® Bench-Mounted Priming Tool

The APS® Bench-Mounted Priming Tool was created for those reloaders who prefer to have a separate, specialized tool dedicated just to priming. It's a tool with exceptional feel for precise and consistent seating of primers. The handle on the bench-mounted tool is large by design to provide hours of comfortable loading. Handle position is adjustable for bench height or personal preference.

88501 APS Bench-Mounted Priming Tool \$126.95

D APS® Hand Priming Tool

Who hasn't dumped a load of primers onto a tray only to have half the box scatter all over the floor? Trying to figure out if those primers left in the tube were standard or magnum can also be a headache. Now you can eliminate those priming headaches.

It's fast and simple. The APS® Hand Priming Tool is simply revolutionary! First, the Universal Shell Holder completely eliminates the need for additional shell holders, accepting case sizes from .32 ACP to .45-70 Government. Secondly, each strip is color-coded for easy identification and holds up to 25 primers. The primer strips are even designed to connect to each other for continuous feed. Now, there's no need to handle loose primers or worry about contamination.

The APS Hand Priming Tool is also completely portable. You're no longer tied down to your bench to prime. Hand priming has never been easier, safer, or more convenient!

88507 APS Hand Priming Tool \$63.95

I APS® Unprimed Primer Strips

These strips are color-coded for fool-proof identification. Each strip holds 25 primers. Strips can be loaded with the primer of your choice using the striploader. Primers not included.

| | | |
|---------------------------------------|--------|--------|
| 88510 APS Strip, Lg. Rifle 8/pk | Yellow | \$5.95 |
| 88511 APS Strip, Lg. Pistol 8/pk | White | \$5.95 |
| 88512 APS Strip, Sm. Rifle 8/pk | Yellow | \$5.95 |
| 88513 APS Strip, Sm. Pistol 8/pk | White | \$5.95 |
| 88514 APS Strip, Mag Lg. Rifle 8/pk | Blue | \$5.95 |
| 88515 APS Strip, Mag Lg. Pistol 8/pk | Red | \$5.95 |
| 88516 APS Strip, Mag Sm. Rifle 8/pk | Blue | \$5.95 |
| 88517 APS Strip, Mag Sm. Pistol 8/pk | Red | \$5.95 |
| 88518 APS Strip, BR2 Lg. Rifle 8/pk | Black | \$5.95 |
| 88519 APS Strip, BR4 Sm. Rifle 8/pk | Black | \$5.95 |
| 88520 APS Strip, 5.56mm Military 8/pk | Orange | \$5.95 |
| 88521 APS Strip, 7.62mm Military 8/pk | Orange | \$5.95 |

P APS® Primer Strip Loader

For those of you who may already have a supply of CCI® or Federal® primers or any other brands in conventional packaging, not to worry... The APS® Primer Strip Loader allows you to quickly fill empty primer strips. It's simple to use and even faster than loading a primer tube! Each push of the handle safely inserts 25 primers into an APS strip for use with the RCBS® APS Priming System.

88505 APS Primer Strip Loader \$38.95

Q Automatic Priming Tool

The Automatic Priming Tool is fast, accurate and highly sensitive due to a unique single-stage lever system. Primers feed through the auto primer feed tube one by one, preventing potential contamination by oily fingers. Two primer rod assemblies and two primer feed tubes are included.

09460 Automatic Priming Tool \$108.95

R Automatic Primer Feed Combo

Drops primers one at a time into the Primer Plug and sleeve. Stops misfires as greasy fingers never need to touch primers. Nylon Primer Pick-up keeps primers from falling out. Tube capacity 100 primers. For Rock Chucker® II Press; also fits JR and Reloader Special Presses.

NOTE: Not for use with RC Supreme

09580 Auto Primer Feed Combo for large and small primers \$32.95
09581 Large Primer Tube Only \$14.95
09582 Small Primer Tube Only \$14.95

I Universal Primer Arm—2

Designed for fast, accurate primer seating. Primer plugs and sleeves included for large and small rifle and pistol primers. Changing sizes is fast and easy—less than 60 seconds. Fits Rock Chucker® II, JR, Reloader Special and most "C" Presses.

NOTE: Not for use with RC Supreme

09550 Universal Primer Arm for large and small primers \$16.95
09552 Primer Plug, sleeve and spring for large primers \$4.95
09553 Primer Plug, sleeve and spring for small primers \$4.95

J Ram Priming Unit

The Ram Priming Unit gives you better "feel" by seating the primer at the top of the press stroke. You can also pre-set a positive stop to speed up your reloading process. Works with any single stage or turret press with 7/8"-14 thread and RCBS-type single stage shell holder. Includes large and small primer rod assemblies for Boxer-type rifle and pistol primers.

09165 Ram Priming Unit \$26.95

K .50 BMG Ram Priming Unit

The .50 BMG Ram Priming Unit in conjunction with the AmmoMaster® Single Stage press allows you to re-prime this powerful cartridge. It comes supplied with a flat and cupped primer plug to accommodate the two styles of primers available for the .50 BMG.

88772 .50 BMG Ram Priming Unit \$52.95

L APS® Press-Mounted Priming Tool

For those of you who have limited bench space, or prefer priming cases on a press, we've designed the APS® Press-Mounted Priming Tool just for you. It provides the same features as the APS Bench-Mounted Tool except it attaches to any single stage press that accepts standard 7/8"-14 threaded dies.

88503 APS Press-Mounted Priming Tool \$80.95

M Primer Catcher

Made to keep spent primers off the floor when ejected from fired cases. Plastic clip holds Primer Catcher snug and secure to press. Easily removed for emptying. For Rock Chucker®, JR and Reloader Special Presses only.


09114 Primer Catcher \$9.95

U Primer Tray—2

The Primer Tray—2 handles today's larger primer package quantities. The square shape makes it easier to handle. Grooved tray surface quickly positions primers anvil-side up.

09480 Primer Tray—2 \$5.95


MECHANICAL SCALES



A



B



C



D

A RC-130® Mechanical Scale

The RC-130® low-cost scale has many of the same quality features that you find in our other scales. A precision-machined aluminum beam means that weight increments are accurate and repeatable. You don't get that in a scale with a plastic beam! Beam poises are metal plates, just like higher-priced scales. They're designed to be easy to adjust and to stay put after you set them. True magnetic dampening completes the picture to allow fast, stable, and accurate readings. The critical beam pivots are steel-on-steel, not steel-on-aluminum like another company uses. The pivot bearings are cylindrical for the smallest possible contact area—ensuring better accuracy.

The RC-130 weighs up to 130 grains with an accuracy of +/- 0.1 grains. The sturdy base and easy-to-read index bar are molded from tough ABS polymer. The non-static powder pan with integral hanger allows easy transfer of powder to the cartridge case. And naturally the RC-130 is backed by the RCBS® Limited Lifetime Warranty.

90400 RC-130 Mechanical Scale \$56.95

B 5-0-5 Scale

The legendary standard in mechanical scales. The 5-0-5 features our magnetic dampening system plus large black-on-white graduations for fast recognition. Its three-poise beam is graduated in 10, one and 0.1 grain increments to achieve +/- 0.1 accuracy. A tip-proof aluminum pan keeps powder from sticking or spilling. Hardened knife blades ride on agate bearings for long life and sensitivity. There's even ounce-to-grain conversion on the base for shotshell reloaders. Capacity: 511 grains.

09071 5-0-5 Scale \$115.95
09075 Dust Cover \$10.95

C 5-0-2 Scale

Big-scale features and capacity with an affordable price. Two-poise design lets you weigh up to 505 grains with +/- 0.1 grain accuracy. The 5-0-2 also sports our magnetic dampening system for fast readings, maintenance-free movement and a rugged die-cast metal base. Tip-proof aluminum pan for loading convenience. Ounce-to-grain conversion table on the base for handy shotshell reference.

09069 5-0-2 Scale \$94.95
09075 Dust Cover \$10.95

D 10-10 Scale

Need up to 1,010-grain capacity* with +/- 0.1-grain sensitivity? You get it with the RCBS® 10-10. Its approach-to-weight system speeds reloading and helps you avoid overloads. A micrometer poise allows easy adjustment at any setting from 0.1 to 10 grains. Other features: magnetic dampening, non-stick/non-spill aluminum pan, self-aligning agate bearings, hardened steel pivot knives and a tough plastic cover.

*With included attachment weight

09073 10-10 Scale \$195.95

ELECTRONIC SCALES



E



F



G



H

E RangeMaster™ 750

The RangeMaster™ 750 Scale has a sleek design with many convenient features. The compact lightweight scale can operate on AC or DC power so it is perfect for use on your reloading bench or at the range. The large LCD display is easy to read in grains or grams and weighs precisely to +/- 0.1 grain. Capacity is 750 grains. The RangeMaster Scale comes equipped with two precision calibration/check weights and an AC adaptor (9V battery not included). The RCBS® RangeMaster 750 is the perfect choice for the serious shooter that demands the best performance, value and portability. One year limited warranty.

98927 RangeMaster 750 120 VAC/9VDC \$156.95
98926 RangeMaster 750 240 VAC-EUR/9VDC \$156.95

F ChargeMaster™ 1500

The ChargeMaster™ 1500 Scale is built from the ground up as a high performance reloading scale. The large LCD display is easy to read in grains or grams and weighs precisely to +/- 0.1 grain. With a 1500 grain capacity you can weigh powder, bullets, cases or loaded cartridges. The scale is fast and easy to calibrate with the two calibration/check weights that are included. AC adaptor is included. The ChargeMaster 1500 Scale was designed for the serious shooter that wants the best high tech scale on the market. The ChargeMaster 1500 Scale can be operated as an independent electronic scale or it can be upgraded to an automated powder dispensing system with the addition of the ChargeMaster Dispenser (shown on page 28). One year limited warranty.

98920 ChargeMaster 1500 120 VAC \$246.95
98921 ChargeMaster 1500 240 VAC-EUR \$246.95

G Scale Check Weights

You rely on your scale for safe, accurate powder charges. Over time, accumulated grit and dust can affect accuracy. A quick test with RCBS® Scale Check Weights will tell you if your scale is reading correctly. Sets include: Standard set of 60.5 grains for powder charges (2x20, 1x10, 1x5, 2x2, 1x1, 1x.5). Deluxe set of 510.5 grains for bullets, cases and powder (1x 200, 2x100, 1x50, 2x20, 1x10, 1x5, 2x2, 1x1, 1x.5, 1 forceps).

*Deluxe Scale Check Weights pictured above.

98990 Standard Scale Check Weights \$35.95
98992 Deluxe Scale Check Weights \$61.95
09078 Scale Pan (5-0-2, 5-0-5, 5-10 & 10-10 scales) \$19.95
09079 Scale Pan Support (5-0-2, 5-0-5, 5-10 & 10-10 scales) \$21.95

H Scale Pan with Integrated Funnel

Is your powder funnel always missing when you need it most? The RCBS® Scale Pan Powder Funnel eliminates that problem. The Scale Pan features an integrated powder funnel that allows you to pour the powder directly into the case. The new scale pan is designed for use with electronic scales and powder dispensers.

09090 Scale Pan w/Integrated Funnel \$7.95



A ChargeMaster™ Dispenser

The ChargeMaster™ Dispenser can be added to the ChargeMaster 1500 Scale to form an unmatched combination of speed and accuracy. When the ChargeMaster Dispenser is coupled with the ChargeMaster 1500 Scale, it now has all of the same features as the ChargeMaster Combo. The individual purchasing of the units is to accommodate individual budgets. The ChargeMaster Dispenser requires the ChargeMaster 1500 Scale (sold separately) to operate. One year limited warranty.

⚠ NOTE: Use with smokeless powder only. Do NOT use with black powder!

98922 ChargeMaster Dispenser only \$265.95



B ChargeMaster™ Combo

The ChargeMaster™ Combo features the ChargeMaster 1500 Scale and ChargeMaster Dispenser, preassembled to form an unmatched combination of speed and accuracy. There is no longer a need for timely calibration to the type of powder being used. Simply fill the 1 lb+ capacity powder hopper with smokeless powder, enter the desired charge and press the dispense button. Average dispensing time is under 30 seconds for a 60 grain extruded powder charge. Dispensing can be done in grains or grams mode. Accurately weighs and dispenses all extruded (stick), ball (spherical) and flake smokeless powder from 2.0 to 300 grains to +/- 0.1 grain. You can store up to 30 of your favorite loads in memory for fast easy recall. The front to back layout allows easy access to the scale pan by right or left handed users. The clear cover eliminates fluctuations in weighing caused by air currents without obscuring your view of the charge being dispensed. The powder drain feature allows for convenient and easy emptying of the powder hopper. Power to the Dispenser is provided by the connection to the ChargeMaster 1500 scale so there is only one power cord to manage. The ChargeMaster 1500 Scale and dispenser can be purchased separately or as a Combo set. One year limited warranty.

⚠ NOTE: Use with smokeless powder only. Do NOT use with black powder!

98923 ChargeMaster Combo 120 VAC \$470.95
98924 ChargeMaster Combo 240 VAC-EUR \$470.95



C Powder Trickler System Combo

The RCBS® Powder Trickler System speeds up the process of weighing your powder charges. The Powder Trickler system attaches to any Uniflow™ or standard Quick Change powder measure. Used in conjunction with the Advanced Powder Measure Stand, the Powder Trickler System allows you to dispense and trickle a powder charge directly onto a scale pan without having to remove the scale pan for the initial filling. The unit can be adjusted for right or left handed use and the dispensing chute adjusts to allow you to drop the powder charge directly onto the scale pan. With a few turns of the Trickler handle, your weighed charge is complete. The Powder Trickler System is available as a combo only.

NOTE: Not for use with Quick Change High Capacity, Little Dandy or Black Powder Measure.

09091 Powder Trickler System Combo (PTS and APM) \$56.95

D Advanced Powder Measure Stand

This stand will raise most Powder Measures 9-1/2" (with standard 7/8"-14 thread) leaving plenty of space for positioning a powder scale pan or cases in a loading block under the drop tube. Bolts easily to a reloading bench or table. Also serves as a stand for holding a Piggyback™ II, Piggyback—3 or —4 when not in use.

NOTE: Not for use with Little Dandy powder measure.

09092 Advanced Powder Measure Stand \$25.95

E Micrometer Adjustment Screw for Uniflow™ Powder Measure

The secret to faster reloading—go by the numbers. Add the UPM Micrometer to your Uniflow™ Powder Measure, and you can record precise settings for your powder charges. Determine the load number and dial it in—time after time. An easy installation too; it simply replaces the Uniflow's standard metering screw.

UPM Micrometer Adjustment Screws
98901 Large Cylinder - .685" diameter \$52.95
98902 Small Cylinder - .500" diameter \$52.95



Shown with optional Powder Measure stand, not included.

F Black Powder Measure

Answering our customers' calls for black powder products, RCBS' new Black Powder Measure is sure to be a hit. The one pound capacity aluminum powder hopper and cap with a non-static powder level indicator shows you how much powder is left in the hopper. The brass non-sparking metering cylinder and adjustment screw are also features that the black powder enthusiast is looking for. With a 120 grain charge capacity, the optional one-piece 24" aluminum drop tube is a must to get all of the powder into the case.

The RCBS® Black Powder Measure is the perfect unit for Black Powder and Cowboy Action shooters.

98842 Black Powder Measure \$160.95
98856 24" Aluminum Drop Tube \$44.95

G Competition Powder Measure


The Competition Powder Measure starts with the proven Uniflow™ Powder Measure with its precision ground metering drum and honed main casting. RCBS® then adds a powder baffle and UPM Micrometer Adjustment screw. The Powder Baffle controls the powder flow and the pressure of the powder column on the metering unit. The UPM Micrometer Adjustment screw allows precise adjustments to the metered charge as well as allowing you to record the number for future reference and reuse. Handle placement can be used on the right or left side simply by changing the orientation of the metering drum. The powder measure will accurately meter, by volume, all types of smokeless powder—ball, flake or cylindrical (stick).

The Rifle unit meters volumetric powder charges from 10-110 grains. The Pistol/Small Rifle unit meters volumetric powder charges from .5 to 40 grains. The Combo unit includes both the Rifle and Pistol metering drums and complete UPM Micrometer Adjustment screw assemblies.

NOTE: All powder measures should be used in conjunction with an accurate powder scale to set the desired charge and to occasionally check charges during the reloading process.

⚠ NOTE: Do NOT use with black powder!

98908 Competition Powder Measure – Pistol/Small Rifle \$147.95
98909 Competition Powder Measure – Rifle \$147.95
98910 Competition Powder Measure – Combo \$221.95



A Quick Change Powder Measure

The RCBS® Quick Change Powder Measure offers the ability to go from light pistol to magnum rifle charges quickly. The powder hopper has been increased in size to hold a pound of smokeless powder. The QCMP features metering assemblies that change out with the pull of a pin. Extra metering assemblies can be purchased to have them preset for your favorite smokeless powder charges. The drain attachment empties the powder hopper without the need to remove it from the stand or press. The Quick Change Powder Measure includes one each Small and Large Metering Assembly and the Drain Attachment. The Quick Change parts can be used to upgrade your existing Uniflow™ powder measure to this system.

NOTE: Do NOT use with black powder!

| | |
|-----------------------------------|----------|
| 98840 Quick Change Powder Measure | \$111.95 |
| 90226 Quick Change Powder Baffle | \$11.95 |

B Quick Change Accessories

The Quick Change Accessories can be used to upgrade your existing Uniflow powder measure to this system. You simply replace the metering cylinder and metering screw that came with your Uniflow with the Quick Change accessories. The QC Drop Tube Adaptor allows you to use the drop tubes from the QC High Capacity powder measure or the Drop Tube and Adapters from the Quick Change Powder Funnel on your Uniflow or Quick Change powder measure.

| | |
|--|---------|
| 98843 QC Small Metering Screw Assembly | \$17.95 |
| 98844 QC Large Metering Screw Assembly | \$11.95 |
| 98845 QC Metering Cylinder | \$31.95 |
| 98846 QC Drain Attachment | \$10.95 |
| 98855 QC Drop Tube Adaptor | \$3.95 |

D Powder Baffle

Uniform loads require consistent powder charges, and many handloaders find a baffle helps them throw more consistent charges. The baffle is specifically designed for the RCBS® Powder Measures and provides handloaders a uniform powder flow by controlling the gravity feed pressure of the powder column on the metering unit.

| | |
|---------------------------|---------|
| 90225 Powder Baffle | \$ 8.95 |
| 90226 QC Powder Baffle | \$11.95 |
| 90227 QC HC Powder Baffle | \$13.95 |

C Quick Change High Capacity Powder Measure

The RCBS® High Capacity Quick Change Powder Measure offers the ability to dispense large rifle charges of up to 250 grains of smokeless powder. The large hopper can accommodate two pounds of smokeless powder. The HCQCPM features metering assemblies that change out with the pull of a pin. Extra metering assemblies can be purchased to have them preset for your favorite charges. The drain attachment empties the powder hopper without the need to remove it from the stand or press. Includes one metering assembly, .22-.270 Drop tube, .30-.45 Drop Tube, .50 Drop Tube and the QCHC Drain Attachment.

NOTE: Do NOT use with black powder!

| | |
|---|----------|
| 98841 Quick Change High Capacity Powder Measure | \$133.95 |
| 90227 QC HC Powder Baffle | \$13.95 |

D Quick Change High Capacity Accessories

The Quick Change High Capacity Metering assembly is available so that you can preset them to your favorite large capacity rifle charges such as 110 grains for your 30-378 WB or 120 grains for the 600 Nitro Express.

The QC High Capacity Drop Tubes, in conjunction with the QC Drop Tube Adaptor, allow the use of these on existing Uniflow or QC powder measures.

| | |
|-------------------------------------|---------|
| 98849 QC HC Metering Screw Assembly | \$19.95 |
| 98850 QC HC Drain Attachment | \$11.95 |
| 98852 QC Drop Tube .22-.270 | \$5.95 |
| 98853 QC Drop Tube .30-.45 | \$5.95 |
| 98854 QC Drop Tube .50 | \$5.95 |

E Powder Funnel

We've even managed to improve upon the basic plastic funnel. Ours features a specially designed drop tube to avoid any messy powder spills around case mouths, a non-stick, anti-static surface, plus a square lip to keep the funnel from rolling around. Spout will accommodate the WSM cartridges.

| | |
|----------------------------------|--------|
| 09087 Powder Funnel .22-.50 Cal. | \$5.95 |
| 09086 Powder Funnel .17-.20 Cal. | \$7.95 |

G Uniflow™ Powder Measure

Throws consistently accurate charges reload after reload. Powder pours uniformly from measuring cylinder into case, thereby eliminating the hazards of "overloads" caused by clogging when charges are "dumped". Changes easily from charge to charge without emptying powder hopper. Numbered measuring screw is used for reference to find a given charge at a later date. The measuring cylinder has precision ground surfaces and slides into the honed main casting for a precision fit. Standard 7/8"-14 thread. Includes stand plate, drilled for easy mounting on a bench or under a reloading die lock ring. Two drop tubes for .22 caliber and up are supplied. The Uniflow™ Powder Measure is fully capable of accurately measuring all three major powder types—ball, cylindrical and flake. It will even cut the cylindrical powders so that a precise charge can be obtained.

NOTE: The Uniflow Powder Measure should be used in conjunction with an accurate powder scale for setting the original charge and for checking charges occasionally during the run.

NOTE: Do NOT use with black powder!

| | |
|---------------------------------------|----------|
| 09010 Uniflow Powder Measure | \$105.95 |
| 09002 Uniflow Powder Measure Small | \$108.95 |
| 09004 Measure Cylinder Assembly Small | \$37.95 |
| 86880 Dust Cover | \$11.95 |
| 09028 Drop Tube .17 to .20 Cal. | \$9.95 |

H Powder Measure/Piggyback™ Stand

This stand will raise most Powder Measures 6-1/2" (with standard 7/8"-14 thread) leaving plenty of space for positioning a powder scale pan or cases in a loading block under the drop tube. Bolts easily to a reloading bench or table. Also serves as a stand for holding a Piggyback™ II, Piggyback—3 or —4 when not in use.

| | |
|--------------------------------------|---------|
| 09035 Powder Measure/Piggyback Stand | \$32.95 |
|--------------------------------------|---------|

I Powder Trickler

Here's the fast way to feed powder to your scale. Turn the small knob and powder trickles into the pan one kernel at a time. Large-capacity reservoir, extra-wide base for stability, and a perfect height for most powder scales.

| | |
|---|---------|
| 09094 Powder Trickler | \$17.95 |
| NEW 09093 Powder Trickler—2 Upgrade Kit | \$6.95 |



J Quick Change Powder Funnel

With the current trend of large bodied rifle cases, existing powder funnels sometimes do not fit properly over the cases. The RCBS® Quick Change Powder Funnel eliminates that problem. The QC Powder Funnel features adapters that are supported by the body of the case and allow you to choose the optimum powder flow. The 4" drop tube helps to get that compressed powder charge into the case. The drop tubes are stackable so you can increase the drop length if necessary. With the adapters removed, the powder funnel allows you to return powder into the original container quickly.

| | |
|---|---------|
| 9190 Quick Change Powder Funnel Kit (Funnel, 5 adapters and one drop tube) | \$13.95 |
| 9191 Quick Change drop tube | \$6.95 |
| 9192 Adapter .17-.20 (.17 Rem, .204 Ruger, .218 Bee, .22 Hornet) | \$2.95 |
| 9193 Adapter .22-.264 (.222 Rem, .223 WSSM, .243 Win, 6.5x55) | \$2.95 |
| 9194 Adapter .27-7mm (.270 Win, 7mm Ultra Mag, .32 ACP) | \$2.95 |
| 9195 Adapter .30-.375 (.30-30 Win, .338 Win Mag, .375 H&H, .357/38 Spl, 9mm, .32 H&R) | \$2.95 |
| 9196 Adapter .40+ (.416 Rem, .460 Wby, .40/10mm, .41/44 Mag, .45 ACP, 500 S&W) | \$2.95 |

K Case Activated Linkage Kit


Convert the Uniflow™ Powder Measure (not included) for use on most four or five-station progressive presses. The Uniflow Powder Measure can have the regular Measuring Screw or the optional Micrometer Adjustment Screw installed, depending on your preference. Three powder bushings are included for most popular rifle and pistol calibers: Small Rifle for .22 through .270 calibers, Large Rifle for 7mm through 45 calibers and Pistol for .32 through .45 calibers. The powder bushings are designed to eliminate powder spillage around the case mouth. Fully adjustable for all of the different variations in case length.

| | |
|----------------------------------|---------|
| 98911 Case Activated Linkage Kit | \$89.95 |
|----------------------------------|---------|

POWDER HANDLING

Little Dandy™ Rotor Knob

Attaches to the Little Dandy™ Rotor with a setscrew, making the rotor easier to turn. Crafted of high-strength aluminum with knurled outer surfaces for maximum finger-touch control.



86046 Little Dandy Rotor Knob \$6.95

Little Dandy™ Pistol Powder Measure

Perfect for handloading pistol shooters and select small-caliber rifle shooters. There are 28 interchangeable fixed-charge powder rotors available and you can load any popular powder with the Little Dandy™ in up to 400 different load combinations. There's no readjustment needed after changeover. Can be used hand-held or conventional bench-mounted tool with optional Powder Measure Stand.

⚠️ **NOTE: Do NOT use with black powder!**

86040 Little Dandy Pistol Powder Measure \$43.95



| LITTLE DANDY™ ROTOR CHARGE TABLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Powder Rotor #12.95 | Part # | 86036 | 86035 | 86001 | 86002 | 86003 | 86004 | 86005 | 86006 | 86007 | 86008 | 86009 | 86010 | 86011 | 86012 | 86013 | 86014 | 86015 | 86016 | 86017 | 86018 | 86019 | 86020 | 86021 | 86022 | 86023 | 86024 | 86025 | 86026 |
| Rotor No. | 00 | 0 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | |
| Bullseye | 1.7 | 2.2 | 2.5 | 2.7 | 3.0 | 3.2 | 3.5 | 3.7 | 4.0 | 4.5 | 5.0 | 5.5 | 6.0 | 6.5 | 7.2 | 7.8 | 8.4 | 9.0 | 9.7 | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 231 | NR | NR | 2.7 | 3.0 | 3.3 | 3.6 | 3.9 | 4.2 | 4.5 | 5.0 | 5.6 | 6.2 | 6.8 | 7.2 | 7.9 | 8.6 | 9.3 | 10.0 | 10.6 | 11.3 | 12.1 | NR | NR | NR | NR | NR | NR | NR | |
| HP38 | NR | NR | 2.8 | 3.0 | 3.4 | 3.6 | 4.0 | 4.2 | 4.5 | 5.1 | 5.5 | 6.2 | 6.8 | 7.5 | 7.9 | 8.8 | 9.4 | 10.3 | 10.9 | 11.7 | 12.3 | NR | NR | NR | NR | NR | NR | NR | |
| Red Dot | NR | NR | 1.7 | 1.9 | 2.2 | 2.3 | 2.5 | 2.6 | 2.9 | 3.2 | 3.6 | 4.0 | 4.3 | 4.7 | 5.1 | 5.5 | 6.0 | 6.5 | 6.9 | 7.4 | 7.8 | 8.3 | 8.7 | 9.1 | NR | NR | NR | NR | |
| 700-X | NR | NR | 2.0 | 2.2 | 2.4 | 2.6 | 2.8 | 3.0 | 3.2 | 3.6 | 4.0 | 4.4 | 4.8 | 5.1 | 5.7 | 6.2 | 6.8 | 7.3 | 7.7 | 8.2 | 8.7 | 9.2 | NR | NR | NR | NR | NR | NR | |
| Green Dot | NR | NR | 1.9 | 2.1 | 2.3 | 2.5 | 2.8 | 3.0 | 3.1 | 3.5 | 3.9 | 4.4 | 4.8 | 5.1 | 5.5 | 6.1 | 6.6 | 7.0 | 7.5 | 8.0 | 8.8 | 8.9 | 9.6 | 10 | 10.5 | 10.7 | 11.4 | NR | |
| SR4756 | NR | NR | NR | NR | NR | NR | NR | 3.5 | 3.7 | 4.2 | 4.7 | 5.1 | 5.6 | 6.2 | 6.8 | 7.3 | 7.9 | 8.5 | 9.1 | 9.7 | 10.3 | 10.9 | 11.4 | 12 | 12.4 | 13.4 | 13.9 | 14.5 | |
| HS-5 | NR | NR | 4.2 | 4.5 | 5.0 | 5.3 | 5.9 | 6.2 | 6.6 | 7.4 | 8.2 | 9.0 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| Unique | NR | NR | 2.3 | 2.5 | 2.8 | 3.0 | 3.3 | 3.5 | 3.7 | 4.2 | 4.7 | 5.2 | 5.7 | 6.0 | 6.6 | 7.2 | 7.8 | 8.4 | 9.0 | 9.5 | 10.1 | 10.7 | 11.3 | 11.8 | 12.4 | 13.1 | NR | NR | |
| SR7625 | NR | NR | 2.5 | 2.7 | 3.0 | 3.2 | 3.5 | 3.8 | 4.0 | 4.5 | 5.0 | 5.5 | 6.0 | 6.5 | 7.2 | 7.7 | 8.3 | 9.0 | 9.6 | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| HS-6 | NR | NR | NR | NR | NR | NR | 5.4 | 5.7 | 6.1 | 6.9 | 7.6 | 8.4 | 9.1 | 10.1 | 11.0 | 12.0 | 13.0 | 13.9 | 14.8 | 15.7 | 16.7 | 17.6 | NR | NR | NR | NR | NR | NR | |
| HS-7 | NR | NR | NR | NR | NR | NR | 4.9 | 5.4 | 5.7 | 6.1 | 6.8 | 7.5 | 8.3 | 9.1 | 10.1 | 11.0 | 11.9 | 12.9 | 13.8 | 14.8 | 15.8 | 16.8 | 17.7 | 18.6 | NR | NR | NR | NR | |
| Herco | NR | NR | NR | NR | NR | NR | 3.1 | 3.3 | 3.5 | 4.0 | 4.4 | 4.8 | 5.3 | 5.7 | 6.3 | 6.7 | 7.3 | 7.9 | 8.4 | 9.0 | 9.5 | 10.1 | 10.5 | 11.1 | 11.7 | 12.3 | 13.0 | 13.6 | |
| Blue Dot | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | 5.9 | 6.5 | 7.1 | 7.7 | 8.4 | 9.1 | 9.8 | 10.6 | 11.3 | 12.0 | 12.8 | 13.5 | 14.2 | 14.9 | 15.7 | 16.6 | 17.5 | |
| 630 | NR | NR | NR | NR | NR | 5.3 | 5.8 | 6.1 | 6.5 | 7.3 | 8.1 | 8.9 | 9.7 | 10.8 | 11.7 | 12.7 | 13.7 | 14.8 | 15.8 | 16.9 | 17.9 | 18.8 | 19.8 | 20.8 | NR | NR | NR | NR | |
| 2400 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | 7.0 | 7.7 | 8.4 | 9.3 | 10.2 | 11.0 | 11.9 | 12.8 | 13.6 | 14.6 | 15.4 | 16.2 | 17.0 | 17.9 | 18.9 | 19.8 | 20.8 | 21.8 | |
| H110 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | 8.9 | 9.7 | 10.7 | 11.7 | 12.6 | 13.6 | 14.6 | 15.6 | 16.6 | 17.6 | 18.5 | 19.5 | 20.5 | 21.5 | 22.5 | 23.7 | 24.8 | |
| 296 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | 9.1 | 9.9 | 10.9 | 11.9 | 12.9 | 13.9 | 14.9 | 15.9 | 17.0 | 18.0 | 19.0 | 20.0 | 21.0 | 22.1 | 23.2 | 24.3 | 25.5 | |
| SR4759 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | 10.1 | 10.7 | 11.5 | 12.2 | 12.8 | 13.5 | 14.2 | 15.0 | 15.8 | 16.5 | |
| IMR 4227 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | 9.1 | 9.9 | 10.8 | 11.6 | 12.6 | 13.3 | 14.3 | 15.1 | 16.0 | 16.8 | 17.6 | 18.6 | 19.5 | 20.5 | 21.5 | |
| 680 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | 8.2 | 9.1 | 9.9 | 10.9 | 11.9 | 12.9 | 13.9 | 14.9 | 15.9 | 16.9 | 17.9 | 18.9 | 19.9 | 20.9 | 21.9 | 23.1 | 24.2 | 25.3 | |
| IMR 4198 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | 8.5 | 7.2 | 7.9 | 8.5 | 9.4 | 10.2 | 11.0 | 12.0 | 12.7 | 13.5 | 14.4 | 15.2 | 16.1 | 16.8 | 17.8 | 18.7 | 19.6 | 20.4 | |
| H322 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | 13.0 | 13.8 | 14.7 | 15.7 | 16.6 | 17.4 | 18.3 | 19.3 | 20.3 | 21.3 | 22.3 | |
| Re-7 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | 10.4 | 11.3 | 12.2 | 13.2 | 14.0 | 14.9 | 15.9 | 16.8 | 17.7 | 18.5 | 19.5 | 20.5 |
| AccurateArms#2 | NR | NR | 3.1 | 3.3 | 3.9 | 4.2 | 4.6 | 4.8 | 5.1 | 5.6 | 6.2 | 6.8 | 7.6 | 8.4 | 9.4 | 10.0 | 10.5 | 11.2 | 12.1 | 12.9 | 13.9 | 15.0 | 16.0 | 16.5 | 16.9 | 18.3 | 19.0 | 19.6 | |
| AccurateArms#5 | NR | NR | 4.0 | 4.3 | 4.8 | 5.1 | 5.6 | 5.9 | 6.3 | 7.1 | 7.8 | 8.6 | 9.3 | 10.3 | 11.3 | 12.2 | 13.2 | 14.2 | 15.2 | 16.1 | 17.1 | 18.0 | 18.9 | 19.8 | 20.8 | 21.9 | 23.0 | 24.3 | |
| AccurateArms#7 | NR | NR | 4.2 | 4.6 | 5.1 | 5.4 | 6.0 | 6.3 | 6.6 | 7.5 | 8.3 | 9.1 | 9.9 | 11.0 | 12.0 | 13.0 | 14.0 | 15.0 | 16.0 | 17.0 | 18.0 | 19.0 | 20.0 | 20.9 | 22.0 | 23.1 | 24.3 | 25.7 | |
| AccurateArms#9 | NR | NR | 4.2 | 4.5 | 5.0 | 5.3 | 5.9 | 6.2 | 6.6 | 7.4 | 8.1 | 9.0 | 9.8 | 10.8 | 11.9 | 12.8 | 13.8 | 14.9 | 15.8 | 16.8 | 17.8 | 18.8 | 19.8 | 20.7 | 21.8 | 22.9 | 24.1 | 25.4 | |
| Olin 473AA | NR | NR | 2.8 | 3.1 | 3.4 | 3.7 | 4.0 | 4.2 | 4.5 | 5.0 | 5.5 | 6.1 | 6.6 | 7.4 | 8.1 | 8.7 | 9.3 | 9.9 | 10.9 | 11.4 | 12.1 | 12.8 | 13.3 | 14.1 | 15.0 | 15.5 | 16.4 | 17.0 | |
| Olin 452AA | NR | NR | 2.4 | 2.5 | 2.8 | 3.0 | 3.2 | 3.4 | 3.7 | 4.1 | 4.6 | 5.0 | 5.5 | 6.0 | 6.6 | 7.3 | 7.8 | 8.2 | 8.8 | 9.5 | 10.0 | 10.4 | 11.1 | 11.6 | 12.3 | 12.8 | 13.3 | 14.2 | |
| Olin 540 | NR | NR | 3.9 | 4.3 | 4.7 | 5.0 | 5.6 | 5.9 | 6.2 | 7.0 | 7.7 | 8.5 | 9.2 | 10.2 | 11.1 | 12.1 | 13.0 | 14.0 | 14.9 | 15.9 | 16.8 | 17.8 | 18.8 | 19.6 | 20.7 | 21.7 | 22.7 | 23.9 | |
| Olin 571 | NR | NR | 4.1 | 4.4 | 4.9 | 5.2 | 5.8 | 6.1 | 6.5 | 7.2 | 8.0 | 8.8 | 9.6 | 10.7 | 11.8 | 12.7 | 13.7 | 14.7 | 15.6 | 16.8 | 17.7 | 18.7 | 19.7 | 20.5 | 21.6 | 22.8 | 24.0 | 25.0 | |
| Clays | NR | NR | 1.8 | 2.0 | 2.2 | 2.3 | 2.6 | 2.7 | 2.9 | 3.3 | 3.6 | 4.0 | 4.4 | 4.8 | 5.3 | 5.7 | 6.1 | 6.6 | 7.0 | 7.5 | 8.0 | 8.4 | 8.9 | 9.2 | 9.8 | 10.3 | 10.8 | 11.4 | |
| UniversalClays | 1.7 | 2.2 | 2.5 | 2.8 | 3.0 | 3.1 | 3.3 | 3.8 | 4.0 | 4.5 | 5.0 | 5.5 | 6.0 | 6.6 | 7.3 | 7.9 | 8.5 | 9.1 | 9.8 | 10.5 | 10.9 | 11.7 | 12.2 | 12.7 | 13.4 | 14.2 | 15.0 | 15.7 | |
| International Clays | 1.4 | 1.8 | 2.2 | 2.3 | 2.5 | 2.7 | 3.0 | 3.1 | 3.3 | 3.8 | 4.2 | 4.7 | 5.1 | 5.6 | 6.1 | 6.5 | 7.1 | 7.7 | 8.2 | 8.7 | 9.2 | 9.6 | 10.1 | 10.6 | 11.1 | 11.7 | 12.4 | 12.9 | |
| Tite Group | 2.0 | 2.8 | 3.2 | 3.5 | 4.0 | 4.1 | 4.4 | 4.7 | 5.2 | 5.9 | 6.4 | 7.1 | 7.7 | 8.4 | 9.2 | 10.1 | 10.7 | 11.6 | 12.5 | 13.3 | 14.1 | 14.5 | 15.3 | 16.2 | 17.2 | 17.9 | 18.6 | 20.0 | |
| Li'l Gun | NR | NR | 4.1 | 4.6 | 5.3 | 5.4 | 5.7 | 6.1 | 6.6 | 7.4 | 8.2 | 9.2 | 9.9 | 10.8 | 11.8 | 12.9 | 13.8 | 14.9 | 16.0 | 17.1 | 18.0 | 18.7 | 19.8 | 20.8 | 22.1 | 22.9 | 23.6 | 25.7 | |
| IMR Trail Boss | NR | NR | NR | NR | NR | 1.5 | 1.7 | 1.8 | 1.9 | 2.1 | 2.3 | 2.5 | 2.8 | 3.1 | 3.4 | 3.7 | 4.0 | 4.3 | 4.6 | 4.9 | 5.2 | 5.5 | 5.8 | 6.0 | 6.4 | 6.7 | 7.1 | 7.5 | |
| 453 | 1.8 | 2.3 | 2.7 | 2.9 | 3.2 | 3.4 | 3.7 | 3.9 | 4.2 | 4.7 | 5.2 | 5.7 | 6.2 | 6.9 | 7.5 | 8.1 | 8.8 | 9.5 | 10.1 | 10.7 | 11.3 | 12.0 | 12.6 | 13.2 | 13.9 | 14.6 | 15.3 | 16.1 | |
| Royal "D" | 1.4 | 1.8 | 2.2 | 2.4 | 2.7 | 2.8 | 3.1 | 3.3 | 3.5 | 3.9 | 4.3 | 4.8 | 5.2 | 5.8 | 6.4 | 6.9 | 7.4 | 8.0 | 8.5 | 8.9 | 9.4 | 10.0 | 10.5 | 11.1 | 11.8 | 12.3 | 12.9 | 13.5 | |
| Solo 1500 | 1.5 | 2.0 | 2.4 | 2.6 | 2.9 | 3.1 | 3.4 | 3.6 | 3.8 | 4.3 | 4.8 | 5.3 | 5.8 | 6.4 | 7.0 | 7.5 | 8.2 | 8.8 | 9.3 | 9.9 | 10.6 | 11.1 | 11.7 | 12.4 | 13.1 | 13.7 | 14.3 | 15.0 | |
| N 310 | 1.5 | 1.9 | 2.3 | 2.4 | 2.7 | 2.9 | 3.2 | 3.3 | 3.6 | 4.0 | 4.5 | 4.9 | 5.3 | 5.9 | 6.5 | 7.0 | 7.5 | 8.1 | 8.6 | 9.2 | 9.7 | 10.2 | 10.8 | 11.3 | 11.9 | 12.6 | 13.2 | 13.8 | |
| N 320 | 1.4 | 1.9 | 2.2 | 2.3 | 2.6 | 2.8 | 3.1 | 3.2 | 3.5 | 3.9 | 4.3 | 4.8 | 5.2 | 5.8 | 6.3 | 6.8 | 7.4 | 7.9 | 8.4 | 9.0 | 9.5 | 10.1 | 10.7 | 11.1 | 11.7 | 12.3 | 13.0 | 13.6 | |
| N 330 | 1.6 | 2.1 | 2.5 | 2.7 | 3.0 | 3.2 | 3.5 | 3.7 | 4.0 | 4.5 | 5.0 | 5.5 | 6.0 | 6.6 | 7.2 | 7.8 | 8.4 | 9.0 | 9.8 | 10.3 | 11.0 | 11.6 | 12.2 | 12.8 | 13.5 | 14.1 | 14.8 | 15.6 | |
| N 340 | 1.7 | 2.2 | 2.6 | 2.8 | 3.1 | 3.3 | 3.6 | 3.8 | 4.1 | 4.6 | 5.1 | 5.6 | 6.2 | 6.7 | 7.4 | 8.0 | 8.6 | 9.3 | 9.9 | 10.6 | 11.2 | 11.8 | 12.4 | 13.0 | 13.7 | 14.4 | 15.1 | 15.9 | |
| N 350 | 1.7 | 2.3 | 2.7 | 2.9 | 3. | | | | | | | | | | | | | | | | | | | | | | | | |


REFERENCE CHART

| REFERENCE CHART | | | | | | | | |
|----------------------------------|------------|--------------------------------|---------------------------|--------------------------|-------------------------|---------------|----------|--|
| Caliber | Die Group | Shell Holder & Shell Plate No. | Primer Plug & Sleeve Size | Case Trimmer Collet No.* | Case Trimmer Pilot Cal. | Ammo Box Size | Lube Die | |
| .17 Remington | A & GM | 10 | Small | 1 | 17 | SR | — | |
| .17 Remington Fireball | A & GM | 10 | Small | 1 | 17 | SR | — | |
| .204 Ruger | A, GM & AR | 10 | Small | 1 | 20 | SR | — | |
| .218 Bee | A | 1 | Small | 2 | 22 | MP | — | |
| .22 Bench Rest | GM | 3 | Small | 3 | 22 | MR | 1 | |
| .22 PPC | GM | 32 | Small | 3 | 22 | MR | 1 | |
| .22 Hornet | A & GM | 12 | Small | 2 | 22 | MP | — | |
| .22 K-Hornet | D | 12 | Small | 2 | 22 | MP | — | |
| .22 Remington Jet | D | 6 | Small | 3 | 22 | MP | — | |
| .22 Savage High-Power | D | 2 | Large | 2 | 22 | MR | 3 | |
| .22-250 Remington (22 Varminter) | A & GM | 3 | Large | 1 | 22 | MR | 2 | |
| .220 Swift | A & GM | 11 | Large | 1 | 22 | MR | 3 | |
| .221 Remington Fireball | A & GM | 10 | Small | 1 | 22 | SR | 1 | |
| .222 Remington | A & GM | 10 | Small | 1 | 22 | SR | 1 | |
| .222 Remington Magnum | A | 10 | Small | 1 | 22 | SR | 1 | |
| .223 Remington (.56mm) | A, GM & AR | 10 | Small | 1 | 22 | SR | 1 | |
| .223 Winchester Super Short Mag | A & GM | 43 (5) | Large | 1 | 22 | (4) | — | |
| 5.6mm x 50 Rimmed | D | 6 | Small | 2 | 22 | SR | — | |
| 5.7mm x 28 (FN) | D | 45 | Small | (4) | 22 | SR/MP | — | |
| .240 Weatherby Magnum | A | 3 | Large | 1 | 24 | LR | 2 | |
| .243 Winchester Super Short Mag | A & GM | 43 (5) | Large | 1 | 24 | (4) | 2 | |
| .243 Winchester | A & GM | 3 | Large | 1 | 24 | MR | 2 | |
| 6mm Bench Rest | GM | 3 | Small | 3 | 24 | MR | 1 | |
| 6mm PPC | A & GM | 32 | Small | 3 | 24 | MR | 1 | |
| 6mm x 45 | D & AR | 10 | Small | 1 | 24 | SR | 1 | |
| 6mm Remington (.244 Remington) | A & GM | 3 | Large | 1 | 24 | MR | 2 | |
| .25 Auto (.25 ACP) | E | 29 (6) | Small | (4) | (4) | (4) | — | |
| .25 Winchester Super Short Mag | A & GM | 43 (5) | Large | 1 | 25 | (4) | — | |
| .25-06 | A & GM | 3 | Large | 1 | 25 | LR | 2 | |
| .25-20 Winchester | A | 1 | Small | 2 | 25 | MP | — | |
| .25-35 Winchester | A | 2 | Large | 2 | 25 | MR | 3 | |
| .250 Savage (.250-3000 Savage) | A | 3 | Large | 1 | 25 | MR | 2 | |
| .257 Roberts | A | 3/11 | Large | 1 | 25 | MR | 2 | |
| .257 Roberts Improved 40° | D | 3/11 | Large | 1 | 25 | MR | 2 | |
| .257 Weatherby Magnum | A | 4 | Large | 1 | 25 | LR | 4 | |
| .260 Remington | A, GM & AR | 3 | Large | 1 | 26 | MR | 2 | |
| .264 LBC-AR | D & AR | 32 | Large | 1 | 26 | MR | 3 | |
| .264 Winchester Magnum | A | 4/26 | Large | 1 | 26 | LR | 4 | |
| 6.5 Remington Magnum | D | 4/26 | Large | 1 | 26 | LR | 4 | |
| 6.5mm-06 | D | 3 | Large | 1 | 26 | LR | 2 | |
| 6.5-284 Winchester | D & GM | 3 | Large | 1 | 26 | LR | 4 | |
| 6.5 Creedmoor | D & AR | 3 | Large | 1 | 26 | LR | 4 | |
| 6.5mm x 47 Lapua | D & GM | 3 | Large | 1 | 26 | MR | 3 | |
| 6.5 x 54 Mannlicher-Schoenauer | D | 9 | Large | 1 | 26 | LR | - | |
| 6.5mm x 55 Swedish Mauser | A & GM | 2 | Large | 1 | 26 | LR | 2 | |
| 6.5mm x 57 Mauser | D | 3 | Large | 1 | 26 | LR | 2 | |
| 6.5mm x 68S | D | 34 (5) | Large (2) | 2 | 26 | LR | 4 | |
| 6.8 Remington SPC | A & AR | 19 | Large | 2 | 27 | MR | 3 | |
| .270 Weatherby Magnum | A | 4 | Large | 1 | 27 | LR | 4 | |
| .270 Winchester | A & GM | 3 | Large | 1 | 27 | LR | 2 | |
| .270 Winchester Short Magnum | A & GM | 43 (5) | Large | 1 | 27 | (4) | — | |
| .280 Remington (.7mm Exp. Rem.) | A & AR | 3 | Large | 1 | 28 | LR | 2 | |
| .284 Winchester | A | 3 | Large | 1 | 28 | MR | 4 | |
| .7mm Bench Rest Remington | D & GM | 3 | Small | 1 | 28 | MR | 2 | |
| .7mm Remington Magnum | A & GM | 4/26 | Large | 1 | 28 | LR | 4 | |
| .7mm Remington SA Ultra Magnum | A & GM | 38/4 (5) | Large | 1 | 28 | (4) | — | |
| .7mm Remington Ultra Magnum | A & GM | 38/4 (5) | Large | 1 | 28 | (4) | — | |
| .7mm Shooting Times Westerner | A & GM | 4 | Large | 1 | 28 | LR | 4 | |
| .7mm Thompson/Center Ugalde | A & GM | 10 | Small | 1 | 28 | SR | 1 | |
| .7mm Weatherby Magnum | A | 4 | Large | 1 | 28 | LR | 4 | |
| .7mm Winchester Short Magnum | A & GM | 43 (5) | Large | 1 | 28 | (4) | — | |
| .7mm-08 Remington | A & GM | 3 | Large | 1 | 28 | MR | 2 | |
| .7mm x 57 Mauser (.7mm Mauser) | A & GM | 3/11 | Large | 1 | 28 | LR | 2 | |
| .7mm x 64 Brenneke | A | 3 | Large | 1 | 28 | LR | 2 | |
| .7mm x 65 Rimmed | D | 26 | Large | 1 | 28 | LR | 2 | |
| .7-30 Waters | A & GM | 2 | Large | 2 | 28 | MR | 3 | |
| .30 M-1 Carbine | C | 17 | Small | 3 | 30 | MP | — | |
| .30 Ruger (.7.65mm Luger) | A | 16 | Small | 2 | 30 | (4) | — | |
| .30 Mauser (.7.63mm Mauser) | D | 16 | Small | 2 | 30 | (4) | — | |
| .30 Remington | D | 19 | Large | 2 | 30 | MR | 3 | |
| .30 Remington AR | D & AR | 30 | Large | 2 | 30 | MR | 3 | |
| .30 T/C | A | 3 | Large | 1 | 30 | MR | 2 | |
| .30-06 Springfield | A, GM & AR | 3 | Large | 1 | 30 | LR | 2 | |
| .30-30 Winchester | A | 2 | Large | 2 | 30 | MR | 3 | |
| .30-338 Winchester Magnum | D | 4 | Large | 1 | 30 | LR | 4 | |
| .30-378 Weatherby Magnum | A & GM | 14 (5) | Large | 4 | 30 | (4) | — | |
| .30-40 Krag | A | 7 | Large | 3 | 30 | LR | — | |
| .300 H&H Magnum | D | 4 | Large | 1 | 30 | LR | 4 | |
| .300 Remington SA Ultra Magnum | A & GM | 38/4 (5) | Large | 1 | 30 | (4) | — | |
| .300 Remington Ultra Magnum | A & GM | 38/4 (5) | Large | 1 | 30 | (4) | — | |
| .300 RCM | A | 4 | Large | 1 | 30 | MR | 2 | |
| .300 Savage | A | 3 | Large | 1 | 30 | MR | 2 | |
| .300 Weatherby Magnum | A & GM | 4 | Large | 1 | 30 | LR | 4 | |
| .300 Winchester Magnum | A & GM | 4/26 | Large | 1 | 30 | LR | 4 | |
| .300 Winchester Short Magnum | A & GM | 43 (5) | Large | 1 | 30 | (4) | — | |
| .303 British | A | 7 | Large | 1 | 31 | LR | — | |
| .307 Winchester | A | 2 | Large | 2 | 30 | MR | 2 | |
| .308 Norma Magnum | D | 4 | Large | 1 | 30 | LR | 4 | |
| .308 Winchester | A, GM & AR | 3 | Large | 1 | 30 | MR | 2 | |
| .308 Marlin Express | A | 2 | Large | 1 | 30 | MR | 2 | |
| .7.5mm x 54 French MAS | D | 2 | Large | 1 | 30 | LR | 2 | |
| .7.5mm x 55 Schmidt-Rubin | A | 2 | Large | 2 | 30 | LR | — | |
| .7.62mm x 39-.308/.311 | A & AR | 32 | Large | 3 | 30/31 | MR | 3 | |
| .7.62mm x 54R Russian | A | 13 (5) | Large | 4 | 30 | LR | — | |
| .7.65mm x 53 Belgian Mauser | A | 3 | Large | 1 | 31 | LR | 2 | |
| .7.7mm x 58 Japanese Arisaka | A | 3/2 | Large | 1 | 31 | LR | 2 | |
| .32 Automatic (.7.65mm Auto) | B | 17 | Small | 1 | 31 | (4) | — | |
| .32 H&R Magnum | E | 23 | Small | 1 | 31 | (4) | — | |
| .32 Smith & Wesson Long | E | 23 | Small | 1 | 31 | (4) | — | |
| .327 Federal Magnum | E | 23 | Small | 1 | 31 | (4) | — | |
| .32 Winchester Special | A | 2 | Large | 2 | 32 | MR | 3 | |

IMPORTANT: RCBS Shell Holder numbers do not correspond to those of other manufacturers. When two Shell Holder are listed, the most popular is shown first. It may be necessary to use the alternate, depending on the manufacturer and/or lot of cases being used. The numerals in () in the table indicate the following: (2) cases are usually Berdan primed. Depriming and priming must be done by hand. If cases were formed from cases having boxer-type primers, use the appropriate Shell Holder for that caliber. (4) not available. (5) Auto 4X4 and Five-Station Shell Plates not available. (6) Auto 4X4 and Five-Station Shell Plates not available.

Ammo Box size code: SR=Small Rifle, MR=Medium Rifle, LR=Large Rifle, MP=Medium Pistol, LP=Large Pistol. * Rotary Case Trimmer—2 only. ** For Ten-X brass.

| REFERENCE CHART | | | | | | | | |
|-------------------------------------|-----------------|--------------------------------|---------------------------|--------------------------|-------------------------|---------------|----------|--|
| Caliber | Die Group | Shell Holder & Shell Plate No. | Primer Plug & Sleeve Size | Case Trimmer Collet No.* | Case Trimmer Pilot Cal. | Ammo Box Size | Lube Die | |
| .32-20 Winchester | E | 1 | Small | 2 | 31 | MP | — | |
| .32-40 Winchester | D | 2 | Large | 2 | 32 | MR | 3 | |
| 8mm Remington Magnum | A | 4 | Large | 1 | 32 | LR | 4 | |
| 8mm-06 | D | 3 | Large | 1 | 32 | LR | 2 | |
| 8mm x 57 Mauser (8mm Mauser) | A | 3 | Large | 1 | 32 | LR | 2 | |
| 8mm x 68S Magnum | D | 34 (5) | Large | 2 | 32 | LR | — | |
| .325 Winchester Short Magnum | A | 43 (5) | Large | 1 | 32 | LR | — | |
| .338 Federal | A & AR | 3 | Large | 1 | 33 | MR | 2 | |
| .338 Lapua | A & GM | 14/37 (6) | Large | 4 | 33 | (4) | — | |
| .338 Remington Ultra Magnum | A | 38/4 (5) | Large | 1 | 33 | (4) | — | |
| .338 RCM | A | 4 | Large | 1 | 33 | MR | 2 | |
| .338 Marlin Express | D | 44 | Large | — | 33 | LR | — | |
| .338 Winchester Magnum | A | 4 | Large | 1 | 33 | LR | — | |
| .338-06/.338-06 A-Square | D | 3 | Large | 1 | 33 | LR | 2 | |
| .338 Norma Mag | D | 48 | Large | — | 33 | LR | 2 | |
| .338-378 Weatherby Magnum | A | 14 | Large | 4 | 33 | (4) | — | |
| .340 Weatherby Magnum | A | 4 | Large | 1 | 33 | LR | 4 | |
| .348 Winchester | D | 5 (5) | Large | 4 | 34 | MR | — | |
| .35 Remington | A | 9 | Large | 1 | 35 | MR | 3 | |
| .35 Whelen | A | 3 | Large | 1 | 35 | LR | 2 | |
| .350 Remington Magnum | D | 4 | Large | 1 | 35 | MR | 4 | |
| .356 TSW | B | 16 | Small | 2 | 35 | (4) | — | |
| .356 Winchester | A | 2 | Large | 2 | 35 | MR | 2 | |
| .357 Magnum | B | 6 | Small | 3 | 35 | MP | — | |
| .357 Remington Maximum | B | 6 | Small | 3 | 35 | SR | — | |
| .357 Sig | A | 27 | Small | 3 | 35 | LP | — | |
| .358 Winchester | A | 3 | Large | 1 | 35 | MR | 2 | |
| 9mm FAR | E | 16 | Small | 2 | 35 | MP | — | |
| 9mm x 18 Ultra | B | 10 | Small | 2 | 35 | (4) | — | |
| 9mm Luger | E | 16 | Small | 2 | 35 | (4) | — | |
| 9mm Makarov | E | 16 | Small | 2 | 35 | (4) | — | |
| 9mm x 21 | B | 16 | Small | 2 | 35 | (4) | — | |
| 9mm x 23 Winchester | B | 16 | Small | 2 | 35 | (4) | — | |
| .370 Sako Magnum/9.3x66 Sako | D | 3 | Large | 1 | 36 | LR | — | |
| 9.3mm x 62 Mauser | A | 3 | Large (2) | 1 | 36 | LR | 2 | |
| 9.3mm x 74R | D | 4 | Large | 1 | 36 | LR | — | |
| .375 H&H Magnum | A | 4 | Large | 1 | 37 | LR | 4 | |
| .375 Remington Ultra Mag | A | 38/4 (5) | Large | 1 | 37 | (4) | — | |
| .375 Ruger | A | 4 | Large | 2 | 37 | MR | 3 | |
| .375 Winchester | C | 2 | Large | 2 | 37 | MR | 3 | |
| .376 Steyr | D | 42 | Large | 2 | 37 | LR | 4 | |
| .378 Weatherby Magnum | D | 14 (5) | Large | 4 | 37 | (4) | — | |
| .38 Colt Super Auto (.38 ACP) | E | 39 | Small | 2 | 35 | MP | — | |
| .38 Smith & Wesson | COWBOY | 6 | Small | 3 | 35 | MP | — | |
| .38 Special | B | 6 | Small | 3 | 35 | MP | — | |
| .380 Automatic Pistol | B | 10 | Small | 1 | 35 | (4) | — | |
| .38-40 Winchester | E | 35 (5) | Large | 1 | 40 | LP | — | |
| .38-55 Winchester & Ballard | LEGACY & COWBOY | 2 | Large | 2 | 37 | MR | 3 | |
| .40 S&W | B | 27 | Small | 3 | 40 | LP | — | |
| .400 CorBon | D | 3 | Large | 1 | 40 | LP | 2 | |
| .40-60 Winchester - .408" | LEGACY | 49 (6) | Large | 4 | 41 | (4) | 4 | |
| .40-65 Shiloh Sharps - .408" | LEGACY | 14 (5) | Large | 4 | 41 | (4) | 4 | |
| .40-70-2 1/2" Sharps Straight | LEGACY | 14 (5) | Large | 4 | 41 | (4) | 4 | |
| .404 Jeffery | SAFARI | 41 (5) | Large | HC#2 | — | (4) | — | |
| .405 Winchester | LEGACY | 24 | Large | 3 | 40 | (4) | 3 | |
| 10mm Auto | B | 27 | Large | 3 | 40 | LP | — | |
| .41 Magnum | B | 30 | Large | 2 | 41 | LP | 4 | |
| .416 Ruger | D | 4 | Large | 1 | 416 | LR | — | |
| .416 Remington Magnum | D | 4 | Large | 1 | 416 | LR | — | |
| .416 Rigby | D | 37 (5) | Large | 4 | 416 | (4) | — | |
| .416 Barrett | 1 1/2"-12 | .50 BMG | .50 BMG | .50 BMG | 416 | (4) | — | |
| .44 Magnum | B | 18 | Large | 2 | 44 | LP | — | |
| .44 S&W Russian | COWBOY | 18 | Large | 2 | 44 | LP | — | |
| .44 Special | B | 18 | Large | 2 | 44 | LP | — | |
| .444 Marlin | C | 28 | Large | 1 | 44 | LR | — | |
| .44-40 Winchester | B | 35 (5) | Large | 1 | 44 | LP | — | |
| .45 Automatic (.45 ACP) | B | 3 | Large | 1 | 45 | LP | 2 | |
| .45 Auto Rim | B | 8 | Large | 1 | 45 | LP | 2 | |
| .45 Glock Action Pistol | B | 3 | Large | 1 | 45 | LP | 2 | |
| .45 Colt | B | 20 | Large | 1 | 45 | LP | — | |
| .45 S&W Schofield | COWBOY | 35 | Large | 1 | 45 | LP | — | |
| .45-60 Winchester | LEGACY | 49 (6) | Large | 4 | 45-R | (4) | 4 | |
| .45-70 U.S. Government | C & COWBOY | 14 (6) | Large | 4 | 45-R | (4) | 4 | |
| .45-75 Winchester | LEGACY | 31 (5) | Large | 4 | 45-R | (4) | 4 | |
| .45-90-2.4" Sharps Straight | LEGACY | 14 (5) | Large | 4 | 45-R | (4) | 4 | |
| .45-100-2.6" Sharps Straight | LEGACY | 14 (5) | Large | 4 | 45-R | (4) | 4 | |
| .45-110-2 7/8" Sharps Straight | LEGACY | 14 (5) | Large | 4 | 45-R | (4) | 4 | |
| .45-120-3 1/4" Sharps Straight | LEGACY | 14 (5) | Large | 4 | 45-R | (4) | 4 | |
| .450 Marlin | C | 4 | Large | 1 | 45-R | LR | 4 | |
| .450x.400 Express 3" (.400 Jeffery) | SAFARI | 31 (5) | Large | .50 BMG | 41 | (4) | — | |
| .450 Rigby Rimless | SAFARI | 37 (5) | Large | HC#2 | 45-R | (4) | — | |
| .454 Casull | B | 20 | Large | 1 | 45 | (4) | — | |
| .458 Winchester Magnum | C | 4 | Large | 1 | 45-R | LR | 4 | |
| .458 Lott | C | 4 | Large | 1 | 45-R | LR | 4 | |
| .460 Weatherby Magnum | D | 14 (5) | Large | 4 | 45-R | (4) | — | |
| .460 Smith & Wesson | B | 4 | Large | — | 45 | (4) | — | |
| .460 Steyr | 1 1/2"-12 | .50 BMG | .50 BMG | .50 BMG | 45-R | (4) | — | |
| .470 Nitro Express 3 1/4" | SAFARI | 46 (6) | Large | HC#1 | 475 | (4) | — | |
| .475 Linebaugh 1.400" | B | 40 (5) | Large | 1 | 475 | (4) | — | |
| .480 Ruger | B | 40 (5) | Large | 1 | 475 | (4) | — | |
| .50 Action Express | B | 33 (5) | Large | 1 | 50 | (4) | — | |
| .50-70 Gov't | LEGACY | 31 (5) | Large | 4 | 50 | (4) | 4 | |
| .50-90-2 1/2" Sharps Straight | LEGACY | 31 (5) | Large | 4 | 50 | (4) | 4 | |
| .50-95 Winchester (Express) | LEGACY | 31 (5) | Large | 4 | 50 | (4) | 4 | |
| .500 Smith & Wesson | B | 44 (5) | Large | — | 50 | (4) | — | |
| .500 Jeffery | SAFARI | 37 (5) | Large | HC#1 | 50-R | (4) | — | |
| .500 Nitro Express | SAFARI | 46 (6) | Large | HC#1 | 50-R | (4) | — | |
| .56-50 Spencer | LEGACY | 31 (5) | Large | — | 50 | (4) | — | |
| .50 BMG | 1 1/2"-12 | .50 BMG | .50 BMG | .50 BMG | 50-R | (4) | — | |
| .505 Gibbs | D | 47 (6) | Large | .50 BMG | 50-R | (4) | — | |



RCBS® Gold Medal Match Series Dies

RCBS® is proud to introduce the Gold Medal series of neck bushing rifle dies. This changeable diameter neck bushing type of die has been used by Bench Rest and Long Range Precision shooters for years.

Due to variability in neck brass thickness, RCBS standard dies size the neck below your desired diameter and then pull an expander ball through to get the proper bullet tension. The Gold Medal sizing die features a self-centering,

changeable neck bushing that allows you to precisely set the amount of tension on the bullet. This reduces work hardening of the case neck brass, prolonging case life and increasing accuracy. Neck bushings are available in .001” increments from .189” to .365”.

The Gold Medal rifle dies are available in Full-Length and Neck sizing styles. By removing the neck bushing, the Full Length sizing die can be used as a “bump” die to set headspace back the desired amount.

Neck bushings are not included. Proper neck bushing size can be determined two ways. Measure the outside neck diameter of your loaded cartridge, subtract .002” to .003”. This allows approximately .001” of brass spring back for correct neck tension. The other is to measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .001”. RCBS suggests that you have neck bushings one to two sizes above and below your target diameter.

The Gold Medal seat dies features a micrometer adjustable, free floating and self centering bullet seating system with a convenient bullet loading window. The Gold Medal seat die can also be used on progressive presses with the exception of the .221 Rem Fireball, .17 Rem Fireball and .22 Hornet cartridges.

| GOLD MEDAL MATCH | | | | | | |
|--------------------------|---|-------------------------------------|-------------------------------|---------------------------------|--------------------------------|-------------------|
| Caliber | Full Length Neck Bushing Die Set \$189.95 | Full Length Neck Sizing Die \$63.95 | Neck Bushing Die Set \$169.95 | Neck Bushing Sizing Die \$63.95 | Gold Medal Seater Die \$117.95 | Decap Unit \$8.95 |
| .17 REM FIREBALL* | 16205 | 16234 | 16206 | 16235 | 16249 | 9882 |
| .17 REM | 17205 | 17234 | 17206 | 17235 | 17249 | 9882 |
| .204 RUGER | 10305 | 10334 | 10306 | 10335 | 10349 | 9801 |
| .22 HORNET* | 10205 | 10234 | 10206 | 10235 | 10249 | 9802 |
| .22 BENCH REST | 29905 | 29934 | 29906 | 29935 | 29949 | — |
| .22 PPC | 28805 | 28834 | 28806 | 28835 | 28849 | — |
| .22-250 REM (.22 VAR.) | 10605 | 10634 | 10606 | 10635 | 10649 | 9802 |
| .220 SWIFT | 10705 | 10734 | 10706 | 10735 | 10749 | 9802 |
| .221 REM FIREBALL* | 10805 | 10834 | 10806 | 10835 | 10849 | 9802 |
| .222 REM | 10905 | 10934 | 10906 | 10935 | 10949 | 9802 |
| .223 REM (5.56MM) | 11105 | 11134 | 11106 | 11135 | 11149 | 9802 |
| .223 WSSM | 10505 | 10534 | 10506 | 10535 | 10549 | 9802 |
| .243 WSSM | 11605 | 11634 | 11606 | 11635 | 11649 | 9805 |
| .243 WIN | 11405 | 11434 | 11406 | 11435 | 11449 | 9805 |
| 6MM BENCH REST | 16105 | 16134 | 16106 | 16135 | 16149 | — |
| 6MM PPC | 22605 | 22634 | 22606 | 22635 | 22649 | — |
| 6MM REM (.244 REM) | 11505 | 11534 | 11506 | 11535 | 11549 | 9805 |
| .25 WSSM | 12405 | 12434 | 12406 | 12435 | 12449 | 9806 |
| .25-06 | 12005 | 12034 | 12006 | 12035 | 12049 | 9806 |
| 6.5MM-.284 WINCHESTER | 28705 | 28734 | 28706 | 28735 | 28749 | 9807 |
| 6.5X55 SWEDISH MAUSER | 13205 | 13234 | 13206 | 13235 | 13249 | 9808 |
| 6.5X47 LAPUA | 12905 | 12934 | 12906 | 12935 | 12949 | — |
| .260 REM | 12805 | 12834 | 12806 | 12835 | 12849 | — |
| .270 WIN | 13505 | 13534 | 13506 | 13535 | 13549 | 9808 |
| .270 WIN SHORT MAG | 31305 | 31334 | 31306 | 31335 | 31349 | 9808 |
| .280 REM | 14005 | 14034 | 14006 | 14035 | 14049 | — |
| 7MM REM MAG | 13605 | 13634 | 13606 | 13635 | 13649 | 9809 |
| 7MM REM SA ULTRA MAG | 31105 | 31134 | 31106 | 31135 | 31149 | 9809 |
| 7MM REM ULTRA MAG | 17805 | 17834 | 17806 | 17835 | 17849 | 9809 |
| 7MM STW | 26605 | 26634 | 26606 | 26635 | 26649 | 9809 |
| 7MM T/CU | 34205 | 34234 | 34206 | 34235 | 34249 | 9809 |
| 7MM WIN SHORT MAG | 31405 | 31434 | 31406 | 31435 | 31449 | 9809 |
| 7MM-08 REM | 13905 | 13934 | 13906 | 13935 | 13949 | 9809 |
| 7MM BENCH REST | 34105 | 34134 | 34106 | 34135 | 34149 | 9809 |
| 7X57 MAUSER (7MM MAUSER) | 13805 | 13834 | 13806 | 13835 | 13849 | 9809 |
| 7-30 WATERS | 34805 | 34834 | 34806 | 34835 | 34849 | 9809 |
| .308 WINCHESTER | 15505 | 15534 | 15506 | 15535 | 15549 | 9812 |
| .30-06 SPRINGFIELD | 14805 | 14834 | 14806 | 14835 | 14849 | 9812 |
| .300 WSM | 30805 | 30834 | 30806 | 30835 | 30849 | 9812 |
| .300 REM SA ULTRA MAG | 31205 | 31234 | 31206 | 31235 | 31249 | 9812 |
| .300 REM ULTRA MAG | 17605 | 17634 | 17606 | 17635 | 17649 | 9812 |
| .300 WBY MAG | 15205 | 15234 | 15206 | 15235 | 15249 | 9812 |
| .300 WIN MAG | 15305 | 15334 | 15306 | 15335 | 15349 | 9812 |
| .30-378 WBY MAG | 29505 | 29534 | 29506 | 29535 | 29549 | 9812 |
| .338 LAPUA | 16605 | 16634 | 16606 | 16635 | 16649 | 9818 |

* Competition extended shell holder required for bullet seating is included.
NOTE: If not in stock, allow 4-6 weeks for delivery.

Competition Rifle Dies

These dies aren't for everybody. They go above and beyond our Precision Dies. If you're a competitive marksman measuring success in fractions of a millimeter, RCBS® Competition Dies are for you. NOTE: Competition dies do not require neck bushings.

| COMPETITION DIES | | | | | | | |
|-------------------------|--|---|--------------------------------|---|----------------------|--|---------------------------------|
| Caliber | Competition Full-Length Die Set \$127.95 | Competition Full-Length Sizer Die \$49.95 | Competition Seater Die \$82.95 | Competition Extended Shell Holder \$13.95 | Decapping Pin \$2.95 | Competition Seater Plug Assembly \$12.95 | Competition Bullet Guide \$7.95 |
| .204 RUGER | 39401+ | 39429 | 39438+ | 38260 | 9608 | 38150 | 38201 |
| .22 HORNET | 38301+ | 38329 | 38338+ | 38262 | — | 38151 | 38202 |
| .222 REM | 37001+ | 37029 | 37038+ | 38260 | 9608 | 38151 | 38202 |
| .223 REM | 37201+ | 37229 | 37238+ | 38260 | 9608 | 38151 | 38202 |
| .22-250 REM | 37101+ | 37129 | 37138+ | 38253 | 9608 | 38151 | 38202 |
| .243 WIN | 37301+ | 37329 | 37338+ | 38253 | 9608 | 38152 | 38205 |
| .25-06 | 39501 | 39529 | 39538 | — | 9609 | 38153 | 38206 |
| 6.5MMX55 SWEDISH MAUSER | 38401+ | 38429 | 38438+ | 38252 | 9609 | 38154 | 38207 |
| .270 WIN | 37501 | 37529 | 37538 | — | 9609 | 38155 | 38208 |
| 7MM-08 REM | 37401+ | 37429 | 37438+ | 38253 | 9609 | 38156 | 38209 |
| 7MM REM MAG | 37601 | 37629 | 37638 | — | 9609 | 38156 | 38209 |
| 7MMX64 BRENNKE | 38501 | 38529 | 38538 | — | 9609 | 38156 | 38209 |
| 7.5MMX55 SCHMIDT-RUBIN | 38601 | 38629 | 38638 | — | 9609 | 38157 | 38212 |
| .30-06 SPRINGFIELD | 37701 | 37729 | 37738 | — | 9609 | 38157 | 38212 |
| .308 WIN | 37801+ | 37829 | 37838+ | 38253 | 9609 | 38157 | 38212 |
| 8MMX57 MAUSER | 38701 | 38729 | 38738 | — | 9609 | 38159 | 38214 |

+Competition extended shell holder required for bullet seating is included.
* Current “O” ring style only.

| STEEL NECK BUSHINGS | | | | | | | \$14.95 |
|-----------------------|-------------|-----------------------|-------------|-----------------------|-------------|-----------------------|-------------|
| Neck Bushing Diameter | Part Number | Neck Bushing Diameter | Part Number | Neck Bushing Diameter | Part Number | Neck Bushing Diameter | Part Number |
| 0.185 | 81500 | 0.231 | 81546 | 0.277 | 81592 | 0.323 | 81638 |
| 0.186 | 81501 | 0.232 | 81547 | 0.278 | 81593 | 0.324 | 81639 |
| 0.187 | 81502 | 0.233 | 81548 | 0.279 | 81594 | 0.325 | 81640 |
| 0.188 | 81503 | 0.234 | 81549 | 0.280 | 81595 | 0.326 | 81641 |
| 0.189 | 81504 | 0.235 | 81550 | 0.281 | 81596 | 0.327 | 81642 |
| 0.190 | 81505 | 0.236 | 81551 | 0.282 | 81597 | 0.328 | 81643 |
| 0.191 | 81506 | 0.237 | 81552 | 0.283 | 81598 | 0.329 | 81644 |
| 0.192 | 81507 | 0.238 | 81553 | 0.284 | 81599 | 0.330 | 81645 |
| 0.193 | 81508 | 0.239 | 81554 | 0.285 | 81600 | 0.331 | 81646 |
| 0.194 | 81509 | 0.240 | 81555 | 0.286 | 81601 | 0.332 | 81647 |
| 0.195 | 81510 | 0.241 | 81556 | 0.287 | 81602 | 0.333 | 81648 |
| 0.196 | 81511 | 0.242 | 81557 | 0.288 | 81603 | 0.334 | 81649 |
| 0.197 | 81512 | 0.243 | 81558 | 0.289 | 81604 | 0.335 | 81650 |
| 0.198 | 81513 | 0.244 | 81559 | 0.290 | 81605 | 0.336 | 81651 |
| 0.199 | 81514 | 0.245 | 81560 | 0.291 | 81606 | 0.337 | 81652 |
| 0.200 | 81515 | 0.246 | 81561 | 0.292 | 81607 | 0.338 | 81653 |
| 0.201 | 81516 | 0.247 | 81562 | 0.293 | 81608 | 0.339 | 81654 |
| 0.202 | 81517 | 0.248 | 81563 | 0.294 | 81609 | 0.340 | 81655 |
| 0.203 | 81518 | 0.249 | 81564 | 0.295 | 81610 | 0.341 | 81656 |
| 0.204 | 81519 | 0.250 | 81565 | 0.296 | 81611 | 0.342 | 81657 |
| 0.205 | 81520 | 0.251 | 81566 | 0.297 | 81612 | 0.343 | 81658 |
| 0.206 | 81521 | 0.252 | 81567 | 0.298 | 81613 | 0.344 | 81659 |
| 0.207 | 81522 | 0.253 | 81568 | 0.299 | 81614 | 0.345 | 81660 |
| 0.208 | 81523 | 0.254 | 81569 | 0.300 | 81615 | 0.346 | 81661 |
| 0.209 | 81524 | 0.255 | 81570 | 0.301 | 81616 | 0.347 | 81662 |
| 0.210 | 81525 | 0.256 | 81571 | 0.302 | 81617 | 0.348 | 81663 |
| 0.211 | 81526 | 0.257 | 81572 | 0.303 | 81618 | 0.349 | 81664 |
| 0.212 | 81527 | 0.258 | 81573 | 0.304 | 81619 | 0.350 | 81665 |
| 0.213 | 81528 | 0.259 | 81574 | 0.305 | 81620 | 0.351 | 81666 |
| 0.214 | 81529 | 0.260 | 81575 | 0.306 | 81621 | 0.352 | 81667 |
| 0.215 | 81530 | 0.261 | 81576 | 0.307 | 81622 | 0.353 | 81668 |
| 0.216 | 81531 | 0.262 | 81577 | 0.308 | 81623 | 0.354 | 81669 |
| 0.217 | 81532 | 0.263 | 81578 | 0.309 | 81624 | 0.355 | 81670 |
| 0.218 | 81533 | 0.264 | 81579 | 0.310 | 81625 | 0.356 | 81671 |
| 0.219 | 81534 | 0.265 | 81580 | 0.311 | 81626 | 0.357 | 81672 |
| 0.220 | 81535 | 0.266 | 81581 | 0.312 | 81627 | 0.358 | 81673 |
| 0.221 | 81536 | 0.267 | 81582 | 0.313 | 81628 | 0.359 | 81674 |
| 0.222 | 81537 | 0.268 | 81583 | 0.314 | 81629 | 0.360 | 81675 |
| 0.223 | 81538 | 0.269 | 81584 | 0.315 | 81630 | 0.361 | 81676 |
| 0.224 | 81539 | 0.270 | 81585 | 0.316 | 81631 | 0.362 | 81677 |
| 0.225 | 81540 | 0.271 | 81586 | 0.317 | 81632 | 0.363 | 81678 |
| 0.226 | 81541 | 0.272 | 81587 | 0.318 | 81633 | 0.364 | 81679 |
| 0.227 | 81542 | 0.273 | 81588 | 0.319 | 81634 | 0.365 | 81680 |
| 0.228 | 81543 | 0.274 | 81589 | 0.320 | 81635 | | |
| 0.229 | 81544 | 0.275 | 81590 | 0.321 | 81636 | | |
| 0.230 | 81545 | 0.276 | 81591 | 0.322 | 81637 | | |

Competition Rifle Two Die Sets

FEATURES & BENEFITS

- Full-length sizer with a raised expander ball allowing extra leverage for smooth, effortless neck expansion
- Maximum concentricity between die neck and body
- Seater die with micrometer for super accurate bullet seating depth in increments of 0.001”
- Bullet inserts through a side window instead of bottom of die
- Special bullet-seating guide ensures correct bullet alignment before and after seating.
- Extended shell holder for shorter cartridges
- Black oxide finish
- Not for use with progressive reloading presses

| COATED NECK BUSHINGS | | | | | | | \$25.95 |
|-----------------------|-------------|-----------------------|-------------|-----------------------|-------------|-----------------------|-------------|
| Neck Bushing Diameter | Part Number | Neck Bushing Diameter | Part Number | Neck Bushing Diameter | Part Number | Neck Bushing Diameter | Part Number |
| 0.185 | 81700 | 0.231 | 81746 | 0.277 | 81792 | 0.323 | 81838 |
| 0.186 | 81701 | 0.232 | 81747 | 0.278 | 81793 | 0.324 | 81839 |
| 0.187 | 81702 | 0.233 | 81748 | 0.279 | 81794 | 0.325 | 81840 |
| 0.188 | 81703 | 0.234 | 81749 | 0.280 | 81795 | 0.326 | 81841 |
| 0.189 | 81704 | 0.235 | 81750 | 0.281 | 81796 | 0.327 | 81842 |
| 0.190 | 81705 | 0.236 | 81751 | 0.282 | 81797 | 0.328 | 81843 |
| 0.191 | 81706 | 0.237 | 81752 | 0.283 | 81798 | 0.329 | 81844 |
| 0.192 | 81707 | 0.238 | 81753 | 0.284 | 81799 | 0.330 | 81845 |
| 0.193 | 81708 | 0.239 | 81754 | 0.285 | 81800 | 0.331 | 81846 |
| 0.194 | 81709 | 0.240 | 81755 | 0.286 | 81801 | 0.332 | 81847 |
| 0.195 | 81710 | 0.241 | 81756 | 0.287 | 81802 | 0.333 | 81848 |
| 0.196 | 81711 | 0.242 | 81757 | 0.288 | 81803 | 0.334 | 81849 |
| 0.197 | 81712 | 0.243 | 81758 | 0.289 | 81804 | 0.335 | 81850 |
| 0.198 | 81713 | 0.244 | 81759 | 0.290 | 81805 | 0.336 | 81851 |
| 0.199 | 81714 | 0.245 | 81760 | 0.291 | 81806 | 0.337 | 81852 |
| 0.200 | 81715 | 0.246 | 81761 | 0.292 | 81807 | 0.338 | 81853 |
| 0.201 | 81716 | 0.247 | 81762 | 0.293 | 81808 | 0.339 | 81854 |
| 0.202 | 81717 | 0.248 | 81763 | 0.294 | 81809 | 0.340 | 81855 |
| 0.203 | 81718 | 0.249 | 81764 | 0.295 | 81810 | 0.341 | 81856 |
| 0.204 | 81719 | 0.250 | 81765 | 0.296 | 81811 | 0.342 | 81857 |
| 0.205 | 81720 | 0.251 | 81766 | 0.297 | 81812 | 0.343 | 81858 |
| 0.206 | 81721 | 0.252 | 81767 | 0.298 | 81813 | 0.344 | 81859 |
| 0.207 | 81722 | 0.253 | 81768 | 0.299 | 81814 | 0.345 | 81860 |
| 0.208 | 81723 | 0.254 | 81769 | 0.300 | 81815 | 0.346 | 81861 |
| 0.209 | 81724 | 0.255 | 81770 | 0.301 | 81816 | 0.347 | 81862 |
| 0.210 | 81725 | 0.256 | 81771 | 0.302 | 81817 | 0.348 | 81863 |
| 0.211 | 81726 | 0.257 | 81772 | 0.303 | 81818 | 0.349 | 81864 |
| 0.212 | 81727 | 0.258 | 81773 | 0.304 | 81819 | 0.350 | 81865 |
| 0.213 | 81728 | 0.259 | 81774 | 0.305 | 81820 | 0.351 | 81866 |
| 0.214 | 81729 | 0.260 | 81775 | 0.306 | 81821 | 0.352 | 81867 |
| 0.215 | 81730 | 0.261 | 81776 | 0.307 | 81822 | 0.353 | 81868 |
| 0.216 | 81731 | 0.262 | 81777 | 0.308 | 81823 | 0.354 | 81869 |
| 0.217 | 81732 | 0.263 | 81778 | 0.309 | 81824 | 0.355 | 81870 |
| 0.218 | 81733 | 0.264 | 81779 | 0.310 | 81825 | 0.356 | 81871 |
| 0.219 | 81734 | 0.265 | 81780 | 0.311 | 81826 | 0.357 | 81872 |
| 0.220 | 81735 | 0.266 | 81781 | 0.312 | 81827 | 0.358 | 81873 |
| 0.221 | 81736 | 0.267 | 81782 | 0.313 | 81828 | 0.359 | 81874 |
| 0.222 | 81737 | 0.268 | 81783 | 0.314 | 81829 | 0.360 | 81875 |
| 0.223 | 81738 | 0.269 | 81784 | 0.315 | 81830 | 0.361 | 81876 |
| 0.224 | 81739 | 0.270 | 81785 | 0.316 | 81831 | 0.362 | 81877 |
| 0.225 | 81740 | 0.271 | 81786 | 0.317 | 81832 | 0.363 | 81878 |
| 0.226 | 81741 | 0.272 | 81787 | 0.318 | 81833 | 0.364 | 81879 |
| 0.227 | 81742 | 0.273 | 81788 | 0.319 | 81834 | 0.365 | 81880 |
| 0.228 | 81743 | 0.274 | 81789 | 0.320 | 81835 | | |
| 0.229 | 81744 | 0.275 | 81790 | 0.321 | 81836 | | |
| 0.230 | 81745 | 0.276 | 81791 | 0.322 | 81837 | | |

RELOADING DIES

| GROUP A | | | | | | | | | |
|-----------------------------|-----------------------------|-------------------------------|-------------------------------|---------------------------------|-------------------------------------|---------------------------------------|--------------------|-----------------------|------------------|
| Caliber | Full-Length Die Set \$41.95 | Full-Length Sizer Die \$34.95 | Neck Die Set \$45.95 \$64.95* | Neck Sizer Die \$37.95 \$44.95* | Small Base Die Set \$45.95 \$64.95* | Small Base Sizer Die \$37.95 \$44.95* | Seater Die \$29.95 | Exp-Decap Unit \$8.95 | Trim Die \$40.95 |
| .17 REM | 17201 | 17229 | 17202 | 17230 | — | — | 17238 | 9882 | 17265* |
| .17 REM FIREBALL | 16201 | 16229 | 16202 | 16230 | — | — | 16238 | 9882 | — |
| .204 RUGER | 10301 | 10329 | 10302 | 10330 | — | — | — | 9801 | — |
| .218 BEE | 10001 | 10029 | 10002* | 10030 | — | — | 10038 | 9802 | 10065* |
| .22 HORNET | 10201 | 10229 | 10202 | 10230 | — | — | 10238 | 9802 | 10265* |
| .22-250 REM (.22 VAR.) | 10601 | 10629 | 10602 | 10630 | 10603* | 10631* | 10638 | 9802 | 10665 |
| .220 SWIFT | 10701 | 10729 | 10702 | 10730 | — | — | 10738 | 9802 | 10765 |
| .221 REM FIREBALL | 10801 | 10829 | 10802 | 10830 | — | — | 10838 | 9802 | 10865* |
| .222 REM | 10901 | 10929 | 10902 | 10930 | + | + | 10938 | 9802 | 10965 |
| .222 REM MAG | 11001 | 11029 | 11002 | 11030 | — | — | 11038 | 9802 | 11065* |
| .223 REM (5.56MM) | 11101 | 11129 | 11102 | 11130 | 11103 | 11131 | 11138 | 9802 | 11165 |
| .223 WSSM | 10501 | 10529 | 10502 | 10530 | — | — | — | 9802 | — |
| .240 WBY MAG | 33201 | 33229 | 33202 | 33230 | — | — | 33238 | 9805 | 33265* |
| .243 WIN | 11401 | 11429 | 11402 | 11430 | 11403 | 11431 | 11438 | 9805 | 11465 |
| .243 WSSM | 11601 | 11629 | 11602 | 11630 | — | — | — | 9805 | — |
| 6MM REM (.244 REM) | 11501 | 11529 | 11502 | 11530 | 11503* | 11531* | 11538 | 9805 | 11565 |
| 6MM PPC | 22601 | 22629 | 22602 | 22630 | — | — | 22638 | — | 22665* |
| .25-06 | 12001 | 12029 | 12002 | 12030 | + | + | 12038 | 9806 | 12065 |
| .25 WSSM | 12401 | 12429 | 12402 | 12430 | — | — | 12438 | 9806 | — |
| .25-20 WIN | 11801 | 11829 | 11802 | 11830 | — | — | 11838 | 9806 | 11865* |
| .25-35 WIN | 12101 | 12129 | 12102 | 12130 | — | — | 12138 | 9806 | 12165* |
| .250 SAV (.250-3000 SAVAGE) | 12201 | 12229 | — | — | + | + | 12238 | 9806 | 12265* |
| .257 ROBERTS | 12501 | 12529 | 12502* | 12530* | — | — | 12538 | 9806 | 12565* |
| .257 WBY MAG | 12601 | 12629 | 12602* | 12630* | — | — | 12638 | 9806 | 12665* |
| .260 REM | 12801 | 12829 | 12802 | 12830 | — | — | 12838 | 9807 | 12865* |
| .264 WIN MAG | 12701 | 12729 | 12702* | 12730* | — | — | 12738 | 9807 | 12765* |
| 6.5X55 SWEDISH MAUSER | 13201 | 13229 | 13202 | 13230 | — | — | 13238 | 9807 | 13265* |
| 6.8 REMINGTON SPC | 13301 | 13329 | — | — | 13303 | 13331 | 13338 | 9808 | — |
| .270 WBY MAG | 13401 | 13429 | 13402* | 13430* | — | — | 13438 | 9808 | 13465* |
| .270 WIN | 13501 | 13529 | 13502 | 13530 | 13503 | 13531 | 13538 | 9808 | 13565 |
| .270 WIN SHORT MAG | 31301 | 31329 | 31302* | 31330* | 31303 | 31331 | 31338 | 9808 | 31365* |
| .280 REM (7MM EXP REM) | 14001 | 14029 | 14002* | 14030* | 14003* | 14031* | 14038 | 9809 | 14065* |
| .284 WIN | 14101 | 14129 | 14102 | 14130 | + | + | 14138 | 9809 | 14165* |
| 7MM REM MAG | 13601 | 13629 | 13602 | 13630 | 13603 | 13631 | 13638 | 9809 | 13665 |
| 7MM REM SA ULTRA MAG | 31101 | 31129 | 31102* | 31130* | — | — | 31138 | 9809 | 31165* |
| 7MM REM ULTRA MAG | 17801 | 17829 | 17802 | 17830 | — | — | 17838 | 9809 | 17865* |
| 7MM STW | 26601 | 26629 | 26602 | 26630 | — | — | 26638 | 9809 | 26665* |
| 7MM T/CU | 34201 | 34229 | 34202 | 34230 | — | — | 34238 | 9811 | 34265* |
| 7MM WBY MAG | 13701 | 13729 | 13702 | 13730 | — | — | 13738 | 9809 | 13765* |
| 7MM WIN SHORT MAG | 31401 | 31429 | 31402* | 31430* | 31403 | 31431 | 31438 | 9809 | 31465* |
| 7MM-08 REM | 13901 | 13929 | 13902 | 13930 | + | + | 13938 | 9809 | 13965* |
| 7X57 MAUSER (7MM MAUSER) | 13801 | 13829 | 13802 | 13830 | — | — | 13838 | 9809 | 13865 |
| 7MMX64 BRENNKE | 34001 | 34029 | 34002* | 34030* | — | — | 34038 | 9809 | 34065* |
| 7-30 WATERS | 34801 | 34829 | 34802* | 34830* | — | — | 34838 | 9809 | 34865* |
| 7.5MM SCH-RUBIN (1911) | 33501 | 33529 | 33502 | 33530 | — | — | 33538 | 9812 | 33565* |
| 7.62X54R RUSSIAN | 29001 | 29029 | 29002* | 29030* | — | — | 29038 | *** | 29065* |
| 7.62MMX39-.308/311 | 35001 | 35029 | — | — | — | — | 35038 | ** | 35065* |
| 7.65MMX53 BELGIUM MAUSER | 14301 | 14329 | 14302 | 14330 | — | — | 14338 | 9814 | 14365* |
| 7.7MMX58 JAPANESE ARISAKA | 14401 | 14429 | 14402 | 14430 | — | — | 14438 | 9814 | 14465* |
| .30 LUGER (7.65MM LUGER) | 25001 | 25029 | 25002 | 25030 | — | — | 25038 | 9813 | 25065* |
| .30 T/C | 25201 | 25229 | — | 25230 | — | — | 25238 | 9812 | — |
| .30-06 SPRINGFIELD | 14801 | 14829 | 14802 | 14830 | 14803 | 14831 | 14838 | 9812 | 14865 |
| .30-30 WIN | 14601 | 14629 | 14602* | 14630* | — | — | 14638 | 9812 | 14665 |
| .30-378 WBY MAG | 29501 | 29529 | 29502 | 29530 | — | — | 29538 | 9812 | 29565* |
| .30-40 KRAG | 14701 | 14729 | — | — | — | — | 14738 | 9812 | 14765* |
| .300 RCM | 26901 | 26929 | 26902 | 26930 | — | — | 26938 | 9812 | — |
| .300 REM SA ULTRA MAG | 31201 | 31229 | 31202* | 31230* | — | — | 31238 | 9812 | 31265* |
| .300 REM ULTRA MAG | 17601 | 17629 | 17602 | 17630 | — | — | 17638 | 9812 | 17665* |
| .300 SAVAGE | 15101 | 15129 | — | — | 15103* | 15131* | 15138 | 9812 | 15165* |
| .300 WBY MAG | 15201 | 15229 | 15202 | 15230 | — | — | 15238 | 9812 | 15265* |
| .300 WIN MAG | 15301 | 15329 | 15302 | 15330 | 15303 | 15331 | 15338 | 9812 | 15365 |
| .300 WIN SHORT MAG | 30801 | 30829 | 30802* | 30830* | 30803 | 30831 | 30838 | 9812 | 30865* |
| .303 BRITISH | 15401 | 15429 | 15402 | 15430 | — | — | 15438 | 9814 | 15465* |
| .308 MARLIN EXPRESS | 14901 | 14929 | - | - | 14903* | 14931* | 14938 | 9812 | — |
| .308 WIN / .307 WIN | 15501 | 15529 | 15502 | 15530 | 15503 | 15531 | 15538 | 9812 | 15565 |
| 8MMX57 MAUSER (8MM MSR) | 15901 | 15929 | 15902 | 15930 | — | — | 15938 | 9817 | 15965 |
| 8MM REM MAG | 16001 | 16029 | 16002 | 16030 | — | — | 16038 | 9817 | 16065* |
| .32 WIN SPEC | 15701 | 15729 | — | — | — | — | 15738 | 9816 | 15765* |
| .325 WIN SHORT MAG | 31601 | 31629 | 31602 | 31630 | 31603 | 31631 | 31638 | 9817 | — |
| .338 RCM | 27301 | 27329 | 27302 | 27330 | — | — | 27338 | 9828 | — |
| .338 Marlin Express | 25401 | 25429 | — | 25430 | — | — | 25438 | 9818 | — |
| .338 FEDERAL | 17301 | 17329 | 17302 | 17330 | — | — | 17338 | 9828 | — |
| .338 REM ULTRA MAG | 17701 | 17729 | 17702* | 17730* | — | — | 17738 | 9818 | 17765* |
| .338 WIN MAG | 16301 | 16329 | 16302 | 16330 | 16303* | 16331* | 16338 | 9818 | 16365* |
| .338 LAPUA | 16601 | 16629 | 16602 | 16630 | — | — | 16638 | 9818 | 16665* |
| .338-378 WBY MAG | 16801 | 16829 | 16802 | 16830 | — | — | 16838 | 9818 | 16865* |
| .340 WBY MAG | 30601 | 30629 | 30602 | 30630 | — | — | 30638 | 9818 | 30665* |
| .35 REM | 16501 | 16529 | — | — | + | + | 16538 | 9820 | 16565* |
| .35 WHELEN | 30701 | 30729 | — | — | — | — | 30738 | 9823 | 30765* |
| .357 SIG | 23101 | 23129 | — | — | — | — | 23138 | 9834 | 23165* |
| .358 WIN/ .356 WIN | 32701 | 32729 | — | — | — | — | 32738 | 9823 | 32765* |
| 9.3MMX62 MAUSER | 34501 | 34529 | 34502 | 34530 | — | — | 34538 | 9821 | 34565* |
| .375 H&H MAG | 16901 | 16929 | 16902* | 16930* | — | — | 16938 | 9822 | 16965* |
| .375 REM ULTRA MAG | 30901 | 30929 | 30902* | 30930* | — | — | 30938 | 9822 | 30965* |
| .375 RUGER | 26801 | 26829 | 26802 | 26830 | — | — | 26838 | 9822 | — |

*If not in stock, please allow 4-6 weeks for delivery. **A .30 caliber Expander Ball is also included with Die Set and Sizer Die. ***A .310 caliber Expander Ball is also included with Die Set and Sizer Die. +See the RCBS Special Catalog for this item.

RELOADING DIES

| GROUP B | | | | | | | | | | | |
|--|--------------------------------------|---------------------------------------|------------------------------|-------------------------------|---------------------------|-------------------------|----------------------|-------------------------------|--------------------------------|-------------------|------------------|
| Caliber | 3-Die Carbide Roll Crimp Set \$61.95 | 3-Die Carbide Taper Crimp Set \$61.95 | 3-Die Roll Crimp Set \$46.95 | 3-Die Taper Crimp Set \$46.95 | Carbide Sizer Die \$44.95 | Steel Sizer Die \$23.95 | Expander Die \$17.95 | Roll Crimp Seater Die \$23.95 | Taper Crimp Seater Die \$23.95 | Decap Unit \$3.95 | Trim Die \$41.95 |
| .32 AUTO (1) | — | 20015 | — | — | 20037 | — | 20053 | 20062 | 20062 | 9622 | 20065* |
| .357 MAG/ .357 REM MAX/ .38 SPL | 18212 | 18215 | — | — | 18237 | 18332 | 18353 | 18342 | 18262 | 9622 | 18265/18365 |
| 9MM LUGER/9X21/356 TSW/9X23 WIN/9X18 ULTRA | — | 20515 | — | — | 20537 | — | 20552 | 20538 | 20562 | 9622 | 20565*/22365* |
| .380 AUTO | — | 20415 | — | — | 20437 | — | 20449 | — | 20462 | 9622 | 20465* |
| .40 S&W/10MM AUTO | — | 22115 | — | — | 22137 | — | 22153 | — | 22162 | 9622 | 22165*/21665* |
| .41 MAG | 18512 | — | — | — | 18537 | — | 18553 | 18542 | — | 9622 | 18565* |
| .44 MAG/ .44 SPL | 18612 | — | 18608 | — | 18637 | 18732 | 18753 | 18742 | 18662 | 9622 | 18665/18765* |
| .44-.40 WIN (3) | — | — | 18805 | — | — | 18832 | 18853 | 18839 | — | 9622 | 18865* |
| .44-.40 WIN JACKETED (4) | — | — | 18806 | — | — | 18832 | — | 18840 | — | 9622 | 18865* |
| .45 AUTO(ACP)/AUTO RIM/GLOCK ACT. PISTOL | — | 18915 | — | — | 18937 | — | 18953 | 18942 | 18962 | 9622 | 18965** |
| .45 COLT | 19112 | — | 19108 | — | 19137 | 19132 | 19153 | 19142 | — | 9622 | 19165* |
| .460 S&W | 24212 | — | — | — | 24237 | — | 24253 | 24238 | — | 9622 | — |
| .454 CASULL | 23212 | — | — | — | 23237 | — | 23253 | 23242 | — | 9622 | 23265* |
| .480 RUGER/ .475 LINEBAUGH 1.400" | 35212 | — | 35208 | — | 35237 | 35232 | 23553 | 35238 | — | 9622 | 35265* |
| .50 ACTION EXPRESS | — | — | — | 22210 | — | 22232 | 22253 | — | 22262 | 9622 | 22265* |
| .500 S&W/.500 S&W SPL | 23812 | — | 23808 | — | 23837 | 23832 | 23853 | 23838 | — | 9622 | — |

*May not be available from stock. 1: For use with .311" bullets. 2: For use with .314" bullets . 3: Regular Seater Die for all lead and jacketed bullets from Hornady, Sierra and Speer. 4: Jacketed Seater Die for Remington bullets only. **Not for use with .45 Auto Rim or .45 GAP.

| Group C | | | | | | | | | | | |
|-----------------|---------------------------------------|------------------------------|-------------------------------|---------------------------|-------------------------|----------------------|-------------------------------|--------------------------------|-------------------|------------------|--|
| Caliber | 3-Die Carbide Taper Crimp Set \$84.95 | 3-Die Roll Crimp Set \$55.95 | 3-Die Taper Crimp Set \$55.95 | Carbide Sizer Die \$62.95 | Steel Sizer Die \$29.95 | Expander Die \$20.95 | Roll Crimp Seater Die \$26.95 | Taper Crimp Seater Die \$26.95 | Decap Unit \$8.95 | Trim Die \$40.95 | |
| .30 M-1 CARBINE | 18015 | — | 18010 | 18037 | 18032 | 18053 | — | 18062 | 9622 | 18065* | |
| .375 WIN | — | 20604 | — | — | 20633 | 20658 | 20638 | — | 9619 | 20665* | |
| .444 MARLIN | — | 20704 | — | — | 20733 | 20758 | 20738 | — | 9619 | 20765* | |
| .45-70 US GOV'T | — | 20904 | — | — | 20933 | 20955 | 20938 | — | 9619 | 20965* | |
| .450 MARLIN | — | 35504 | — | — | 35533 | 35558 | 35538 | — | 9619 | 35565* | |
| .458 WIN MAG | — | 20804 | — | — | 20833 | 20858 | 20838 | — | 9619 | 20865* | |
| .458 LOTT | — | 24104 | — | — | 24133 | 20858 | 24138 | — | 9619 | 24165* | |

*May not be available from stock.

| Group D | | | | | | | | | |
|-----------------------------|-----------------------------|-------------------------------|----------------------|------------------------|----------------------------|------------------------------|--------------------|----------------|------------------|
| Caliber | Full-Length Die Set \$73.95 | Full-Length Sizer Die \$51.95 | Neck Die Set \$87.95 | Neck Sizer Die \$62.95 | Small Base Die Set \$87.95 | Small Base Sizer Die \$62.95 | Seater Die \$40.95 | Exp-Decap Unit | Trim Die \$55.95 |
| .22 K-HORNET | 26201 | 26229 | 26202 * | 26230* | — | — | 26238 | 9802 | 26265* |
| .22 REM JET | 10401 | 10429 | 10402* | 10430* | — | — | 10438 | 9800 | 10465* |
| .22 SAVAGE HI POWER | 33801 | 33829 | 33802* | 33830* | — | — | 33838 | 9803 | 33865* |
| 5.6MMX50 RIMMED | 26301 | 26329 | 26302* | 26330* | — | — | 26338 | 9802 | 26365* |
| 5.7 x 28 (FN) | 11701 | 11729 | — | — | 11703 | 11731 | 11738 | 9802 | 11765^A |
| .257 ROBERTS IMP 40 | 32201 | 32229 | 32202* | 32230* | — | — | 32238 | 9806 | 32265* |
| NEW GMMX45-AR | 28901 | 28929 | — | 28930 | 28903 | 28931 | — | — | — |
| NEW 264 LBC-AR | 16401 | 16429 | — | 16430 | 16403 | 16431 | — | — | — |
| 6.5MM-06 | 27801 | 27829 | 27802* | 27830* | — | — | 27838 | 9807 | 27865* |
| 6.5 REM MAG. | 33401 | 33429 | — | — | — | — | 33438 | 9807 | — |
| 6.5MM-284 WIN | 28701 | 28729 | — | — | — | — | 28738 | 9807 | — |
| 6.5 CREEDMOOR | 32901 | 32929 | — | 32930 | — | 32931 | 32938 | 9807 | — |
| 6.5MMX47 LAPUA | 12901 | 12929 | 12902 | 12930 | — | — | 12938 | — | — |
| 6.5MMX54 MANNLICHER-SCHOEN. | 27701 | 27729 | 27702* | 27730* | — | — | 27738 | 9807 | 27765* |
| 6.5MMX57 MAUSER | 32801 | 32829 | 32802* | 32830* | — | — | 32838 | 9807 | 32865* |
| 6.5MMX68S | 27901 | 27929 | 27902* | 27930* | — | — | 27938 | 9807 | 27965* |
| 7MM B R REM | 34101 | 34129 | 34102* | 34130* | — | — | 34138 | 9809 | 34165* |
| 7MMX65 RIMMED | 26701 | 26729 | 26702* | 26730* | — | — | 26738 | 9809 | 26765* |
| 30 MAUSER (7.63MM MAUSER) | 25101 | 25129 | 25102* | 25130* | — | — | 25138 | 9813 | 25165* |
| .30 REM | 29201 | 29229 | 29202* | 29230* | — | — | 29238 | 9812 | 29265* |
| .30 REM AR | 25301 | 25329 | — | — | — | 25331 | 25338 | 9812 | — |
| .30-338 WIN MAG | 29401 | 29429 | 29402* | 29430* | — | — | 29438 | 9812 | 29465* |
| .300 H&H MAG | 15001 | 15029 | 15002* | 15030* | — | — | 15038 | 9812 | 15065* |
| .308 NORMA MAG | 15601 | 15629 | 15602* | 15630* | — | — | 15638 | 9812 | 15665* |
| 7.5MMX54 FRENCH MAS | 29101 | 29129 | 29102* | 29130* | — | — | 29138 | 9832 | 29165* |
| .32-40 WIN | 32501 | 32529 | 32502* | 32530* | — | — | 32538 | 9816 | 32565* |
| 8MM-06 | 32601 | 32629 | 32602* | 32630* | — | — | 32638 | 9817 | 32665* |
| 8MMX68S MAGNUM | 34401 | 34429 | 34402* | 34430* | — | — | 34438 | 9817 | 34465* |
| .338-06/338-06 A-SQUARE | 16701 | 16729 | 16702* | 16730* | — | — | 16738 | 9828 | 16765* |
| .338 NORMA MAG | 13001 | 13029 | — | 13030 | — | — | 13038 | 9828 | — |
| .348 WIN | 33601 | 33629 | — | — | — | — | 33638 | 9819 | 33665* |
| .350 REM MAG | 33701 | 33729 | 33702* | 33730* | — | — | 33738 | 9820 | 33765* |
| .370 SAKO MAG/9.3X66 | 14201 | 14229 | — | — | — | — | 14238 | 9821 | — |
| 9.3MMX74 RIMMED | 34601 | 34629 | 34602* | 34630* | — | — | 34638 | 9821 | 34665* |
| .376 STEYR | 17901 | 17929 | 17902* | 17930* | — | — | 17938 | 9822 | 17965* |
| .378 WBY MAG | 33001 | 33029 | 33002* | 33030* | — | — | 33038 | 9822 | 33065* |
| .400 CORBON | 17501 | 17529 | — | — | — | — | 17538 | 9835 | 17565* |
| .416 RUGER | 13101 | 13129 | — | 13130 | — | — | 13138 | 9827 | — |
| .416 REM MAG | 22701 | 22729 | 22702* | 22730* | — | — | 22738 | 9827 | 22765* |
| .416 RIGBY | 22801 | 22829 | 22802* | 22830* | — | — | 22838 | 9825 | 22865* |
| .460 WBY MAG | 33101 | 33129 | 33102* | 33130* | — | — | 33138 | 9826 | 33165* |

| GROUP E | | | | | | | | | | |
|-----------------------------|---------------------------------------|--------------------------------------|------------------------------|---------------------------|-------------------------|----------------------|-------------------------------|--------------------------------|-------------------|------------------|
| Caliber | 3-Die Carbide Taper Crimp Set \$96.95 | 3-Die Carbide Roll Crimp Set \$96.95 | 3-Die Roll Crimp Set \$80.95 | Carbide Sizer Die \$63.95 | Steel Sizer Die \$47.95 | Expander Die \$28.95 | Roll Crimp Seater Die \$37.95 | Taper Crimp Seater Die \$37.95 | Decap Unit \$8.95 | Trim Die \$55.95 |
| .25 AUTO (.25 ACP) | 21015 | — | — | 21037 | — | 21049 | — | 21062 | 9621 | 21065*+ |
| .327 Fed/ .32 S&W L/H&R MAG | 21415 | 21412 | — | 21437 | — | 21453 | 21442 | 21462 | 9622 | 20165/21365*+Δ |
| .32-20 WIN | — | — | 18105 | — | 18132 | 18153 | 18139 | — | 9622 | 18165*+ |
| 9MM FAR | — | — | 23210** | — | 23232 | — | — | 23262 | 9622 | — |
| 9MM MAKAROV | 23015 | — | — | 23037 | — | 23053 | — | 23062 | 9622 | 23065*+ |
| .38 COLT SUPER AUTO/ACP | 20215 | — | — | 20237 | — | 20252 | — | 20262 | 9622 | 20265*+ |
| .38-40 WIN (T) | — | — | 35605 | — | 35632 | 35653 | 35639 | — | 9622 | 35665*+ |

* May not be available from stock. ** 9mm FAR is a steel sizing die with taper crimp. 1 For use with lead bullets only. + Requires Extended Shell Holder, not included. Δ Not for use with .327 Fed Mag.

| LEGACY SERIES DIES | | | | | | |
|----------------------------------|------------------------------|-------------------------|----------------------|-------------------------------|-------------------|------------------|
| Caliber | 3-Die Roll Crimp Set \$60.95 | Steel Sizer Die \$42.95 | Expander Die \$22.95 | Roll Crimp Seater Die \$27.95 | Decap Unit \$8.95 | Trim Die \$54.95 |
| .38-55 WIN & BAL | 36504 | 36533 | 36555 | 36538 | 9619 | 36565* |
| .40-60 WIN (.408 BORE) | 19004 | 19033 | 23358 | 19038 | 9619 | — |
| .40-65 SHILOH SHARPS (.408 BORE) | 23304 | 23333 | 23358 | 23338 | 9619 | 23365* |
| .40-70-2 1/2" SHARPS STRAIGHT | 19204 | 19233 | 19258 | 19238 | 9619 | 19265* |
| .405 WIN | 23608 | 23633 | 23658 | 23638 | 9619 | 23665* |
| .45-60 WINCHESTER | 19804 | 19833 | 20955 | 19838 | 9619 | — |
| .45-75 WINCHESTER | 19904 | 19933 | 20955 | 19938 | 9619 | — |
| .45-90-2.4" SHARPS STRAIGHT | 19304 | 19333 | 20858 | 19338 | 9619 | 19365* |
| .45-100-2.6" SHARPS STRAIGHT | 19404 | 19433 | 20858 | 19438 | 9619 | 19465* |
| .45-110-2 7/8" SHARPS STRAIGHT | 19504 | 19533 | 20858 | 19538 | 9619 | 19565* |
| .45-120-3 1/4" SHARPS STRAIGHT | 19604 | 19633 | 19658 | 19638 | 9619 | 19665* |
| .50-70 GOV'T | 36804 | 36833 | 36858 | 36838 | 9619 | 36865* |
| .50-90-2 1/2" SHARPS STRAIGHT | 19704 | 19733 | 19758 | 19738 | 9619 | 19765* |
| .50-95 Winchester Express | 21304 | 21333 | 19758 | 21338 | 9619 | — |
| .56-50 SPENCER | 20104 | 20133 | 20158 | 20138 | 9619 | — |

| ALTERNATE SEATER PLUGS — 1/2"-20 | \$6.95 |
|---|--------|
| 25 Cal. 35 gr. Gold Dot | 90071 |
| 32 Cal. Wadcutter | 90014 |
| 32 Cal. 60 gr. Gold Dot | 90072 |
| 357 SIG 125 gr. Gold Dot | 90073 |
| 357 Cal 180 gr. Silhouette | 90019 |
| 38 Cal. 125 gr. Gold Dot | 90065 |
| 38 Cal. 158 gr. Gold Dot | 90066 |
| 9mm Cal. 90 gr. Gold Dot | 90060 |
| 9mm Cal. 115 gr. Gold Dot | 90061 |
| 9mm Cal. 124 gr. Gold Dot | 90062 |
| 9mm Cal. 147 gr. Gold Dot | 90063 |
| 9mm Makarov 95 gr. Conical | 90016 |
| 9mm Makarov 90 gr. Gold Dot | 90064 |
| 40/10mm 155 gr. Gold Dot | 90067 |
| 40/10mm 165 gr. Gold Dot | 90074 |
| 40/10mm 180 gr. Gold Dot | 90068 |
| 10mm Round Nose | 90039 |
| 40-Cal 400 Black Powder | 90042 |
| 44 Cal. 240 gr. Silhouette | 90031 |
| 44 Cal. 270 gr. Gold Dot | 90075 |
| 44/45 SWC | 90033 |
| 45 Cal. 185 gr. Gold Dot | 90069 |
| 45 Cal. 200 gr. Barnex XPB | 90034 |
| 45 Cal. 230 gr. Gold Dot | 90070 |
| 45 Cal. 500 gr. Black Powder Silhouette | 90080 |

Important: Expander-Decapping Units, Decapping Units and all Decapping Pins are available through RCBS Distributors and Dealers. All other replacement parts should be ordered from RCBS Customer Service.

Replacement Parts

Expander-Decapping Rods, Decapping Rods, Expander Balls and Decapping Pin Holders are no longer available separately. If any of these fail, order a replacement Expander-Decapping Unit or Decapping Unit as shown in the tables.

| ALTERNATE SEATER PLUGS — 1/4"-28 | \$6.95 |
|----------------------------------|--------|
| .50 Cal. 325 gr. BarnesX | 9663 |
| 7mm Silhouette | 9696 |
| .30 Cal Silhouette | 9697 |

Alternate Seater Plugs (Special Application)

These through-the-top seater plugs (1/2" - 20 thread) are available separately and manufactured to fit bullets shown in the chart at left. They are not furnished with the die sets or seater dies. Seater plugs with 1/4" - 28 thread design, are for use with older RCBS® dies and can be made on a special order basis. Call or write RCBS for information.

| DECAPPING PINS — 5-PACK | \$2.95 |
|-------------------------------|--------|
| 6mm PPC | 09608 |
| 7mm Thompson Center Ugalde | 09609 |
| 35 Whelen | 09609 |
| 357 SIG | 09608 |
| 358 Winchester/356 Winchester | 09609 |
| 416 Remington Magnum | 09609 |

| DECAPPING PINS — 5-PACK | \$2.95 |
|--|--------|
| Universal - Headed 22 thru 45 caliber | 90164 |
| Small - Straight 22 thru 25 caliber | 09608 |
| Large - Straight 6.5mm thru 45 caliber | 09609 |

Replacement Decapping Pins

With the few exceptions listed above, all RCBS® “Precision,” Reloader Special, X and Cowboy Sizer Dies require a #90164 headed Decapping Pin—one size fits all calibers. Order straight Decapping Pins for Competition and older “Precision” Sizer Dies.

Pow'r Punch Decap Assembly for use with pistol calibers in progressive presses.

Legacy Series Dies

With new calibers and rifles introduced every year, it is a wonder that black powder cartridges are still around! The Legacy series of dies supports these legendary metallic black powder cartridges and the enthusiasts that are shooting original or reproduction black powder rifles.



Cowboy Dies

Cowboy Action Shooting is just about the fastest growing shooting sport around. In addition to the usual competition traits of speed and accuracy, the shooter must recreate the spirit of the 1880's. Guns, costumes and ammo must fit the period. Making ammo that fits the Old West image means loading lead bullets, jacketed bullets are not allowed. It also means that the bullets must be designed to work properly in lever-action rifles and single-action revolvers. That's where the RCBS Cowboy Dies come in. Our Cowboy Dies are built to slightly different dimensions than our regular dies to allow optimum sizing, expanding, seating and crimping needed to load great lead bullet ammo.

| COWBOY DIES | | | | | | | | | | |
|-----------------------|-----------------------------------|------------------------------|--------------------------------------|-------------------------|---------------------------|----------------------|--------------------------|-------------------------------|--------------------|-------------------|
| Caliber | 3-Die Full-Length Die Set \$67.95 | 3-Die Roll Crimp Set \$67.95 | 3-Die Carbide Roll Crimp Set \$70.95 | Steel Sizer Die \$42.95 | Carbide Sizer Die \$57.95 | Expander Die \$28.95 | Expander Assembly \$7.95 | Roll Crimp Seater Die \$28.95 | Seater Plug \$7.95 | Decap Unit \$8.95 |
| .25-20 WIN | 11850 | — | — | 11856 | — | 11857 | 9901 | 11858 | 90081 | 9628 |
| .30-30 WIN | 14650 | — | — | 14656 | — | 14657 | 9902 | 14658 | 90082 | 9628 |
| .32 S&W LONG/.32 S&W | — | — | 21451 | — | 21456 | 21457 | 9903/9917 | 21458 | 90083 | 9628 |
| .32 WIN SPL | 15750 | — | — | 15756 | — | 15757 | 9904 | 15758 | 90084 | 9628 |
| .32-20 WIN | — | 18151 | — | 18156 | — | 18157 | 9905 | 18158 | 90092 | 9628 |
| .32-40 WIN | 32550 | — | — | 32556 | — | 32557 | 9904 | 32558 | 90084 | 9628 |
| .357 MAG/.38 SPL | — | — | 18251 | — | 18256 | 18257 | 9906 | 18258 | 90085 | 9628 |
| .38 S&W | — | 20351 | — | 20356 | — | 20357 | 9906/9916 | 20358 | 90086 | 9628 |
| .38-40 WIN | — | 35651 | — | 35656 | — | 35657 | 9907 | 35658 | 90087 | 9628 |
| .38-55 WIN | — | 36551 | — | 36556 | — | 36557 | 9908/9915 | 36558 | 90088 | 9628 |
| .40-65 WIN .410" BORE | — | 36651 | — | 36656 | — | 36657 | 9909 | 36658 | 90087 | 9628 |
| .44 S&W RUSS/44 SPL | — | — | 18651 | — | 18656 | 18657 | 9910 | 18658 | 90089 | 9628 |
| .44-40 WIN | — | 18851 | — | 18856 | — | 18857 | 9911 | 18858 | 90089 | 9628 |
| .45 S&W SCHM/45 COLT | — | — | 19151 | — | 19156 | 19157 | 9912/9913 | 19158 | 90090 | 9628 |
| .45-70 US GOV'T | — | 20951 | — | 20956 | — | 20957 | 9914 | 20958 | 90091 | 9628 |

| SAFARI DIES | | | | |
|--------------------------------------|------------------------------|-------------------------------|----------------------------------|-------------------|
| Caliber | Full-Length Die Set \$186.95 | 3-Die Roll Crimp Set \$218.95 | 3-Die 1" Roll Crimp Set \$239.95 | Decap Unit \$8.95 |
| .404 JEFFERY | 24301 | — | — | 9810 |
| .450 x 400 EXPRESS 3" (.400 JEFFERY) | 24401 | — | — | 9804 |
| .450 RIGBY RIMLESS | 23001 | — | — | 9826 |
| .470 NITRO EXPRESS 3-1/4" | 24601 | — | — | 9843 |
| .500 JEFFERY | — | — | 24704* | 9619 |
| .500 NITRO EXPRESS 3" | — | 24804 | — | 9619 |
| .505 GIBBS | — | — | 24904* | 9619 |

*Requires 1" press adapter bushing, not included. NOTE: RC Supreme comes standard with a 1-1/4"-12 to 7/8"-14 press bushing adapter.



1-1/2"-12 Dies

The dies are precision machined by the same craftsmen that produce our Precisioneered® Reloading Dies. The Full Length Sizer Die is drilled and reamed to the dimensions developed over the years. Then each die is hand polished, heat treated and then repolished. These massive dies are designed for use with the AmmoMaster—2 or the AmmoMaster® Single Stage Press with the .50 BMG Conversion Kit installed. All Dies listed here are manufactured with 1-1/2"-12 thread. Full Length Die Set includes Full Length Sizer Die with Expander-Decapping Unit and Seater Die with Bullet Seater Plug. Trim Die is case hardened to prevent damage to the die when filing cases to length. Neck Sizer Die sizes only the neck, not the shoulder and body.

| 1-1/2"-12 | | | | | | | |
|-------------------|------------------------------|--------------------------------|-------------------------|-------------------|------------------|--------------------|------------------|
| Caliber | Full-Length Die Set \$351.95 | Full-Length Sizer Die \$216.95 | Neck Sizer Die \$216.95 | Trim Die \$172.95 | Lock Ring \$9.95 | Decap Assy \$18.95 | Decap Pin \$6.95 |
| 416 BARRETT | 14501 | — | 14530 | — | 9629 | 9840 | 9602 |
| .460 STEYR | 27501 | — | 27530 | — | 9629 | 9841 | 9602 |
| .50 BMG 1-1/2"-12 | 30001 | 30029 | 30030 | 30065 | 9629 | 9838 | 9602 |

SEAT PLUG ASSEMBLIES — .50 BMG

| Caliber | \$7.95 |
|--|--------|
| Seat Plug Assy .50 BMG A-Max (5/16-24) | 09642 |
| Seat Plug Assy .50 BMG Speer (5/16-24) | 09649 |
| Seat Plug Assy .50 BMG A-Max (5/8-18) | 90093 |

Safari Dies

Straight out of the RCBS® Special Order and listed at a reduced price. The Safari Series represents cartridges typically used for dangerous game in Africa. These featured calibers were chosen based on production rifles from CZ®, Ruger® and others that offer these timeless African hunting classics.

The .500 Jeffery and .505 Gibbs are made on 1" die bodies and require a press adapter bushing (not included).



A Cowboy Shotshell Die

The diehard Cowboy Action Shooter not only uses authentic firearms and loads with black powder, but also dresses the part. Many would like to use period correct all brass shotshell ammunition, but with no good way to reload them, colorful plastic hulls continue to be used. Today's modern shotshell presses can handle the powder drop, wad seating and shot drop, but could do nothing to handle the sizing, de-priming, re-priming and crimp of a brass case. The RCBS® Cowboy Shotshell die answers this need.

Designed to be used in any RCBS single stage press with a removable die bushing, it performs just like a rifle sizing die. The Cowboy Shotshell Die will first size and de-prime the case; Re-priming is done with the standard priming provided with the press. Use your shotshell press to fill the case with powder, seat the wad and spacers and dispense your shot charge. Remove the sizing ring and install the finish crimp. Place your over shot card onto the shot charge and run up into the die to roll crimp the case mouth. A newly handloaded brass shotshell is completed.

- 99060 Cowboy Shotshell Die\$89.95
- 99061 12 GA Shell Holder - Brass Case\$20.95

B X Dies®


Trim the case once—never trim again! The X-Sizer Die looks like a regular Full Length Sizer Die. Inside, the die features a specially designed mandrel with an expander ball and decapping pin attached. The mandrel is what the X-Die® is all about. The patented X-Sizer Die eliminates the need for repeated trimming after an initial trim of .020" off the maximum case length to standardize the case. The X-Die doesn't shorten the length of the case: the mandrel reduces the growth rate as the case grows as a result of the case mouth-contacting the mandrel during sizing. Because of an extremely close tolerance between the mandrel and die neck wall, the neck wall of the case does not thicken as the case length is pushed back. Cases repeatedly sized in the X-Die will initially grow a few thousandths of an inch, then stabilize below the maximum case length with no discernable loss of accuracy or case life.

Available in most popular bottleneck calibers as shown in the chart.

Standard 7/8"-14 thread. U.S. Patent # 5635661

If you are just starting to reload any of the calibers listed, order the X-Full Length Die Set containing the X-Sizer Die and Standard Seater Die. If you already own a regular set of dies for the chosen caliber, order only the X-Full Length Sizer Die, as you won't need to purchase another Seater Die.

| X DIE CHART | | | |
|--------------------------|-------------------------------|---------------------------------|----------------------------|
| Caliber | X Full-Length Die Set \$59.95 | X Full-Length Sizer Die \$50.95 | X Mandrel Assembly \$11.95 |
| .204 RUGER | 10312 | 10309 | 10314 |
| .22 HORNET | 38312 | 38309 | 38314 |
| .22-250 REM | 37112 | 37009 | 37114 |
| .220 SWIFT | 38812 | 38809 | 38814 |
| .222 REM | 37012 | 37209 | 37014 |
| .223 REM | 37212 | 37109 | 37214 |
| .223 REM SMALL BASE | 38862* | 38859* | 37214 |
| .223 WSSM | 10512 | 10509 | 10514 |
| .243 WIN | 37312 | 37309 | 37314 |
| .243 WSSM | 11612 | 11609 | 11614 |
| .25 WSSM | 12412 | 12409 | 12414 |
| .25-06 | 38962 | 38959 | 38964 |
| .260 REM | 39012 | 39009 | 39014 |
| 6.5MMX55 SWEDISH MAUSER | 38412 | 38409 | 38414 |
| .270 WIN SHORT MAG | 31312 | 31309 | 31314 |
| .270 WIN | 37512 | 37509 | 37514 |
| .280 REM | 39062 | 39059 | 39064 |
| 7MM REM MAG | 37612 | 37609 | 37614 |
| 7MM REM SA ULTRA MAG | 31112 | 31109 | 31114 |
| 7MM REM ULTRA MAG | 17812 | 17809 | 17814 |
| 7MM STW | 39112 | 39109 | 39114 |
| 7MM WIN SHORT MAG | 31412 | 31409 | 31414 |
| 7MM-08 REM | 37412 | 37409 | 37414 |
| .30-06 SPGFLD | 37712 | 37709 | 37714 |
| .30-06 SPGFLD SMALL BASE | 39162* | 39159* | 37714 |
| .30-30 WIN | 37912 | 37909 | 37914 |
| .300 REM SA ULTRA MAG | 31212 | 31209 | 31214 |
| .300 REM ULTRA MAG | 17612 | 17609 | 17614 |
| .300 WBY MAG | 39212 | 39209 | 39214 |
| .300 WIN MAG | 38912 | 38909 | 38914 |
| .300 WIN SHORT MAG | 30812 | 30809 | 30814 |
| .303 BRITISH | 39362 | 39359 | 39364 |
| .308 WIN | 37812 | 37809 | 37814 |
| .308 WIN SMALL BASE | 39262* | 39259* | 37814 |
| 8MMX57 MAUSER | 38712 | 38709 | 38714 |
| .325 WIN SHORT MAG | 31612 | 31609 | 31614 |
| .338 REM ULTRA MAG | 17712 | 17709 | 17714 |
| .338 WIN MAG | 39312 | 39309 | 39314 |
| .375 REM ULTRA MAG | 30912 | 30909 | 30914 |



Special Order Reloading Dies are assigned to pricing groups depending on the number of dies per set, special components, and time required to manufacture. If the desired caliber is out of stock, please allow 30 - 45 days for delivery.

SPECIAL ORDER

RCBS® Precisioneered® Dies begin and end with PEOPLE! Experienced people. Patient people. And rarest of all in today's hurry-up rush-it-out world, people who still take great pleasure and pride in doing a better job than the next guy. From machine operators to hand finishers, each is responsible for providing you with the world's finest dies—RCBS Precisioneered Dies.

RCBS special order dies and case forming dies, like all RCBS dies, are produced in our own plant by the most experienced die craftsmen in the industry. The dies are machined, hardened, hand-finished and hand-inspected for precision and quality. All products in this category carry the RCBS limited lifetime warranty.

With the exception of the Group X Dies®, all reloading and case forming dies are manufactured with the standard 7/8"-14 thread, and may be used with most reloading presses. Group X Dies are manufactured with a 1"-14 thread for use only in the RCBS AmmoMaster™-Single, Big Max, Rock Chucker™, Rock Chucker Supreme, Reloader Special—3 and 5, Model A-2, or Model A-3

presses. When ordering Group X Dies you must specify RCBS press model so the proper adapter bushing can be supplied.

All items in this catalog may be ordered through your RCBS Dealer. Or, you may order direct from the RCBS factory. All factory orders must be paid in advance of shipment and are not subject to cancellation or return for credit. Payment may be made by check or money order in U.S. funds or your order may be charged to your Visa or MasterCard account. Due to bank collection fees, international orders (except Canada) must be paid by MasterCard or Visa only. Sorry, no C.O.D. shipments. Be sure to include your daytime phone number in case we need to contact you concerning your order.

Shipping and handling: \$0.01-\$20.00 = \$4.50, \$20.01-\$100.00 = \$7.50, \$100.01-\$200.00 = \$11.50, \$200.01-up = \$16.50 (Domestic U.S. only). UPS Next Day Air and 2nd Day Air are available. Call for more information. International consumer direct orders will be shipped via UPS or FedEx International ONLY.

Custom Reloading & Case Forming Dies

RCBS no longer produces unique, one-of-a-kind, custom dies or custom bullet moulds. RCBS still offers approximately 650 special order die sets and 350 case form sets in this special order catalog. RCBS offers more than 1,000 other calibers, reloading die sets and case form sets which are not listed in this catalog. For more information, email rcbs.tech@atk.com or call 1-800-533-5000.



A The Grand

The Grand is intended for the shot gunner who requires accurate, precision shotshells for hunting or clay target shooting. The operator merely has to start a hull at station 1 and insert a wad in the wad guide at station 4. All other functions are performed automatically by The Grand. Once in full operation, a loaded shotshell is dispensed each time the handle is cycled through the full down and up strokes. The case activated Powder System means no hull, no powder dropped and therefore no spillage, and there is no need to manually turn the powder on and off. Because the powder charging station is at the front of the press, it is easy to view the powder charge and convenient to remove the powder-charged hull for weighing the powder charge, if deemed necessary. The Powder System provides three positions for the Powder Measure: “ON”, “OFF”, and “EMPTY”. To completely empty the powder hopper, attach the drain tube and turn the powder measure to “EMPTY”. The powder will then drop back into the powder can at the bottom of the drain tube. The Powder Bushings easily interchange in about 30 seconds. Powder Bushings are available for all popular loads. Hornady® Powder Bushings may also be used in The Grand charge bar. The capacity of the Powder Hopper is 1 lb. of your favorite smokeless powder.

The Shot System is also case activated. Again, no hull, or no wad, no shot and best of all, no spillage. You never need to continually turn the shot measure “ON” or “OFF”. The shot system is easily drained. Merely attach the drain tube below the shot measure. Shift the Shot Measure to “EMPTY”. Shot then falls back in the shot bag or container. It's that quick and simple, plus no lead shot on the floor! See your RCBS Dealer. Pull the handle and take a hull for a ride around the 8 stations to see how easy reloading shotshell ammo really is. Interchangeable Shot Bushings are changed in about 30 seconds, and are available for most popular charge weights and shot sizes. Hornady® Shot Bushings are also compatible with The Grand charge bar. The Shot Hopper has a capacity of 25 lbs. of shot. Through the unique combination of the Powder System, Shot System and Universal Case Holders, the user can load just one hull at a time without the fear of spilling powder or shot. Conversion Kits are available for changing to 12 gauge or 20 gauge as required. These make the changeover relatively easy and quick. Everything you need to make the changeover is included. U.S. Patent No. 6,772,668.

⚠ NOTE: Not for use with black powder. NOTE: See page 45 for Shot & Powder Bushing information. *Direct from RCBS ONLY

| | | | |
|--|------------------|---------------------------------------|------------------|
| 89001 The Grand – 12 Gauge | \$1025.95 | 89010 The Grand Riser Stand | \$29.95 |
| 89003 The Grand – 20 Gauge | \$1025.95 | 86885 The Grand Dust Cover | \$25.95 |
| 89005 The Grand Conversion Kit – 20 Gauge | \$489.95 | 89009 The Grand Hydraulic Unit | \$899.95* |
| 89007 The Grand Conversion Kit – 12 Gauge | \$489.95 | | |

B The Mini Grand

The Mini Grand seven station single stage shotshell press is optimum for use by hunters and target shooters. The Mini Grand will load lead or steel shot (with optional conversion kit) and hulls up to 3 1/2". Loading rate is approximately 200 rounds an hour. The Mini Grand utilizes the same powder and shot bushings as our popular Mini Grand progressive shotshell loader. Powder and shot bushing changes in about one minute. Powder capacity is one-half pound of your favorite smokeless powder. Shot capacity is 12 1/2 pounds.

| | | | |
|---|-----------------|---|----------------|
| 89014 Mini Grand — 12 Gauge | \$169.95 | 99903 RCBS Handbook of Shotshell Reloading | \$25.95 |
| 89015 Mini Grand — 20 Gauge | \$169.95 | | |
| 89016 Mini Grand 12 Gauge Taper Crimp die | \$13.95 | | |
| 89017 Mini Grand 20 Gauge Taper Crimp die | \$13.95 | | |
| 89018 Mini Grand Steel Shot conversion kit | \$14.95 | | |
| 86886 Mini Grand Dust Cover | \$24.95 | | |

NOTE: See page 45 for Shot & Powder Bushing information.

How To Select Bushings for Half Grain Charges:

Powder bushings are identified by numbers that correspond to the size of their inside diameter. (For instance, the inside diameter of the #456 bushing is .456 inches.) Bushings for powder charges in half-grain increments can be calculated from this chart. Simply, “split the difference” between the two even-grain bushings, and select the bushing nearest the result. Example: To find the bushing for 18 1/2 grains of Alliant® Red Dot® powder, note that bushing #468 gives a charge of 18 grains and that bushing #480 gives 19 grains. Split the difference between 468 and 480, and the result is 474. Thus, the correct bushing for 18 1/2 grains of Red Dot is bushing #474.

All charges listed on this chart are an average of several loads weighed following the complete reloading cycle. Powders used in establishing these loads were from ballistic samples supplied by the manufacturer or sealed tins of recent manufacture. Charges may vary slightly due to operator's technique and/or powder variables. Always check actual charge weight against recommended charges and adjust bushing size as necessary.

Bushings listed, but not offered from RCBS, can be obtained from other manufacturers.

| SHOTSHELL POWDER BUSHINGS | | | | | | | | SUGGESTED RETAIL PRICE | \$6.95 |
|---------------------------|-----------|--------|-----------|--------|-----------|--------|-----------|------------------------|--------|
| Part # | Bushing # | Part # | Bushing # | Part # | Bushing # | Part # | Bushing # | | |
| 89111 | 354 | 89119 | 408 | 89127 | 438 | 89135 | 462 | | |
| 89112 | 360 | 89120 | 414 | 89128 | 441 | 89136 | 465 | | |
| 89113 | 366 | 89121 | 420 | 89129 | 444 | 89137 | 468 | | |
| 89114 | 372 | 89122 | 423 | 89130 | 447 | 89138 | 471 | | |
| 89115 | 381 | 89123 | 426 | 89131 | 450 | 89139 | 474 | | |
| 89116 | 390 | 89124 | 429 | 89132 | 453 | 89140 | 480 | | |
| 89117 | 396 | 89125 | 432 | 89133 | 456 | 89141 | 486 | | |
| 89118 | 402 | 89126 | 435 | 89134 | 459 | 89142 | 498 | | |

Interchangeable Bushings:

For use with The Grand or Mini Grand shotshell reloader. Designed so shot and powder bushings cannot be accidentally reversed in the charge bar. The bushings make it easy to change from one load to another.

| POWDER CHARGE WEIGHT IN GRAINS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Powder Type | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 34 | 35 | 36 | 37 | 38 | 38 | 39 | 40 | 41 | 42 | 43 | | | | | | | | | | | | | | | | | | |
| Accurate Solo 1000 | 387 | 399 | 411 | 420 | 432 | 438 | 447 | 459 | 474 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Accurate Solo 1250 | 369 | 384 | 396 | 408 | 420 | 429 | 441 | 453 | 459 | 471 | 480 | 492 | 501 | 510 | 516 | 525 | 537 | 543 | 555 | 558 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Accurate No. 2 Improved | | | | 357 | 366 | 378 | 387 | 396 | 408 | 417 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Accurate Nitro 100 | 375 | 387 | 399 | 411 | 423 | 435 | 447 | 456 | 465 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DuPont 700-X | | 402 | 414 | 429 | 441 | 453 | 465 | 471 | 486 | 498 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DuPont PB | 366 | | 390 | 402 | 414 | 426 | 435 | 447 | 456 | 465 | 474 | 486 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DuPont SR 7625 | 345 | | | 381 | 390 | 402 | 414 | 426 | 438 | 444 | 453 | 462 | 474 | 486 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DuPont 800-X | | 372 | 390 | 402 | 414 | 423 | 429 | 438 | 447 | 459 | 468 | 480 | | | 507 | 525 | | 534 | | 549 | 558 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DuPont SR 4756 | | 366 | | | | 408 | | 426 | 435 | 447 | 459 | 471 | 480 | | | | | | 525 | 534 | | 549 | 558 | | | 580 | 588 | | | | | | | | | | | | | | | | | | | | | |
| DuPont 4227 | | | | | | | | | 366 | | | 390 | | 408 | 414 | 420 | 426 | 435 | 441 | 447 | 453 | 462 | 468 | 474 | 480 | 486 | | 498 | | | | | | | | | | | | | | | | | | | | |
| Alliant American Select | | | 417 | 423 | 432 | 447 | 456 | 468 | 477 | 483 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alliant Red Dot | 405 | 423 | 438 | 453 | 468 | 480 | 489 | 498 | 510 | 519 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alliant Green Dot | 390 | 405 | 420 | 435 | 447 | 456 | 468 | 480 | 492 | 501 | 513 | 522 | 534 | | 549 | 558 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alliant Unique | 354 | 369 | 381 | 393 | 405 | 414 | 423 | 435 | 444 | 453 | 465 | 474 | 483 | 492 | 501 | | 510 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alliant Herco | 369 | 381 | 393 | 405 | 414 | 426 | 438 | 450 | 462 | 471 | 477 | 489 | 498 | | 513 | 522 | 531 | | 549 | 558 | 564 | 573 | | 588 | 594 | | | | | | | | | | | | | | | | | | | | | | | |
| Alliant Blue Dot | | | | | 366 | 372 | 381 | 390 | 396 | 408 | 414 | 423 | 435 | 441 | 447 | 459 | 468 | 474 | 483 | 489 | 495 | 501 | 510 | 516 | 522 | 531 | 534 | 543 | 549 | | | | | | | | | | | | | | | | | | | |
| Alliant 2400 | 291 | 300 | 312 | 324 | 330 | 339 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hodgdon Clays | | | 429 | 441 | 456 | 468 | 483 | 495 | 507 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hodgdon International | 375 | 390 | 402 | 414 | 423 | 435 | 447 | 459 | 471 | 483 | 495 | 507 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hodgdon Universal | 342 | 354 | 366 | 378 | 390 | 402 | 411 | 420 | 429 | 438 | 447 | 456 | 468 | 480 | 489 | 501 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hodgdon HS-6 | | | | 300 | 309 | 318 | 327 | 336 | 345 | 357 | 360 | 366 | 375 | 381 | 387 | 393 | 402 | 408 | 414 | 423 | 429 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hodgdon HS-7 | | | | | | 318 | 330 | 339 | 348 | 357 | 363 | 369 | 378 | 384 | 390 | 396 | 405 | 411 | 417 | 423 | 429 | 438 | 444 | 450 | | | | | | | | | | | | | | | | | | | | | | | | |
| Hodgdon Titewad | | 384 | 396 | 408 | 420 | 432 | 441 | 453 | 462 | 474 | 486 | 492 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hodgdon Longshot | 300 | 309 | 318 | 330 | 345 | 348 | 357 | 366 | 372 | 381 | 390 | 396 | 405 | 414 | 423 | 429 | 435 | 444 | 450 | 459 | 465 | 471 | 480 | 486 | 492 | 498 | | | | | | | | | | | | | | | | | | | | | | |
| Hodgdon Titegroup | | 324 | 330 | 342 | 351 | 360 | 369 | 378 | 387 | 396 | 405 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Winchester 540 | | | | 300 | 309 | 318 | 327 | 336 | 345 | | 360 | 366 | | 381 | | | 402 | 408 | 414 | 423 | 429 | 435 | 441 | 444 | 450 | 459 | 465 | 471 | | | | | | | | | | | | | | | | | | | | |
| Winchester 571 | | | | | | 318 | | | | | | | | | 390 | 396 | | | | 423 | 429 | 438 | 444 | 450 | 456 | 462 | 468 | 474 | 480 | 486 | | | | | | | | | | | | | | | | | | |
| Winchester Super Target | | | | | 414 | 429 | 438 | 450 | 459 | 471 | 480 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Winchester Super Lite | | | | 345 | 354 | 363 | 372 | 381 | 390 | 402 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Winchester Super Field | | | 327 | 345 | 354 | | | | | | | | 420 | 426 | 432 | 441 | 450 | 456 | 462 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



Shot Bushing

Powder Bushing

| SHOTSHELL LEAD SHOT BUSHINGS FOR FIELD LOADS #6's COMPENSATES FOR LIGHTER PACKING OF SMALLER SHOT SIZE. | |
|--|-----------|
| SUGGESTED RETAIL PRICE | \$6.95 |
| Part # | Bushing |
| 89170 | 7/8 oz. |
| 89171 | 1 oz. |
| 89172 | 1-1/8 oz. |
| 89173 | 1-1/4 oz. |
| 89174 | 1-3/8 oz. |
| 89175 | 1-1/2 oz. |



A Pro-Melt™ Furnace

Here's a hot little number. Our heavy-duty Pro-Melt™ furnace has a high-temperature heating element, plus an industrial-grade thermostat coupled to a remote sensor on the bottom of the pot for added accuracy and response. Range: 650° to 850° F. Can be set up for either left or right-handed operation. Lead capacity is 22 pounds. 800 Watts. Two year limited warranty.

- 81100 Pro-Melt Furnace 120 VAC
- \$466.95
- 81200 Pro-Melt Furnace 240 VAC-EUR
- \$481.95

B Lead Pot

This heavy-duty cast-iron pot holds up to 10 pounds of molten metal. It features a flat bottom for stability, bail handle, pouring spout, and a tab lifter for gripping with insulated tongs or pliers.

- 80010 Lead Pot
- \$22.95



C Lead Thermometer

With a 1000°F range and +/- 1% accuracy, our lead thermometer lets you pour lead at the optimum temperature. Large numbers are printed on a 1-1/2", glass-covered face. Six inch probe works with RCBS® Pro-Melt furnace or pot. An adjustable 6" handle helps to prevent burning of fingers.

- 81175 Lead Thermometer
- \$59.95

D Ingot Mould

Mould up to four ingots at once and cool them quickly with this handy accessory. It's perfect for melting down scrap lead and preparing alloys for future use.

- 80005 Ingot Mould
- \$22.95

E Lead Dipper

A large-capacity bowl for easy scooping and stirring. The lead dipper has a tapered pouring spout to fit sprue holes and has a solid hardwood grip. Overall length: 11-1/2 in.

- 80015 Lead Dipper
- \$27.95



F Bullet Mould Handles

Solid steel frames with extra-long, premium hardwood handles for comfort. Perfect for home bullet casting. One size fits all RCBS® bullet moulds only.

- 80025 Bullet Mould Handles
- \$43.95



G Neck Expander Dies for Cast Rifle Bullets

To eliminate deforming the base and shaving lead off the sides of your lead rifle bullets during seating. RCBS® strongly recommends using our Neck Expander Die. In one step, the neck expander die expands the neck and slightly flares the case mouth of your bottle neck cases.

- 39800 Neck Expander Body
- \$23.95
- 39801 Neck Expander Plug Rod
- \$5.95
- Neck Expander Plug (see chart)
- \$10.95



H Mould Mallet

Be kind to your bullet moulds. Stop using a metal object to tap out your cast lead bullets and potentially damaging your mould! RCBS® has reintroduced our wooden mould mallet to safely accomplish this goal.

- 80007 Mould Mallet
- \$12.95



I Bullet Lubricant

RCBS® Bullet Lubricant fits the Lube-A-Matic Sizer/Lubricator and most others that use a hollow stick lubricant. It's a non-toxic, temperature resistant blend, developed in cooperation with top-rated competition cast-bullet shooters. Our rifle bullet lubricant is a blend of Alox and beeswax, formulated to NRA specifications. Works fine for pistol bullets. Rifle Lube for outdoor use only.

- 80008 Bullet Lubricant
- \$5.95
- 80009 Rifle Bullet Lubricant
- \$5.95



J Lube-A-Matic®—2 Bullet Sizer/Lubricator

Size and lubricate cast bullets in one step with the Lube-A-Matic—2. Just insert a bullet in the sizer die and pull the handle. A sized and lubricated bullet ejects on the upstroke. A fingertip regulator lets you fine-tune lubricant flow. The Lube-A-Matic—2 also seats gas checks. A high quality tool that's a "must-have" item for the serious bullet caster.

(Die and top punch sold separately.) See chart on pages 48-51 for sizer die and top-punch sizes

- 80040 Lube-A-Matic—2
- \$209.95
- 86880 Dust Cover
- \$11.95

Bullet Casting Video (Not Pictured)

An age-old art explained with modern technology. This comprehensive video is authoritative, informative, and entertaining to watch. Step-by-step instructions on cast bullet preparation and moulding.

- 99907 Bullet Casting Video
- \$24.95



WARNING

MELTING LEAD AND CASTING LEAD OBJECTS WILL EXPOSE YOU AND OTHERS IN THE AREA TO LEAD, WHICH IS KNOWN TO CAUSE BIRTH DEFECTS, OTHER REPRODUCTIVE HARM AND CANCER. SEE INSTRUCTIONS ON REDUCING EXPOSURE SUPPLIED WITH PRODUCT.

| NECK EXPANDER DIES | | |
|--------------------|----------------------|----------------------------|
| Bullet Diameter | Complete Die \$29.95 | Expander Plug Only \$11.95 |
| .224" | 39803 | 39851 |
| .228" | 39805 | 39853 |
| .243" | 39807 | 39855 |
| .257" | 39809 | 39857 |
| .264" | 39811 | 39859 |
| .277" | 39813 | 39861 |
| .284" | 39815 | 39863 |
| .308" | 39817 | 39865 |
| .309" | 39819 | 39867 |
| .310" | 39821 | 39869 |
| .311" | 39823 | 39871 |
| .321" | 39825 | 39873 |
| .323" | 39827 | 39875 |
| .338" | 39829 | 39877 |
| .348" | 39830 | 39878 |
| .358" | 39831 | 39879 |
| .375" | 39833 | 39881 |
| .416" | 39835 | 39883 |

BULLET CASTING



| RIFLE BULLET MOULDS \$90.95 | | | | | | | | |
|--------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Caliber | 22 | 6mm | 25 | 270 | 7mm | 30 | 30 | 30 |
| Mould | 22-055-SP | 243-095-SP | 257-120-SP | 270-150-SP | 7mm-168-SP | 30-115-SP | 30-150-FN | 30-180-SP |
| Part Number | 82007 | 82015 | 82016 | 82017 | 82018 | 82009 | 82019 | 82020 |
| Sizer Die | .225" dia. | .244" dia. | .258" dia. | .278" dia. | .285" dia. | .309" dia. | .309" dia. | .309" dia. |
| Part Number | 82240 | 82202 | 82204 | 82206 | 82209 | 82212 | 82212 | 82212 |
| Top Punch | #506 | #509 | #515 | #529 | #531 | #535 | #546 | #541 |
| Part Number | 85506 | 85509 | 85515 | 85529 | 85531 | 85535 | 85546 | 85541 |



| RIFLE BULLET MOULDS \$90.95 | | | | | | | |
|--------------------------------|------------|--------------|------------|------------|------------|------------|-------------|
| Caliber | 30 | 7.62mm | 310 Cadet | 32 | 35 | 375, 38-55 | 38-55 |
| Mould | 30-180-FN | 7.62-130-SPL | 310-120-RN | 32-170-FN | 35-200-FN | 37-250-FN | 378-312-BPS |
| Part Number | 82014 | 82022 | 82023 | 82024 | 82028 | 82029 | 82090 |
| Sizer Die | .309" dia. | .309" dia. | Bullet | .321" dia. | .358" dia. | .376" dia. | .378" dia. |
| Part Number | 82212 | 82212 | NOT SIZED | 82217 | 82223 | 82225 | 82252 |
| Top Punch | #546 | #554 | or | #550 | #565 | #570 | #608 |
| Part Number | 85546 | 85554 | Lubed | 85550 | 85565 | 85570 | 85608 |



| RIFLE BULLET MOULDS \$90.95 | | | | | | | |
|--------------------------------|---------------|----------------|----------------|-------------|-------------|-------------|------------|
| Caliber | 40 | 40 | 40 | 40 | 40 | 416 | 44-40 |
| Mould | 40-300-SP-CSA | 40-350-SP-CSA+ | 40-400-SP-CSA+ | 40-400-BPS+ | 40-420-BPS+ | 416-350-FN+ | 44-200-FN |
| Part Number | 82070 | 82072 | 82074 | 82086 | 82073 | 82075 | 82036 |
| Sizer Die | .410" dia. | .410" dia. | .410" dia. | .410" dia. | .410" dia. | .417" dia. | .428" dia. |
| Part Number | 82226 | 82226 | 82226 | 82226 | 82226 | 82246 | 82244 |
| Top Punch | #378 | #378 | #378 | #609 | #620 | #562 | #595 |
| Part Number | 82520 | 82520 | 82520 | 85609 | 85620 | 85562 | 85595 |



| RIFLE BULLET MOULDS \$90.95 | | | | | | | |
|--------------------------------|------------|------------|-------------|------------|------------|-------------|------------|
| Caliber | 11mm | 45 | 45 | 45 | 45 | 45 | 45 |
| Mould | 44-370-FN+ | 45-300-FN | 45-325-FN-U | 45-405-FN+ | 45-500-FN+ | 45-500-BPS+ | 45-530-RN+ |
| Part Number | 82093 | 82051 | 82045 | 82053 | 82054 | 82085 | 82084 |
| Sizer Die | .446" dia. | .458" dia. | .458" dia. | .458" dia. | .458" dia. | .458" dia. | .458" dia. |
| Part Number | 82253 | 82236 | 82236 | 82236 | 82236 | 82236 | 82236 |
| Top Punch | #585 | #600 | #383 | #600 | #600 | #607 | #621 |
| Part Number | 85585 | 85600 | 85583 | 85600 | 85600 | 85607 | 85621 |

* also .475 Linebaugh + single cavity mould

BULLET CASTING



| PISTOL BULLET MOULDS \$86.95 | | | | | | | | |
|---------------------------------|------------|------------|------------|------------|------------|------------|---------------|------------|
| Caliber | 32 | 32 | 32 | 380 | 9mm | 9mm | 9mm | 9mm |
| Mould | 32-077-RN | 32-098-WC | 32-098-SWC | 38-090-RN | 9mm-115-RN | 9mm-124-RN | 9mm-124-RN-TG | 9mm-124-CN |
| Part Number | 82021 | 82060 | 82061 | 82057 | 82026 | 82062 | 82063 | 82027 |
| Sizer Die | .311" dia. | .314" dia. | .314" dia. | .356" dia. | .356" dia. | .356" dia. | .356" dia. | .356" dia. |
| Part Number | 82214 | 82216 | 82216 | 82221 | 82221 | 82221 | 82221 | 82221 |
| Top Punch | #465 | #445 | #444 | #311 | #115 | #401 | #115 | #402 |
| Part Number | 82536 | 82543 | 82542 | 82513 | 82504 | 82521 | 82504 | 82522 |



| PISTOL BULLET MOULDS \$86.95 | | | | | | | | |
|---------------------------------|------------|------------|------------|------------|------------|------------|--------------|--------------|
| Caliber | 9mm | 38/357 | 38/357 | 38/357 | 38/357 | 40/10mm | 10mm | 10mm |
| Mould | 9mm-147-FN | 38-148-WC | 38-150-SWC | 38-158-RN | 38-158-SWC | 40-180-FN | 10mm-170-SWC | 10mm-200-SWC |
| Part Number | 82077 | 82031 | 82032 | 82064 | 82065 | 82066 | 82067 | 82068 |
| Sizer Die | .356" dia. | .358" dia. | .358" dia. | .358" dia. | .358" dia. | .401" dia. | .400" dia. | .400" dia. |
| Part Number | 82221 | 82223 | 82223 | 82223 | 82223 | 82245 | 82243 | 82243 |
| Top Punch | #556 | #429 | #429 | #311 | #429 | #558 | #518 | #518 |
| Part Number | 85556 | 82529 | 82529 | 82513 | 82529 | 85558 | 85518 | 85518 |



| PISTOL BULLET MOULDS \$86.95 | | | | | | | | | |
|---------------------------------|------------|------------|------------|------------|------------|------------|---------------|------------|------------|
| Caliber | 41 | 44 | 44 | 44 | 44 | 44 | 45 Auto | 45 Auto | 45 Auto |
| Mould | 41-210-SWC | 44-225-SWC | 44-240-SWC | 44-245-SWC | 44-250-K | 44-300-SWC | 45-185-SWC-BB | 45-200-SWC | 45-201-SWC |
| Part Number | 82039 | 82041 | 82042 | 82043 | 82080 | 82079 | 82052 | 82046 | 82047 |
| Sizer Die | .410" dia. | .430" dia. | .430" dia. | .430" dia. | .430" dia. | .430" dia. | .452" dia. | .452" dia. | .452" dia. |
| Part Number | 82226 | 82229 | 82229 | 82229 | 82229 | 82229 | 82233 | 82233 | 82233 |
| Top Punch | #420 | #421 | #421 | #421 | #421 | #421 | #680 | #460 | #680 |
| Part Number | 82541 | 82527 | 82527 | 82527 | 82527 | 82527 | 82545 | 82534 | 82545 |



| PISTOL BULLET MOULDS \$86.95 | | | | | | | | | |
|---------------------------------|------------|------------|------------|------------|------------|------------|--------------|-------------|-------------|
| Caliber | 45 | 45 Auto | 45 Colt | 45 Colt | 45 Colt | 45 | 480 Ruger* | 50 AE | 500 S&W |
| Mould | 45-225-CAV | 45-230-RN | 45-250-FN | 45-255-SWC | 45-270-SAA | 45-300-SWC | 478-400-SWC+ | 50-340-SWC+ | 50-400-SWC+ |
| Part Number | 82081 | 82048 | 82049 | 82050 | 82092 | 82083 | 82094 | 82087 | 82099 |
| Sizer Die | .454" dia. | .452" dia. | .454" dia. | .454" dia. | .454" dia. | .452" dia. | .476" dia. | .500" dia. | .500" dia. |
| Part Number | 82234 | 82233 | 82234 | 82234 | 82234 | 82233 | 82237 | 82254 | 82254 |
| Top Punch | #552 | #374 | #190 | #424 | #424 | #424 | #638 | #611 | #639 |
| Part Number | 85552 | 82519 | 82506 | 82528 | 82528 | 82528 | 85638 | 85611 | 85639 |

* also .475 Linebaugh + single cavity mould

WARNING: MELTING LEAD AND CASTING LEAD OBJECTS WILL EXPOSE YOU AND OTHERS IN THE AREA TO LEAD, WHICH IS KNOWN TO CAUSE BIRTH DEFECTS, OTHER REPRODUCTIVE HARM AND CANCER. SEE INSTRUCTIONS ON REDUCING EXPOSURE SUPPLIED WITH PRODUCT.

| SILHOUETTE BULLET MOULDS | | | | | | |
|--------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| \$90.95 | | | | | | |
| Caliber | 6.5 | 7mm | 308 | 308 | 357 | 44 |
| Mould | 6.5-140-SIL | 7mm-145-SIL | 308-165-SIL | 308-200-SIL | 357-180-SIL | 429-240-SIL |
| Part Number | 82149 | 82150 | 82152 | 82153 | 82154 | 82156 |
| Sizer Die | .265" dia. | .285" dia. | .309" dia. | .309" dia. | .358" dia. | .430" dia. |
| Part Number | 82207 | 82209 | 82212 | 82212 | 82223 | 82229 |
| Top Punch | #520 | #531 | #541 | #541 | #430 | #422 |
| Part Number | 85520 | 85531 | 85541 | 85541 | 82530 | 82526 |
| Seater Plug | | 7mm SIL | 308 SIL | 308 SIL | 357 SIL | 44 SIL |
| Part Number | | 09696 | 09697 | 09697 | 90019* | 90031* |

Older die sets utilizing a 1/4 - 28 threaded seater plug require #09698 for .357 SIL and #09699 for .44 SIL.

| ALTERNATE BULLET SIZES FOR CAST BULLETS | | | |
|---|-------|------------|-------------|
| Caliber | Size | Sizer Die | Part Number |
| .22 | .224" | .224" dia. | 82200 |
| 6mm | .243" | .243" dia. | 82201 |
| .25 | .257" | .257" dia. | 82203 |
| 270 | .277" | .277" dia. | 82205 |
| 7mm | .284" | .284" dia. | 82208 |
| .30 | .308" | .308" dia. | 82211 |
| .30 | .310" | .310" dia. | 82213 |
| .30 | .311" | .311" dia. | 82214 |
| .32 | .312" | .312" dia. | 82242 |
| .32 | .313" | .313" dia. | 82215 |
| .32 | .314" | .314" dia. | 82216 |
| 38/357 | .354" | .354" dia. | 82219 |
| 38/357 | .355" | .355" dia. | 82220 |
| .38 | .356" | .356" dia. | 82221 |
| 357 | .357" | .357" dia. | 82222 |
| 375/38-55 | .375" | .375" dia. | 82224 |
| .40 | .408" | .408" dia. | 82249 |
| 44-40 | .427" | .427" dia. | 82227 |
| .44 | .429" | .429" dia. | 82228 |
| .44 | .431" | .431" dia. | 82230 |
| .45 | .450" | .450" dia. | 82231 |
| .45 | .451" | .451" dia. | 82232 |
| 45 Colt | .452" | .452" dia. | 82233 |
| .45 | .457" | .457" dia. | 82235 |
| 500 S&W/50 AE | .501" | .501" dia. | 82250 |

Lube-A-Matic Sizer Die & Top Punch

| | |
|-------------------------------|---------|
| Lube-A-Matic Sizer Die | \$31.95 |
| Lube-A-Matic Top Punch | \$10.95 |
| Silhouette Bullet Seater Plug | \$6.95 |

Abbreviation Guide

| | |
|--------------------------|-------------------------------|
| CSA - C Sharps Arms | SWC - Semi-Wadcutter |
| TG - Target | WC - Wadcutter |
| SPL - Special | SP - Semi-Point |
| U - Universal | BB - Bevel Base |
| PT - Pointed | M - Minie Ball |
| CAV - Cavalry | R - Round Ball |
| CN - Conical Nose | SIL - Silhouette |
| SAA - Single Action Army | K - Keith Type |
| FN - Flat Nose | BPS - Black Powder Silhouette |
| RN - Round Nose | CM - Cowboy Mould |

All RCBS® Bullet Moulds are machined to exacting specifications ensuring accurate and clean casts time after time.

NOTE: All moulds are shown slightly smaller than actual size. Unless noted otherwise, all RCBS bullet moulds are double cavity type. Each mould is identified by a five or six digit number, followed by two or three letters. The first two or three digits identify bullet caliber, the last three are bullet weight in grains. (Round Balls are identified by caliber only.) Bullet weights are established by the following methods:

- Rifle & Silhouette Bullets—Linotype alloy.
- Pistol, Black Powder Silhouette and C Sharps Arms Bullets—An alloy of one part tin to ten parts lead.
- Cowboy Bullets—an alloy of one part tin to twenty parts lead
- Round & Minie Balls—Pure lead. +Available in single cavity only.

| NORTH-SOUTH SKIRMISH BULLET MOULDS | | |
|------------------------------------|-------------------|-------------|
| \$109.95 | | |
| Diameter | Mould | Part Number |
| .576" | .576-412 Hodgdon+ | 82160 |
| .578" | .578-414 Hodgdon+ | 82161 |
| .580" | .580-416 Hodgdon+ | 82162 |
| .584" | .584-419 Hodgdon+ | 82164 |

| NORTH-SOUTH SKIRMISH BULLET MOULDS (ADJUSTABLE) | | |
|---|---------------|-------------|
| \$109.95 | | |
| Diameter | Mould | Part Number |
| .500" | .500 Hodgdon+ | 82166 |
| .520" | .520 Hodgdon+ | 82170 |
| .540" | .540 Hodgdon+ | 82172 |

| MINIE BALL MOULDS | | |
|-------------------|------------|-------------|
| \$104.95 | | |
| Diameter | Mould | Part Number |
| .575" | .50-500-M+ | 82103 |

| COWBOY BULLET MOULDS | | |
|----------------------|------------|-----------|
| \$94.95 | | |
| Caliber | 25-20 Win. | 30-30 Win |
| Mould | 25-85-CM | 30-150-CM |
| Part Number | 82301 | 82302 |
| Sizer Die | .258" | .309" |
| Part Number | 82204 | 82212 |
| Top Punch | #630 | #631 |
| Part Number | 85630 | 85631 |

| ROUND BALL MOULDS | | |
|-------------------|----------|-------------|
| \$86.95 | | |
| Diameter | Mould | Part Number |
| .435" | .435-112 | 82134 |
| .440" | .440-116 | 82135 |
| .451" | .451-125 | 82138 |
| .457" | .457-130 | 82140 |
| .490" | .490-160 | 82142 |

| COWBOY BULLET MOULDS | | | | | | | |
|----------------------|-------------------------|------------------------|------------------------|-----------|---|--------------------------|---------------|
| \$90.95 | | | | | | | |
| Caliber | 32 H & R Mag/ 30-20Win. | 38 Special/ 357 Magnum | 38 Special/ 357 Magnum | 38-40 WCF | 44-40 WCF/ 44 Russ/ 44 Special/ 44 Magnum | 45 S&W Sch/ 45 Long Colt | 56-50 Spencer |
| Mould | 32-90-CM | 38-140-CM | 38-158-CM | 40-180-CM | 44-200-CM | 45-230-CM | 50-350-CM+ |
| Part Number | 82303 | 82304 | 82305 | 82306 | 82307 | 82308 | 82309 |
| Sizer Die | .314" | .358" | .358" | .401" | .428"/.430" | .452"/.454" | .512" |
| Part Number | 82216 | 82223 | 82223 | 82245 | 82244/82229 | 82233/82234 | 82255 |
| Top Punch | #632 | #633 | #633 | #635 | #636 | #637 | #624 |
| Part Number | 85632 | 85633 | 85633 | 85635 | 85636 | 85637 | 85624 |

+ Single cavity mould

WARNING: MELTING LEAD AND CASTING LEAD OBJECTS WILL EXPOSE YOU AND OTHERS IN THE AREA TO LEAD, WHICH IS KNOWN TO CAUSE BIRTH DEFECTS, OTHER REPRODUCTIVE HARM AND CANCER. SEE INSTRUCTIONS ON REDUCING EXPOSURE SUPPLIED WITH PRODUCT.



A Stuck Case Remover

Our Stuck Case Remover extracts stuck cases from standard sizer dies without damaging the die, using a very simple two-step removal process.

09340 Stuck Case Remover \$20.95

D Ammo Boxes

These tough, plastic boxes have flush exteriors with recessed latches. They're designed to stack easily, and feature an anti-rattle bullet-tip nest, empty case support, and long-lasting hinge. Available in five sizes:

| | | |
|-------|---------------|--------|
| 86901 | Small Rifle | \$7.95 |
| 86902 | Medium Rifle | \$7.95 |
| 86903 | Large Rifle | \$9.95 |
| 86905 | Medium Pistol | \$5.95 |
| 86906 | Large Pistol | \$6.95 |

See Reference Chart on page 34

B Stuck Case Remover—2 Kit

The Stuck Case Remover—2 Kit lets you extract cases from dies with removable guide bushings. It's also useful for our Competition Dies or other sizer dies with a raised expander ball. Kit contains two extractor nuts and two punch rods.

09355 Stuck Case Remover—2 Kit \$8.95

D Accessory Base Plate—2


Save time, space and eliminate a loading bench top full of holes. Simply attach the Base Plate—2 to any work surface, then use the pre-tapped, letter-coded holes to quickly mount or dismount RCBS® Case Trimmers, Trim Pro®, Powder Measure Stand, Lube-A-Matic—2, Reloader Special, Rock Chucker™, Pro 2000®, Turret Press, AmmoMaster®, Partner Press and the APS® Bench Mounted, Automatic and Standard Priming Tools. Fastening hardware included. Measures approximately 10" x 6" x 1".

09280 Accessory Base Plate—2 \$39.95

C Fold-Up Hex Key Wrench

Eight heat-treated hex keys fit most hex head screws on RCBS® equipment. Key sizes: .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64" and 5/32". Handy and easy to locate on the bench when you need a hex key.

09975 Fold-Up Hex Key Wrench \$10.95



P RCBS.LOAD™ Comprehensive Software for The Serious Shooter

Traditionally, ballistics software has fallen into two categories, programs that analyze trajectories, and programs that let you archive reloading data that you developed. If you wanted to do both, you had to purchase two programs. If you wanted industry reloading data in electronic form, you were out of luck. Until now—now there's RCBS.LOAD, a sophisticated program that combines the latest technology in trajectory analysis with an incredible database manager. Bullet trajectories up to six at a time can be viewed as a graph, and you can choose from a list of 2,069 component bullets plus a catalog of over 2,360 factory loads. You can prescribe the initial firing conditions, change the environmental conditions and readily determine maximum point-blank range in three dimensions.

As a database manager, RCBS.LOAD sets new standards. Data can be viewed as text and also graphed for visual analysis. Data can be sorted and filtered to see specific details. Included is an index of data sources showing where to find loads for over 760 standard and wildcat cartridges. RCBS.LOAD version 3.0 includes electronic versions of the Speer® Reloading Manual #14, the RCBS® Cast Bullet Manual and has been upgraded to access all but the most current reloading manuals from other industry sources free of charge! With access to 450,000 plus loads, the collection of data now included with RCBS.LOAD is typically more data than one might compile over a lifetime. Additional electronic manuals covering the most recent industry reloading sources can be unlocked with the possession of the printed manual. With RCBS.LOAD, you build your own reloading databases that can be analyzed like the industry sources.

RCBS.LOAD comes with an exciting Cartridge Designer feature. Starting with a parent cartridge, you can change the dimensions and see the case capacity for your wildcat cartridge recalculate automatically. There's a handy Ballistic Coefficient Calculator in case your bullet isn't in the massive bullet database. Other useful references include a kinetic energy calculator, minimum twist rate chart, pressure assignments list, metric equivalents, powder burning rate chart, and a database of dimensioned drawings for over 517 cartridges.

Best of all, this power comes at about the cost of four boxes of 30-30 ammo. Try RCBS.LOAD and see why it's the standard by which all other ballistic programs will be judged.

99915 RCBS.LOAD Reloading Software \$123.95

* Windows 98 and Windows NT are registered trademarks of Microsoft, Inc.

P Precisioneered® Handloading DVD

Whether you're an old pro or just getting started in handloading, this is the best 30-minute time investment you'll ever make. Precisioneered® Handloading is both entertaining and educational—a must see for the do-it-yourselfer.

99910 Precisioneered Handloading DVD \$10.95

H Speer® Reloading Manual #14

Get all the facts on loading virtually any round you need. This 14th volume contains technical data to maximize your reloading process.

7109515 Speer Reloading Manual #14 \$35.95



A AmmoMaster® Chronograph

Self-contained chronograph that checks velocity of arrows, paintball guns, rifles and pistols. Diffuser and supports store within housing. Detached keypad w/ 20ft. cord. Velocity range of 50-7000 fps.

| | |
|------------------------------|----------|
| 81190 AmmoMaster Chronograph | \$154.95 |
| 81191 Side Support (2 pack) | \$11.95 |
| 81192 Diffuser | \$11.95 |
| 81193 Skyscreen Start | \$35.95 |
| 81194 Skyscreen Stop | \$35.95 |

B RCBS® Logo Hats

Identify yourself as a shooting expert with these stylish hats from RCBS. Form fitted, low profile visor and Realtree® Advantage® camo accents.

| | |
|---------------------------|--------|
| 99150 Black/Camo Logo Hat | \$9.95 |
| 99151 Tan/Camo Logo Hat | \$9.95 |

C RCBS® Shooting Shirt

Comfortable to wear and great for shooting, this shirt proudly displays your support of RCBS and the shooting sports. 100% cotton blend with ample room for shooting.

| | |
|---------------------------------|---------|
| 99140 Shooting Shirt - Medium | \$39.95 |
| 99141 Shooting Shirt - Large | \$39.95 |
| 99142 Shooting Shirt - XLarge | \$39.95 |
| 99143 Shooting Shirt - XXLLarge | \$43.95 |



D Trigger Pull Gauge

Lets you measure the trigger pull force of any firearm. Reads grams on the left, ounces on the right. Capacity 2000 grams; 72 ounces.

| | |
|--------------------------|---------|
| 09450 Trigger Pull Gauge | \$26.95 |
|--------------------------|---------|



E Premium Trigger Pull Scale

Measure the force needed for trigger release of firearms. Scale is accurate to +/- 2 ounces in 2 ounce increments up to 8 pounds. A sliding indicator remains at the highest reading when the trigger releases, allowing accurate measurement.

| | |
|----------------------------------|---------|
| 87307 Premium Trigger Pull Scale | \$43.95 |
|----------------------------------|---------|

F Military Trigger Pull Scale

Measure the force needed for trigger release of your Double Action pistol or Military Rifle, you might be surprised! Scale is accurate to +/- 8 ozs in 8 oz increments. Measures in pounds or kilograms from 0-25 pounds or 0-11.34 kilograms. A sliding indicator remains at the highest level. Anodized aluminum body with stainless steel spring.

| | |
|--------------------------|---------|
| 87306 Trigger Pull Gauge | \$47.95 |
|--------------------------|---------|



G Shade Canopy

Delivering 5 feet of sun-blocking shade, this canopy features an articulating adjustment that provides shade from any angle. Includes seat extension bar, leg tie-downs and spikes.

| | |
|---|---------|
| 9323 Shade Canopy w/extension & tie downs | \$47.95 |
|---|---------|



H R.A.S.S. Transport Bags

Carry your R.A.S.S. with these rugged Transport Bags. Made from tough nylon with an impact resistant interior sheet. Ample storage pockets handle R.A.S.S. accessories.

| | |
|---|----------|
| 9325 Transport/Storage Bag (2-pc. soft bag) | \$169.95 |
|---|----------|

I Low Back Seat

Low back seat features a vinyl wrapped, thick foam padded seat that provides lower back support and folds down to minimize storage space. Seat bar accommodates most sizes and provides shooting relief.

| | |
|-------------------------------|----------|
| 9322 Low Back Seat w/seat bar | \$116.95 |
|-------------------------------|----------|

J Utility Tray

Keep all your shooting accessories close at hand with this sturdy utility tray. Ample storage and holds your gear safe and secure at the range or in the field.

| | |
|-------------------|---------|
| 9321 Utility Tray | \$63.95 |
|-------------------|---------|



K Optics Mount

Mounts to either side of bench. Features rapid adjustment for fast alignment of camera, spotting scope or rangefinder, standard 1/4 -20 camera thread adaptor and lever style locking handles.

| | |
|-------------------|---------|
| 9324 Optics Mount | \$64.95 |
|-------------------|---------|

L Beverage Holder

Keep cool and fully hydrated for those long shooting sessions at the range or in the field. This handy beverage holder accommodates can, bottles and insulated beverage wraps.

| | |
|----------------------|---------|
| 9326 Beverage Holder | \$10.95 |
|----------------------|---------|

M R.A.S.S. Bench

It's the new benchmark in shooting benches. Varmint hunters and target shooters will love the 360° rotation, rapid elevation adjustment (for 20° of upward and 20° of downward travel), fine adjustment knob, adjustable leveling feet and amazing portability. Sets up in minutes with no tools required.

| | |
|---------------------|----------|
| 9320 R.A.S.S. Bench | \$487.95 |
|---------------------|----------|

NOTE: Accessories shown are extra

